

Virtual 7.1 USB Stereo Audio Adapter External Sound Card

StarTech ID: ICUSBAUDIO7



This USB to Audio Adapter lets you connect headphones or speakers, and a microphone to your computer without the need to unplug other devices!

Compliant with USB 2.0 and USB audio device specification 1.0, this USB to audio adapter couldn't be any simpler to install.

Compatible with Windows 98SE and up, as well as Mac OS 9.x and later, the USB Audio Adapter integrates into any computer environment, providing superb sound quality and convenience that can't be matched.

Included with the USB Audio Adapter is the Xear 3D software for virtual 7.1 channel sound for use with Windows XP and Windows Vista
Wednesday, August 15, 2012 9:53:23 AM
rade;.

Applications

- Add audio support to almost any USB enabled computer system
- Replace a failed onboard audio port for desktops or laptops
- Listen to 7.1 surround sound audio from regular headphones

Features

- Compliant with USB audio device class specification 1.0
- Built-in volume control buttons
- USB 2.0 compliant host interface and USB Audio Device Class specification 1.0
- No drivers required for Windows XP/2000/Vista/7, Linux and Mac OS X

Technical Specifications

| | |
|----------------------------|---|
| Warranty | 2 Years |
| Chipset ID | C-Media - CM108 |
| Connector Type(s) | 1 - USB A (4 pin) Male |
| Connector Type(s) | 2 - 3.5 mm Mini-Jack (3 Position) Female |
| Maximum Data Transfer Rate | 480 Mbps |
| OS Compatibility | Windows 2000/ XP(32/64-bit)/ Vista(32/64-bit)/ 7(32/64-bit)/ 8 (32/64-bit) Mac OS X (tested up to 10.8) Linux |
| Color | Black |
| Product Length | 2.2 in [57 mm] |
| Product Width | 1 in [25.4 mm] |
| Product Height | 0.6 in [14 mm] |
| Product Weight | 0.5 oz [15 g] |
| Operating Temperature | 0°C to 70°C (32°F to 158°F) |
| Storage Temperature | -40°C to 90°C (-40°F to 194°F) |
| Shipping (Package) Weight | 0.8 lb [0.4 kg] |
| Included in Package | 1 - USB to Audio Adapter |
| Included in Package | 1 - Instruction Manual |

Certifications, Reports and Compatibility

