

SAFETY DATA SHEET

# MP-4 Aerosol

According to Appendix D, OSHA Hazard Communication Standard 29 CFR §1910.1200

1. Identification		
Product identifier		
Product name	MP-4 Aerosol	
Product number	L0722-063	
Recommended use of the ch	Recommended use of the chemical and restrictions on use	
Application	Petroleum lubricating oil	
Uses advised against	No specific uses advised against are identified.	
Details of the supplier of the safety data sheet		
Manufacturer	Lubriplate Lubricants Co. Corporate Headquarters 129 Lockwood Street Newark, NJ 07105	
	Midwest Office & Plant 1500 Oakdale Ave. Toledo, OH 43605 419-691-2491 419-693-3806	
Emergency telephone number		
Emergency telephone	Chem-Tel: 1-800-255-3924 (US & Canada only) 01-813-248-0585 (Outside US & Canada)	
2. Hazard(s) identification		
Classification of the substanc	e or mixture	
Physical hazards	Flam. Aerosol 1 - H222 Press. Gas, Compressed - H280	
Health hazards	Skin Irrit. 2 - H315 Skin Sens. 1 - H317 STOT SE 3 - H335 Asp. Tox. 1 - H304	
Environmental hazards	Not Classified	
Label elements Hazard symbols		
Signal word	Danger	

Hazard statements	H222 Extremely flammable aerosol. H280 Contains gas under pressure; may explode if heated. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H335 May cause respiratory irritation.
Precautionary statements	<ul> <li>P210 Keep away from heat, sparks, open flames and hot surfaces. No smoking.</li> <li>P211 Do not spray on an open flame or other ignition source.</li> <li>P251 Pressurized container: Do not pierce or burn, even after use</li> <li>P261 Avoid breathing spray.</li> <li>P264 Wash contaminated skin thoroughly after handling.</li> <li>P271 Use only outdoors or in a well-ventilated area.</li> <li>P272 Contaminated work clothing must not be allowed out of the workplace.</li> <li>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</li> <li>P301+P310 If swallowed: Immediately call a poison center/ doctor.</li> <li>P302+P352 If on skin: Wash with plenty of water.</li> <li>P304+P340 If inhaled: Remove person to fresh air and keep comfortable for breathing.</li> <li>P312 Call a poison center/ doctor if you feel unwell.</li> <li>P331 Do NOT induce vomiting.</li> <li>P332+P313 If skin irritation occurs: Get medical advice/ attention.</li> <li>P362+P364 Take off contaminated clothing and wash it before reuse.</li> <li>P403+P233 Store in a well-ventilated place. Keep container tightly closed.</li> <li>P405 Store locked up.</li> <li>P410+P403 Protect from sunlight. Store in a well-ventilated place.</li> <li>P412 Do not expose to temperatures exceeding 50°C/122°F.</li> <li>P501 Dispose of contents/ container in accordance with national regulations.</li> </ul>
Contains	Distillates (petroleum), straight-run middle, Sulfonic acids, petroleum, barium salts

## Other hazards

This product does not contain any substances classified as PBT or vPvB.

# 3. Composition/information on ingredients

Mixtures

## Distillates (petroleum), straight-run middle

CAS number: 64741-44-2

## Classification

Skin Irrit. 2 - H315 STOT SE 3 - H335 Asp. Tox. 1 - H304

## Petroleum gases, liquefied, sweetened

CAS number: 68476-86-8

Classification

Not Classified

10-30%

30-60%

Sulfonic acids, petroleum, ba	arium salts 1-5%
CAS number: 61790-48-5	
Classification	
Skin Sens. 1 - H317	
2-butoxyethanol	1-5%
CAS number: 111-76-2	
Classification	
Acute Tox. 4 - H302	
Acute Tox. 4 - H312	
Acute Tox. 4 - H332	
Skin Irrit. 2 - H315	
Eye Irrit. 2A - H319	
Hydrocarbon wax	1-5%
CAS number: 64743-00-6	
Classification	
Eye Irrit. 2A - H319	
The full text for all hazard stat	ements is displayed in Section 16.
4. First-aid measures	
Description of first aid measu	res
General information	Get medical attention if any discomfort continues. Show this Safety Data Sheet to the medical personnel.
Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Get medical attention. Place unconscious person on their side in the recovery position and ensure breathing can take place.
Ingestion	Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Never give anything by mouth to an unconscious person. Place unconscious person on their side in the recovery position and ensure breathing can take place. Keep affected person under observation. Get medical attention if symptoms are severe or persist.
Skin Contact	It is important to remove the substance from the skin immediately. In the event of any sensitization symptoms developing, ensure further exposure is avoided. Remove contamination with soap and water or recognized skin cleansing agent. Get medical attention if symptoms are severe or persist after washing.
Eye contact	Remove any contact lenses and open eyelids wide apart. Rinse with water. Get medical attention if any discomfort continues.
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue.
Most important symptoms and	d effects, both acute and delayed
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.

Inhalation	A single exposure may cause the following adverse effects: Irritation of nose, throat and airway. Difficulty in breathing. Coughing.
Ingestion	May cause sensitization or allergic reactions in sensitive individuals. Due to the physical nature of this product, it is unlikely that ingestion will occur. Aspiration hazard if swallowed. Entry into the lungs following ingestion or vomiting may cause chemical pneumonitis.
Skin contact	May cause skin sensitization or allergic reactions in sensitive individuals. Redness. Irritating to skin.
Eye contact	May be slightly irritating to eyes. May cause discomfort.
Indication of immediate medic	al attention and special treatment needed
Notes for the doctor	Treat symptomatically. May cause sensitization or allergic reactions in sensitive individuals.
5. Fire-fighting measures	
Extinguishing media	
Suitable extinguishing media	The product is flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Special hazards arising from t	he substance or mixture
Specific hazards	Containers can burst violently or explode when heated, due to excessive pressure build-up. Bursting aerosol containers may be propelled from a fire at high speed. If aerosol cans are ruptured, care should be taken due to the rapid escape of the pressurized contents and propellant. Vapors may form explosive mixtures with air.
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Harmful gases or vapors.
Advice for firefighters	
Protective actions during firefighting	Avoid breathing fire gases or vapors. Evacuate area. Keep upwind to avoid inhalation of gases, vapors, fumes and smoke. Ventilate closed spaces before entering them. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapors and protect men stopping the leak. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Standard Firefighter's clothing including helmets, protective boots and gloves will provide a basic level of protection for chemical incidents.
6. Accidental release measure	S
Personal precautions, protection	ve equipment and emergency procedures
Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet. No action shall be taken without appropriate training or involving any personal risk. Do not touch or walk into spilled material. Evacuate area. Risk of explosion. Provide adequate ventilation. No smoking, sparks, flames or other sources of ignition near spillage. Promptly remove any clothing that becomes contaminated. Avoid contact with skin and eyes.
Environmental precautions	
Environmental precautions	Avoid discharge into drains or watercourses or onto the ground.
Methods and material for containment and cleaning up	

Methods for cleaning up	Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Eliminate all ignition sources if safe to do so. No smoking, sparks, flames or other sources of ignition near spillage. Under normal conditions of handling and storage, spillages from aerosol containers are unlikely. If aerosol cans are ruptured, care should be taken due to the rapid escape of the pressurized contents and propellant. Small Spillages: Wipe up with an absorbent cloth and dispose of waste safely. Large Spillages: If the product is soluble in water, dilute the spillage with water and mop it up. Alternatively, or if it is not water-soluble, absorb the spillage with an inert, dry material and place it in a suitable waste disposal container. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. For waste disposal, see Section 13.	
Reference to other sections	For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.	
7. Handling and storage		
Precautions for safe handling		
Usage precautions	Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Avoid exposing aerosol containers to high temperatures or direct sunlight. The product is flammable. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Do not reuse empty containers. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Spray will evaporate and cool rapidly and may cause frostbite or cold burns if in contact with skin. Avoid contact with eyes. Avoid inhalation of vapors and spray/mists.	
Advice on general occupational hygiene	Wash promptly if skin becomes contaminated. Take off contaminated clothing and wash before reuse. Wash contaminated clothing before reuse.	
Conditions for safe storage, including any incompatibilities		
Storage precautions	Store away from incompatible materials (see Section 10). Store locked up. Keep away from oxidizing materials, heat and flames. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage. Protect from sunlight. Do not store near heat sources or expose to high temperatures. Do not expose to temperatures exceeding 50°C/122°F.	
Storage class	Chemical storage.	
Specific end uses(s)		
Specific end use(s)	The identified uses for this product are detailed in Section 1.	
8. Exposure controls/Persona	I protection	
Control parameters		
Occupational exposure limits 2-butoxyethanol		
-	our TWA): OSHA 50 ppm 240 mg/m³	

Sk

Long-term exposure limit (8-hour TWA): ACGIH 20 ppm 97 mg/m<sup>3</sup> A3

OSHA = Occupational Safety and Health Administration. Sk = Danger of cutaneous absorption. ACGIH = American Conference of Governmental Industrial Hygienists. A3 = Confirmed Animal Carcinogen with Unknown Relevance to Humans.

# 2-butoxyethanol (CAS: 111-76-2)

Immediate danger to life 700 ppm and health

## Petroleum (CAS: 8002-05-9)

Immediate danger to life 1100 ppm and health

# Exposure controls

Protective equipment



Appropriate engineering controls	Provide adequate general and local exhaust ventilation. Ensure the ventilation system is regularly maintained and tested. Good general ventilation should be adequate to control worker exposure to airborne contaminants. Observe any occupational exposure limits for the product or ingredients.
Eye/face protection	Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses.
Hand protection	Wear protective gloves. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with OSHA 1910.138 and be demonstrated to be impervious to the chemical and resist degradation. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended.
Other skin and body protection	May cause skin sensitization or allergic reactions in sensitive individuals. Wear appropriate clothing to prevent repeated or prolonged skin contact.
Hygiene measures	Wash after use and before eating, smoking and using the toilet. Do not eat, drink or smoke when using this product.
Respiratory protection	Ensure all respiratory protective equipment is suitable for its intended use and is NIOSH approved. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with OSHA 1910.134. Full face mask respirators with replaceable filter cartridges should comply with OSHA 1910.134. Half mask and quarter mask respirators with replaceable filter cartridges should comply with CSHA 1910.134.
Environmental exposure controls	Keep container tightly sealed when not in use.

## 9. Physical and chemical properties

Information on basic physical and chemical properties	
Appearance	Gas. Aerosol.
Color	Off-white.
Odor	Not available.
Odor threshold	Not available.
рН	Not available.

Melting point	Not available.
Initial boiling point and range	Not available.
Flash point	138°C/280.4°F Cleveland open cup. Liquid.
Evaporation rate	< 1 (butyl acetate = 1)
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	Lower flammable/explosive limit: 0.9 % Upper flammable/explosive limit: 9.5 %
Vapor pressure	<0.0013 kPa @ 20°C
Vapor density	> 5
Relative density	0.86
Solubility(ies)	Insoluble in water.
Partition coefficient	Not available.
Auto-ignition temperature	152°C/305.6°F
Decomposition Temperature	Not available.
Viscosity	6 cSt @ 40°C/104°F 1.5 cSt @ 100°C/212°F
Explosive properties	Not considered to be explosive.
Oxidizing properties	Does not meet the criteria for classification as oxidizing.
10. Stability and reactivity	
Reactivity	See the other subsections of this section for further details.
Stability	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.
Possibility of hazardous reactions	The following materials may react strongly with the product: Oxidizing agents.
Conditions to avoid	Avoid exposing aerosol containers to high temperatures or direct sunlight. Pressurised container: may burst if heated
Materials to avoid	Oxidizing materials. Chlorine.
Hazardous decomposition products	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapors.
11. Toxicological information	
Information on toxicological ef	fects
Acute toxicity - oral	
Notes (oral LD₅o)	Based on available data the classification criteria are not met.
ATE oral (mg/kg)	20,833.33
<u>Acute toxicity - dermal</u> Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.
ATE dermal (mg/kg)	45,833.33
, trie dormal (my/ky)	10,000.00

Acute toxicity - inhalation Notes (inhalation LC <sub>50</sub> )	Based on available data the classification criteria are not met.
ATE inhalation (vapours mg/l)	
Skin corrosion/irritation	
Animal data	Irritating.
Serious eye damage/irritation Serious eye damage/irritation	Based on available data the classification criteria are not met.
Respiratory sensitization Respiratory sensitization	Based on available data the classification criteria are not met.
Skin sensitization	
Skin sensitization	May cause skin sensitization or allergic reactions in sensitive individuals.
Germ cell mutagenicity Genotoxicity - in vitro	Based on available data the classification criteria are not met.
Carcinogenicity	
Carcinogenicity	Based on available data the classification criteria are not met.
IARC carcinogenicity	Contains a substance which may be potentially carcinogenic. IARC Group 3 Not classifiable as to its carcinogenicity to humans.
Reproductive toxicity	
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.
Reproductive toxicity - development	Based on available data the classification criteria are not met.
Specific target organ toxicity -	single exposure
STOT - single exposure	STOT SE 3 - H335 May cause respiratory irritation.
Target organs	Respiratory system, lungs
Specific target organ toxicity - I	repeated exposure
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.
Aspiration hazard Aspiration hazard	Asp. Tox. 1 - H304 May be fatal if swallowed and enters airways. Pneumonia may be the result if vomited material containing solvents reaches the lungs.
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
General information	
	length of exposure. A single exposure may cause the following adverse effects: Irritation of nose, throat and
Inhalation	<ul><li>length of exposure.</li><li>A single exposure may cause the following adverse effects: Irritation of nose, throat and airway. Difficulty in breathing. Coughing.</li><li>May cause sensitization or allergic reactions in sensitive individuals. Due to the physical nature of this product, it is unlikely that ingestion will occur. Aspiration hazard if swallowed.</li></ul>
Inhalation Ingestion	<ul> <li>length of exposure.</li> <li>A single exposure may cause the following adverse effects: Irritation of nose, throat and airway. Difficulty in breathing. Coughing.</li> <li>May cause sensitization or allergic reactions in sensitive individuals. Due to the physical nature of this product, it is unlikely that ingestion will occur. Aspiration hazard if swallowed. Entry into the lungs following ingestion or vomiting may cause chemical pneumonitis.</li> <li>May cause skin sensitization or allergic reactions in sensitive individuals. Redness. Irritating to</li> </ul>
Inhalation Ingestion Skin Contact	<ul> <li>length of exposure.</li> <li>A single exposure may cause the following adverse effects: Irritation of nose, throat and airway. Difficulty in breathing. Coughing.</li> <li>May cause sensitization or allergic reactions in sensitive individuals. Due to the physical nature of this product, it is unlikely that ingestion will occur. Aspiration hazard if swallowed. Entry into the lungs following ingestion or vomiting may cause chemical pneumonitis.</li> <li>May cause skin sensitization or allergic reactions in sensitive individuals. Redness. Irritating to skin.</li> </ul>

Target Organs	Respiratory system, lungs
. a. got o . ganto	i teopinator y eyeteini, iange

Medical considerations

Skin disorders and allergies.

# Toxicological information on ingredients.

# Distillates (petroleum), straight-run middle

Acute toxicity - oral	
Notes (oral LD <sub>50</sub> )	Based on available data the classification criteria are not met.
Acute toxicity - dermal	
Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.
Acute toxicity - inhalation	
Notes (inhalation LC <sub>50</sub> )	Based on available data the classification criteria are not met.
Skin corrosion/irritation	
Animal data	Irritating.
Serious eye damage/irritation	on
Serious eye damage/irritation	Based on available data the classification criteria are not met.
Respiratory sensitization	
Respiratory sensitization	Based on available data the classification criteria are not met.
Skin sensitization	
Skin sensitization	Based on available data the classification criteria are not met.
Germ cell mutagenicity	
Genotoxicity - in vitro	Based on available data the classification criteria are not met.
Carcinogenicity	
Carcinogenicity	Based on available data the classification criteria are not met.
IARC carcinogenicity	None of the ingredients are listed or exempt.
Reproductive toxicity	
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.
Reproductive toxicity - development	Based on available data the classification criteria are not met.
Specific target organ toxicit	y - single exposure
STOT - single exposure	STOT SE 3 - H335 May cause respiratory irritation.
Target organs	Respiratory system, lungs
Specific target organ toxicit	y - repeated exposure
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.
Aspiration hazard	
Aspiration hazard	Asp. Tox. 1 - H304 May be fatal if swallowed and enters airways. Pneumonia may be the result if vomited material containing solvents reaches the lungs.

General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	A single exposure may cause the following adverse effects: Irritation of nose, throat and airway. Difficulty in breathing. Coughing.
Ingestion	May cause irritation. Aspiration hazard if swallowed. Entry into the lungs following ingestion or vomiting may cause chemical pneumonitis.
Skin Contact	Redness. Irritating to skin.
Eye contact	No specific symptoms known.
Route of exposure	Ingestion Inhalation Skin and/or eye contact
Target Organs	Respiratory system, lungs
	Sulfonic acids, petroleum, barium salts
Acute toxicity - oral	
 Notes (oral LD₅₀)	Based on available data the classification criteria are not met.
Acute toxicity - dermal	
Notes (dermal LD <sub>50</sub> )	Based on available data the classification criteria are not met.
Acute toxicity - inhalation	
Notes (inhalation LC₀)	Based on available data the classification criteria are not met.
Skin corrosion/irritation	
Animal data	Based on available data the classification criteria are not met.
Serious eye damage/irritati	ion
Serious eye damage/irritation	Based on available data the classification criteria are not met.
Respiratory sensitization	
Respiratory sensitization	Based on available data the classification criteria are not met.
Skin sensitization	
Skin sensitization	May cause skin sensitization or allergic reactions in sensitive individuals.
Germ cell mutagenicity	
Genotoxicity - in vitro	Based on available data the classification criteria are not met.
Carcinogenicity	
Carcinogenicity	Based on available data the classification criteria are not met.
IARC carcinogenicity	None of the ingredients are listed or exempt.
Reproductive toxicity	
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.
Reproductive toxicity - development	Based on available data the classification criteria are not met.
Specific target organ toxici	ty - single exposure
OTOT shards some	

STOT - single exposure

**posure** Not classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure		
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.	
Aspiration hazard		
Aspiration hazard	Based on available data the classification criteria are not met.	
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.	
Inhalation	No specific symptoms known.	
Ingestion	May cause sensitization or allergic reactions in sensitive individuals.	
Skin Contact	May cause skin sensitization or allergic reactions in sensitive individuals.	
Eye contact	No specific symptoms known.	
Route of exposure	Ingestion Inhalation Skin and/or eye contact	
Target Organs	No specific target organs known.	
Medical considerations	Skin disorders and allergies.	
2-butoxyethanol		
Acute toxicity - oral		

Notes (oral LD₅₀)	Acute Tox. 4 - H302 Harmful if swallowed.
ATE oral (mg/kg)	500.0
Acute toxicity - dermal	
Notes (dermal LD₅₀)	Acute Tox. 4 - H312 Harmful in contact with skin.
ATE dermal (mg/kg)	1,100.0
Acute toxicity - inhalation	
Notes (inhalation LC₅₀)	Acute Tox. 4 - H332 Harmful if inhaled.
ATE inhalation (vapours mg/l)	11.0
Skin corrosion/irritation	
Animal data	Irritating.
	initiating.
Serious eye damage/irritati	-
	-
Serious eye damage/irritati Serious eye	ion
Serious eye damage/irritati Serious eye damage/irritation	ion
Serious eye damage/irritati Serious eye damage/irritation Respiratory sensitization	ion Causes serious eye irritation.
Serious eye damage/irritati Serious eye damage/irritation <u>Respiratory sensitization</u> Respiratory sensitization	ion Causes serious eye irritation.
Serious eye damage/irritati Serious eye damage/irritation Respiratory sensitization Respiratory sensitization Skin sensitization	ion Causes serious eye irritation. Based on available data the classification criteria are not met.
Serious eye damage/irritati Serious eye damage/irritation Respiratory sensitization Respiratory sensitization Skin sensitization Skin sensitization	ion Causes serious eye irritation. Based on available data the classification criteria are not met.

	Carcinogenicity	Based on available data the classification criteria are not met.		
	IARC carcinogen	icity IARC Group 3 Not classifiable as to its carcinogenicity to humans.		
	Reproductive tox	ticity		
	Reproductive tox fertility	<b>icity -</b> Based on available data the classification criteria are not met.		
Reproductive toxicity - development		<b>icity -</b> Based on available data the classification criteria are not met.		
	Specific target organ toxicity - single exposure			
	STOT - single ex	<b>posure</b> Not classified as a specific target organ toxicant after a single exposure.		
	Specific target organ toxicity - repeated exposure			
	STOT - repeated	<b>exposure</b> Not classified as a specific target organ toxicant after repeated exposure.		
	Aspiration hazard	<u>d</u>		
	Aspiration hazard	<b>d</b> Based on available data the classification criteria are not met.		
	General informat	ion The severity of the symptoms described will vary dependent on the concentration and the length of exposure.		
	Inhalation	A single exposure may cause the following adverse effects: Headache. Exhaustion and weakness.		
	Ingestion	May cause discomfort if swallowed. Stomach pain. Nausea, vomiting.		
	Skin Contact	Redness. Irritating to skin.		
	Eye contact	Irritating to eyes.		
	Route of exposu	re Ingestion Inhalation Skin and/or eye contact		
	Target Organs	No specific target organs known.		
12. Ecologie	cal information			
Ecotoxicity		Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.		
Toxicity		Based on available data the classification criteria are not met.		
Persistence	and degradability			
Persistence	and degradability	The degradability of the product is not known.		
Bioaccumul	ative potential			
		No data available on bioaccumulation.		
Partition coefficient Not ava		Not available.		
Mobility in s	oil			
Mobility		The product contains volatile organic compounds (VOCs) which will evaporate easily from all surfaces.		
Other adver	rse effects			
Other adver	Other adverse effects None known.			

13. Disposal considerations		
Waste treatment methods		
General information	The generation of waste should be minimized or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.	
Disposal methods	Do not empty into drains. Empty containers must not be punctured or incinerated because of the risk of an explosion. Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labeled with their contents.	
14. Transport information		
General	For limited quantity packaging/limited load information, consult the relevant modal documentation using the data shown in this section.	
UN Number		
UN No. (TDG)	1950	
UN No. (IMDG)	1950	
UN No. (ICAO)	1950	
UN No. (DOT)	UN1950	
UN proper shipping name		
Proper shipping name (TDG)	AEROSOLS	
Proper shipping name (IMDG)	AEROSOLS	
Proper shipping name (ICAO)	AEROSOLS	
Proper shipping name (DOT)	AEROSOLS	
Transport hazard class(es)		
DOT hazard class	2.1	
DOT hazard label	2.1	
TDG class	2.1	
TDG label(s)	2.1	
IMDG Class	2.1	
ICAO class/division	2.1	
Transport labels		

# Transport labels



# DOT transport labels



#### Packing group

TDG Packing Group	None
IMDG packing group	None
ICAO packing group	None
DOT packing group	None

### Environmental hazards

Environmentally Hazardous Substance No.

### Special precautions for user

Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

EmS F-D, S-U

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

#### **US Federal Regulations**

SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities None of the ingredients are listed or exempt.

### CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

None of the ingredients are listed or exempt.

### SARA Extremely Hazardous Substances EPCRA Reportable Quantities

None of the ingredients are listed or exempt.

#### SARA 313 Emission Reporting

The following ingredients are listed or exempt:

## **CAA Accidental Release Prevention**

None of the ingredients are listed or exempt.

## FDA - Essential Chemical

None of the ingredients are listed or exempt.

## **FDA - Precursor Chemical**

None of the ingredients are listed or exempt.

### SARA (311/312) Hazard Categories

None of the ingredients are listed or exempt.

### OSHA Highly Hazardous Chemicals

None of the ingredients are listed or exempt.

### **US State Regulations**

## California Proposition 65 Carcinogens and Reproductive Toxins

None of the ingredients are listed or exempt.

# California Air Toxics "Hot Spots" (A-I)

The following ingredients are listed or exempt:

## California Air Toxics "Hot Spots" (A-II) None of the ingredients are listed or exempt.

**California Directors List of Hazardous Substances** The following ingredients are listed or exempt:

Massachusetts "Right To Know" List The following ingredients are listed or exempt:

Rhode Island "Right To Know" List The following ingredients are listed or exempt:

Minnesota "Right To Know" List The following ingredients are listed or exempt:

**New Jersey "Right To Know" List** The following ingredients are listed or exempt:

**Pennsylvania "Right To Know" List** The following ingredients are listed or exempt:

## Inventories

US - TSCA All the ingredients are listed or exempt.

## US - TSCA 12(b) Export Notification

None of the ingredients are listed or exempt.

16. Other information		
Abbreviations and acronyms used in the safety data sheet	TDG: The transport of dangerous goods act	
	<ul> <li>IATA: International air transport association.</li> <li>ICAO: Technical instructions for the safe transport of dangerous goods by air.</li> <li>IMDG: International maritime dangerous goods.</li> <li>CAS: Chemical abstracts service.</li> <li>ATE: Acute toxicity estimate.</li> <li>LC<sub>50</sub>: Lethal concentration to 50 % of a test population.</li> <li>LD<sub>50</sub>: Lethal dose to 50% of a test population (median lethal dose).</li> <li>EC<sub>50</sub>: 50% of maximal effective concentration.</li> <li>PBT: Persistent, bioaccumulative and toxic substance.</li> <li>vPvB: Very persistent and very bioaccumulative.</li> </ul>	
Classification abbreviations and acronyms	Aerosol = Aerosol Skin Irrit. = Skin irritation Skin Sens. = Skin sensitisation STOT SE = Specific target organ toxicity-single exposure	
Training advice	Only trained personnel should use this material.	
Revision date	5/24/2022	
Revision	1	

SDS No.	5091
Hazard statements in full	<ul> <li>H220 Extremely flammable gas.</li> <li>H222 Extremely flammable aerosol.</li> <li>H280 Contains gas under pressure; may explode if heated.</li> <li>H302 Harmful if swallowed.</li> <li>H304 May be fatal if swallowed and enters airways.</li> <li>H312 Harmful in contact with skin.</li> <li>H315 Causes skin irritation.</li> <li>H317 May cause an allergic skin reaction.</li> <li>H319 Causes serious eye irritation.</li> <li>H332 Harmful if inhaled.</li> <li>H335 May cause respiratory irritation.</li> </ul>

End of SDS

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.