

L TIMING PULLEYS

0.375" Trapezoidal Pitch

For 0.750" Wide Belts

Hub and Flanges



Steel/Iron

Black Oxide Plating

Minimum Plain Bore



Part Number	No. of Teeth	Type	Pitch Dia (in)	Out. Dia (in)	Flange Dia. (in)	Bore (in)	Face Width (in)	Overall Length (in)	Hub Dia. (in)
12L075-6FS5	12	6F	1.432	1.402	1.656	0.375	1.000	1.500	1.000
13L075-6FS5	13	6F	1.552	1.522	1.781	0.375	1.000	1.500	1.125
14L075-6FS5	14	6F	1.671	1.641	1.906	0.375	1.000	1.500	1.125
15L075-6FS6	15	6F	1.790	1.760	2.031	0.500	1.000	1.500	1.344
16L075-6FS6	16	6F	1.910	1.880	2.125	0.500	1.000	1.500	1.437
17L075-6FS6	17	6F	2.029	1.999	2.250	0.500	1.000	1.500	1.437
18L075-6FS6	18	6F	2.149	2.119	2.375	0.500	1.000	1.500	1.563
19L075-6FS6	19	6F	2.268	2.238	2.500	0.500	1.000	1.500	1.687
20L075-6FS6	20	6F	2.387	2.357	2.625	0.500	1.000	1.500	1.687
21L075-6FS6	21	6F	2.507	2.477	2.750	0.500	1.000	1.500	2.000
21L075-6FS7	21	6F	2.507	2.477	2.750	0.625	1.000	1.500	2.000
22L075-6FS7	22	6F	2.626	2.596	2.875	0.625	1.000	1.500	2.000
24L075-6FS7	24	6F	2.865	2.835	3.094	0.625	1.000	1.500	2.250
26L075-6FS7	26	6F	3.104	3.074	3.330	0.625	1.000	1.500	2.250
28L075-6FS7	28	6F	3.342	3.312	3.566	0.625	1.000	1.500	2.250
30L075-6FS7	30	6F	3.581	3.551	3.800	0.625	1.000	1.500	2.250
32L075-6FS7	32	6F	3.820	3.790	4.044	0.625	1.000	1.500	2.625
36L075-6FS7	36	6F	4.297	4.267	4.520	0.625	1.000	1.500	3.500
40L075-6FS7	40	6F	4.775	4.745	5.000	0.625	1.000	1.500	3.625



Black Oxide Advantages

- Cost Effective
- Corrosion Protection
- Dimensional Stability
- Lubricity
- Abrasion Resistance
- Decorative Finish
- Reduced Light Glare
- Pre-treatment for Paint
- Conductivity
- Surface Property Stability
- No Embrittlement
- No Welding Fumes

B&B Manufacturing has invested in a new Low Temperature Black Oxide line from Birchwood Casey. This system brings a previously outsourced process into B&B Manufacturing allowing us a cost-effective solution with a quicker turn around time. This particular system named TRU TEMP® provides a finish without Salt Bleed Out on all non-Stainless Steels and Cast Iron while remaining safe, operator friendly, RoHS compliant, and with no EPA problems.