Page: 1 of 6

Printed: 09/27/2022

Revision: 09/27/2022

Supersedes Revision: 01/06/2021

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Citristrip Stripping Gel

Company Name: W. M. Barr Phone Number:

2105 Channel Avenue (901)775-0100

Memphis, TN 38113

Web site address: www.wmbarr.com

Emergency Contact: 3E 24 Hour Emergency Contact (800)451-8346

Information: W.M. Barr Customer Service (800)398-3892

Intended Use: Paint/Varnish Remover

Product Code: QCG731, QCG731W, HCG73803T, QCSG801, QCSG801W, QCSG801XX, HCSG803,

HCSG803CAN, QCSG801CAN, HCSG807CAN

2. HAZARDS IDENTIFICATION

Acute Toxicity: Inhalation, Category 4
Acute Toxicity: Oral, Category 4
Skin Corrosion/Irritation, Category 1B

Serious Eye Damage/Eye Irritation, Category 1

Skin Sensitization, Category 1





GHS Signal Word: Danger

GHS Hazard Phrases: H302: Harmful if swallowed.

H314: Causes severe skin burns and eye damage.

H317: May cause an allergic skin reaction.

H332: Harmful if inhaled.

GHS Precautionary Phrases: P260: Do not breathe protective gloves/protective clothing/eye protection/face protection.

P264: Wash protective gloves/protective clothing/eye protection/face protection

thoroughly after handling.

P270: Do not eat, drink or smoke when using this product. P271: Use only outdoors or in a well-ventilated area.

P272: Contaminated work clothing should not be allowed out of the workplace. P280: Wear protective gloves/protective clothing/eye protection/face protection.

GHS Response Phrases: P301+312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel

unwell.

P302+352: IF ON SKIN: Wash with plenty of soap and water.

P303+361+353: IF ON SKIN (or hair): Remove/take off immediately all contaminated

clothing. Rinse skin with water/shower.

P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P310: Immediately call a POISON CENTER or doctor/physician.

P321: Specific treatment see label.

P330: Rinse mouth.

P333+313: If skin irritation or rash occurs, seek medical advice/attention.

P363: Wash contaminated clothing before reuse.

GHS Storage and Disposal F

P405: Store locked up.

Phrases: P501: Dispose of contents/container according to local, state and federal regulations.

Licensed to W.M. Barr and Company: MIRS SDS, (c) A V Systems, Inc.

Page: 2 of 6 Printed: 09/27/2022 Revision: 09/27/2022

Supersedes Revision: 01/06/2021

Potential Health Effects

See above.

(Acute and Chronic):

3.	COMP	OSHION/INF	ORMATION OF	INGREDIENIS

CAS#	Hazardous Components (Chemical Name)	Concentration
100-51-6	Benzenemethanol {Benzyl alcohol}	30.0 -60.0 %
112-34-5	Diethylene glycol monobutyl ether {2-(2-Butoxyethoxy)ethanol {(a glycol ether)}	5.0 -10.0 %
929-06-6	2-(2-Aminoethoxy) ethanol	3.0 -7.0 %
64742-47-8	Hydrotreated light distillate (petroleum, mineral spirits)	1.0 -5.0 %
68439-46-3	Alcohols, C9-11, ethoxylated	0.1 -1.0 %
586-62-9	Terpinolene	0.1 -1.0 %
5989-27-5	d-Limonene	0.1 -1.0 %

Additional Chemical

Information

Specific percentage of composition is being withheld as a trade secret.

4. FIRST AID MEASURES

Emergency and First Aid

Procedures:

In Case of Inhalation: If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for

breathing.

Flush skin with plenty of water for at least 15 minutes while removing contaminated In Case of Skin Contact:

clothing and shoes.

In Case of Eye Contact: Immediately flush eyes with water for at least 15 minutes while holding eyelids open.

Get medical attention.

In Case of Ingestion: If swallowed, do NOT induce vomiting. Call a physician, hospital emergency room, or

poison control center immediately. Never give anything by mouth to an unconscious

person.

Signs and Symptoms Of

Exposure:

Refer to section 2.

5. FIRE FIGHTING MEASURES

> 200.00 F Method Used: Setaflash Closed Cup (Rapid Setaflash) Flash Pt:

Explosive Limits: LEL: N.D. UEL: N.D.

Autoignition Pt: N.D.

Suitable Extinguishing Media: Use water spray, dry chemical, carbon dioxide, or chemical foam.

As in any fire, wear a self-contained breathing apparatus in pressure-demand, Fire Fighting Instructions:

MSHA/NIOSH (approved or equivalent), and full protective gear.

Flammable Properties and

Hazards:

Non Combustible.

Hazardous Combustion

Products:

Page: 3 of 6 Printed: 09/27/2022 Revision: 09/27/2022

Supersedes Revision: 01/06/2021

6. ACCIDENTAL RELEASE MEASURES

Protective Precautions, Protective Equipment and Wear appropriate protective clothing to prevent skin exposure.

Emergency Procedures:

Where there is potential for eye contact, wear chemical goggles, or a faceshield. Have

eye flushing equipment immediately available.

Steps To Be Taken In Case Material Is Released Or

Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste

container.

Spilled:

7. HANDLING AND STORAGE

Precautions To Be Taken in

Handling:

Wash thoroughly after handling.

Precautions To Be Taken in Store container tightly closed in well-ventilated place.

Storing:

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CAS# **Chemical Name Jurisdiction Recommended Exposure Limits Notations**

64742-47-8 Hydrotreated light distillate (petroleum, mineral spirits) **ACGIH TLV**

TLV: 200 mg/m3

Respiratory Equipment

(Specify Type):

When used as directed, respiratory equipment should not be needed.

Wear NIOSH approved respiratory protective equipment when vapor or mists may

exceed applicable concentration limits.

Wear appropriate protective eyeglasses or chemical safety goggles as described by Eye Protection:

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Protective Gloves: Wear appropriate gloves to prevent skin exposure.

Other Protective Clothing: Wear appropriate protective clothing to prevent skin exposure.

Engineering Controls

(Ventilation etc.):

Use adequate general or local exhaust ventilation to keep airborne concentrations below

the permissible exposure limits.

Work/Hygienic/Maintenance

Practices:

Wash hands thoroughly after use and before eating, drinking, or smoking.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical States: [] Gas [X] Liquid [] Solid

Appearance and Odor: orange. Mild Odor.

Odor threshold not determined.

pH: 10.5 - 11 Melting Point: N.D. **Boiling Point:** > 99.00 F

Flash Pt: > 200.00 F Method Used: Setaflash Closed Cup (Rapid Setaflash)

Evaporation Rate: < 1 (BuAC=1)

Flammability (solid, gas):

Explosive Limits: LEL: N.D. UEL: N.D.

N.D.

Vapor Pressure (vs. Air or

mm Hg):

Vapor Density (vs. Air = 1): N.D.

1.096 - 1.120 Specific Gravity (Water =

Licensed to W.M. Barr and Company: MIRS SDS, (c) A V Systems, Inc.

Printed: 09/27/2022 Revision: 09/27/2022

Page: 4 of 6

Supersedes Revision: 01/06/2021

1):

Density: 9.117 - 9.317
Solubility in Water: Appreciable

Saturated Vapor

N.D.

Concentration:

Octanol/Water Partition

N.D.

Coefficient:

Percent Volatile: 70.87 % by weight. VOC / Volume: 0.5100 % WT

Autoignition Pt: N.D.

Decomposition N.D.

Temperature:

Viscosity: 15,000 - 25,000 CPS

Information with regard to primary physical hazard:

10. STABILITY AND REACTIVITY

Stability: Unstable [] Stable [X]

Conditions To Avoid -

None known.

Instability:

Incompatibility - Materials To None known.

Avoid:

Hazardous Decomposition or None known.

Byproducts:

Possibility of Hazardous

Will occur [] Will not occur [X]

Reactions:

Conditions To Avoid - Hazardous Reactions:

None known.

11. TOXICOLOGICAL INFORMATION

Toxicological Information: Information below will be for individual ingredients. Refer to section 2 for acute and

chronic health effects.

CAS# 112-34-5:

Standard Draize Test, Eyes, Species: Rabbit, 20.00 MG, Severe.

Result:

Behavioral: Anticonvulsant.

- American Journal of Ophthalmology., Ophthalmic Pub. Co., 435 N. Michigan Ave.,

Suite 1415, Chicago, IL 60611, Vol/p/yr: 29,1363, 1946

CAS# 68439-46-3:

Acute toxicity, LD50, Oral, Rat, 1378. MG/KG.

Result:

Behavioral: Somnolence (general depressed activity).

Behavioral: Ataxia.

Gastrointestinal: Hypermotility, diarrhea.

- Journal of the American College of Toxicology., Mary Ann Liebert, Inc., New York, NY,

Vol/p/yr: 10(4),427, 1991

Irritation or Corrosion: DOT Corrosivity Screen - Necrosis at the application site following 60 minutes exposure.

Licensed to W.M. Barr and Company: MIRS SDS, (c) A V Systems, Inc.

Page: 5 of 6 Printed: 09/27/2022 Revision: 09/27/2022

Supersedes Revision: 01/06/2021

Carcinogenicity/Other

IARC 3: Not Classifiable as to Carcinogenicity in Humans. ACGIH A4 - Not Classifiable

Information:

as a Human Carcinogen.

CAS#	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
100-51-6	Benzenemethanol {Benzyl alcohol}				
112-34-5	Diethylene glycol monobutyl ether {2-(2-Butoxyethoxy)ethanol {(a glycol ether)}				
929-06-6	2-(2-Aminoethoxy) ethanol				
64742-47-8	Hydrotreated light distillate (petroleum, mineral spirits)			A4	
68439-46-3	Alcohols, C9-11, ethoxylated				
586-62-9	Terpinolene				
5989-27-5	d-Limonene		3		

12. ECOLOGICAL INFORMATION

General Ecological This product has not been tested as a whole. Information below will be for individual

Information: ingredients.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method: Dispose of contents/container according to local, state and federal regulations.

14. TRANSPORT INFORMATION

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Paint related material

DOT Hazard Class: 8 CORROSIVE

UN/NA Number: UN3066 Packing Group: II



LAND TRANSPORT (Canadian TDG):

TDG Shipping Name: Paint related material

UN Number: UN3066 Packing Group: II

Hazard Class: 8 - CORROSIVE TDG Classification:

Additional Transport

Information: ur

The shipper / supplier may be able to apply one of the following exceptions if allowed under 49 CFR Regulations: Combustible Liquid, Consumer Commodity, Limited

Quantity, Viscous Liquid, Does Not Sustain Combustion, or others, as allowed under 49

CFR Hazmat Regulations. Please consult 49 CFR Subchapter C to ensure that

subsequent shipments comply with these exceptions.

15. REGULATORY INFORMATION

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

- '-		,		
CAS#	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
100-51-6	Benzenemethanol {Benzyl alcohol}	No	No	No
112-34-5	Diethylene glycol monobutyl ether {2-(2-Butoxyethoxy)ethanol {(a glycol ether)}	No	No	Yes-Cat. N230
929-06-6	2-(2-Aminoethoxy) ethanol	No	No	No
64742-47-8	Hydrotreated light distillate (petroleum, mineral	No	No	No

Licensed to W.M. Barr and Company: MIRS SDS, (c) A V Systems, Inc.

Page: 6 of 6 Printed: 09/27/2022 Revision: 09/27/2022

Supersedes Revision: 01/06/2021

				•	
	spirits)				
68439-46-3	Alcohols, C9-11, ethoxylated	No	No	No	
586-62-9	Terpinolene	No	No	No	
5989-27-5	d-Limonene	No	No	No	
CAS#	Hazardous Components (Chemical Name)	Other US E	EPA or State Lists		
100-51-6	Benzenemethanol {Benzyl alcohol}	TSCA: Inve	entory		
112-34-5	Diethylene glycol monobutyl ether	CAA HAP,	ODC: Yes - Cat.		
	{2-(2-Butoxyethoxy)ethanol {(a glycol ether)}	TSCA: Inve	entory		
929-06-6	2-(2-Aminoethoxy) ethanol	TSCA: Inve	entory, 8A, 8A PAIR		
64742-47-8	Hydrotreated light distillate (petroleum, mineral spirits)	TSCA: Inve	entory		
68439-46-3	Alcohols, C9-11, ethoxylated	TSCA: Inve	entory		
586-62-9	Terpinolene	TSCA: Inve	entory		
5989-27-5	d-Limonene	TSCA: Inve	entory		

Additional Regulatory Information

This product is regulated by the United States Consumer Product Safety Commission and is subject to certain labeling requirements under the Federal Hazardous Substances Act. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS). The product label also includes other important information, including directions for use, and should always be read in its entirety prior to using the product.

16. OTHER INFORMATION

Revision Date: 09/27/2022 **Previous revision:** 01/06/2021

Additional Information About N.D.: Not determined.

This Product:

Company Policy or Disclaimer:

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, state and local laws and regulations.