

SKU # MS200WSRS

Part # 1007249

Description

New - 42.25inch Marine Grade Single Row Straight Light Bar with 200-Watt 20 x 10W High Intensity OSRAM LEDs

Categories Marine, Marine Sport Lighting

Sub-Categories

Marine Sport® Heavy Duty Single Row LED Light Bars, Marine Series Light Bars

UPC 817999028744

Unit of Measure EA

Related Skus:

Cross Sell Skus:

Condition

New

Marine Sport Lighting

Manufacturer

EZ Category

Marine Single Row **Straight Bars**

Harmonization Code

8512.20.2080

Universal

YES

Life Expectancy

SEMA Product Light Bar

Part Type ID 1069

Reverse Polarity

Light Bar

Operating Voltage

12-32VDC

Current Draw

15.87A

Wattage 200-Watts

Chip Type

IP Rating **IP67**

Kelvin (ColorTemperature)

Universal or Vehicle Specific

6,500K

China

Made In

Warranty

3 year


Lumens

Universal

14,000lm

Beam **Pattern**

Prop 65 WARNING: This product can expose you to chemicals, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov



Product Information

The NEW Marine Sport LED Light Bars are a revolutionary way to contour light bars and high power light output to any surface area with a straight or curve appeal. The light bars are designed for Marine use, but can also be used in Automotive, UTV, ATV, Industrial applications where a white colored shell is desired. To make these bars even more attractive, Race Sport uses a white facing tile instead of the common chrome tiles to give this a TRUE "WHITE OUT" look! We use durable and long lasting CREE 3-watt diodes in these bars and recess them in our long throw opticals for a maximum performance and light output! . Operating Voltage: 9-30V DC 10 watt OSRAM . Color Temperature: 6000K . Lens material: PC . Optional Beam: Combo . Waterproof to 1M Rate: IP67 . Optional Color: Black . Material: Aluminum alloy painting . Mounting Bracket: Alu firm bracket . 50000+ hours life-span 42.25in End-to-End 40.0in Lens Width Area 43.50in Mounting Hole to Mounting Hole 3.0in Height 3.5in Depth Note

Est. Labor	1 Hours		
Gross Weight	11.38	Width	5.25
Net Weight	10.13	Height	6.00
DIM Weight	9.86	Depth	43.50