

SAFETY DATA SHEET

SECTION 1 - IDENTIFICATION

PRODUCT NAME: Slick Willie 3.0
PART NUMBER: SLICK3.0_BX, SLICK3.0_PA, SLICK3.0DRUM
GENERAL USE: Concrete Pump Primer
PRODUCT DESCRIPTION: White powder, odorless



MANUFACTURER'S NAME: Concrete Pump Supply, LLC	DATE PREPARED: 26 Aug 2022 Page 1 of 4 SUPERSEDES: 12 April 2013
--	--

ADDRESS (NUMBER, STREET) 5300 Riverview Road, SE	TELEPHONE NUMBER FOR INFORMATION: (678) 370-0000
--	--

CITY, STATE, AND ZIP CODE Mableton, GA 30126	COUNTRY USA	EMERGENCY TELEPHONE NUMBER: InfoTrac (800) 535-5053; Outside USA (352) 323-3500
--	-----------------------	---

DISTRIBUTOR'S NAME:
Concrete Pump Supply, LLC

ADDRESS (NUMBER, STREET) 5300 Riverview Road, SE	TELEPHONE NUMBER FOR INFORMATION: (678) 370-0000
--	--

CITY, STATE, AND ZIP CODE Mableton, GA 30126	COUNTRY USA	EMERGENCY TELEPHONE NUMBER: Same as Manufacturer
--	-----------------------	--

SECTION 2 - HAZARD(S) IDENTIFICATION

HAZARD CLASSIFICATION: Health Hazard
SIGNAL WORD: Warning
HAZARD STATEMENT(S): May cause irritation to respiratory tract. Contact with eyes may cause irritation.
PICTOGRAM: EXCLAMATION POINT and HEALTH HAZARD

PRECAUTIONARY STATEMENT(S): Granular powder is harmful and irritating to respiratory tract. Contact with eyes may cause irritation .

DESCRIPTION OF HAZARDS NOT OTHERWISE CLASSIFIED: None

SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Components	% by weight	CAS#	EINECS #	Other
Limestone Mixture	50-80	1317-65-3		
may contain:				
Crystalline silica quartz (impurity)	< 2	14808-60-7	238-878-4	

SECTION 4 - FIRST-AID MEASURES

INHALATION: Remove affected person to fresh air; if symptoms persist seek medical attention.

SKIN: Wash contacted area with soap and water; if irritation persists , seek medical attention.

EYES: Check for and remove contact lenses. Flush eyes with clear running water for 15 minutes while holding eyelids open; if irritation persists, seek medical attention.

INGESTION: Give two glasses of water for dilution; DO NOT induce vomiting; never give anything to an unconscious person; seek medical attention.

SECTION 5 - FIRE FIGHTING MEASURES

GENERAL HAZARDS: Product is not considered flammable or combustible.

EXTINGUISHING MEDIA: Carbon dioxide, water, water fog, dry chemical, chemical foam.

FIRE FIGHTING PROCEDURES: None.

UNUSUAL FIRE AND EXPLOSION HAZARDS: None.

HAZARDOUS COMBUSTION PRODUCTS: Smoke, fumes or vapors, oxides of carbon

SECTION 6 - ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:
 Small spills: Wash to sanitary sewer with plenty of water.
 Large spills: Recover and segregate product for reuse; shovel product into approved container for disposal.

SECTION 7 - HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Keep container closed when not in use. Protect containers from abuse. Keep container in a cool, dry area. Keep this and all chemicals out of reach of children.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

HAZARDOUS COMPONENTS	NIOSH				ACGIH			
	TWA ppm	TWA mg/m3	STEL ppm	STEL mg/m3	TWA ppm	mr::3	STEL ppm	STEL mg/m3
Limestone Mixture, may contain:								
Crystalline silica quartz (impurity)	--	0.05	--	--	--	0.05	-----	

PERSONAL PROTECTION

PROTECTIVE EQUIPMENT: NIOSH approved respirator designed to remove airborne particulate present in excess of maximum allowable concentrations due to secondary operations such as mixing, spraying, sanding, buffing, et c. Neoprene or nitrile rubber gloves. Chemical splash goggles. Safety eyewash station nearby.

WORK/ HYGIENIC PRACTICES: Practice safe workplace habits. Minimize body contact with this, as well as all chemicals, in general.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

<p>APPEARANCE AND ODOR: White powder, odorless. pH: 6.5- 7. 5 (1% aqueous suspension) BOILING POINT/ BOILING RANGE: Not available FLASH POINT: Non-flammable FLAMMABLE LIMITS: LEL: N/A UEL: N/A AUTOIGNITION TEMPERATURE: N/A</p>	<p>VAPOR PRESSURE: Not available SPECIFIC GRAVITY: (WATER =1) 2.0 - 2.5 SOLUBILITY IN WATER: Complete VISCOSITY: Solid VAPOR DENSITY: (AIR=1) N/A EVAPORATION RATE: (WATER=1) N/A</p>
--	---

SECTION 15 – REGULATORY INFORMATION

TSCA (USA – Toxic Substance Control Act)

All components of this product are listed on the U.S. Toxic Substances Control Act Chemical Inventory (TSCA Inventory) or are exempted from listing because a Low Volume or Polymer Exemption has been granted in accordance with 40 CFR 723.50.

SARA TITLE III (USA – Superfund Amendments and Reauthorization Act)

31 1/312 Hazard Categories
Immediate health

313 Reportable Ingredients: None

CERCLA (USA – Comprehensive Response Compensation and Liability Act)

None

California Prop 65, Safe Drinking Water and Toxic Enforcement Act of 1986

There is a reportable chemicals present (silica, crystalline quartz) known to the State of California to cause cancer or reproductive toxicity.

CPR (Canadian Controlled Products Regulations)

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. WHMIS Classification: D2B.

IDL (Canadian Ingredient Disclosure List)

Components of this product identified by CAS number and listed on the Canadian Ingredient Disclosure List are shown in Section 2.

DSL / NDSL (Canadian Domestic Substances List / Non-Domestic Substances List)

Components of this product identified by CAS number are listed on the DSL or NDSL, or are otherwise in compliance with the New Substances Notification (NSN) regulations. Only ingredients classified as “hazardous” are listed in Section 2 unless otherwise indicated.

EINECS (European Inventory of Existing Commercial Chemical Substances)

Components of this product identified by CAS numbers are on the European Inventory of Existing Commercial Chemical Substances.

WGK Water Quality Index: 1

VbK Index: Not applicable

RISK PHRASES:

R20 Harmful by irritation
R36/37 Irritating to eyes and respiratory system.
R40 Limited evidence of carcinogenic effect.

SYMBOL(S) REQUIRED:

N/A

SAFETY PHRASES:

S22 Do not breathe dust
S25 Avoid contact with eyes.

SECTION 16 – OTHER INFORMATION

HMIS HAZARD RATINGS:

HEALTH: 1
FLAMMABILITY: 0
PHYSICAL HAZARD: 0

*** = CHRONIC HEALTH HAZARD** **2 = MODERATE**
0 = INSIGNIFICANT **3 = HIGH**
1 = SLIGHT **4 = EXTREME**

PERSONAL PROTECTIVE EQUIPMENT: E Safety glasses, gloves, dust respirator

REVISION SUMMARY

This SDS has been revised in the following sections:
Complete format revision for HazCom2012 OSHA
GHS SDS

MSDS PREPARED BY:

Concrete Pump Supply
5300 Riverview Road, SE
Mableton GA, 30126
Prior: Comprehensive Data Base, Inc.

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current, applicable, and suites to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Any questions regarding this product should be directed to the manufacturer of the product as described in Section 1.