

Advance Specification Sheet

PT-P750w P-touch® Label Maker

Compact Label Maker with Wireless Enabled Printing

NFC COMPATIBLE



NFC Connectivity lets you "touch to connect" directly from most NFC-capable mobile devices*



Print labels wirelessly or from your mobile device



Brother™
iPrint&Label
Free Apple/Android™ app*

Simple Connectivity

- Share with others on your wireless network (802.11b/g/n), or connect locally to a single user via its USB interface (cable included)

Flexible Power Source

- Powered by included AC power adapter. Optional rechargeable Li-ion battery available for completely mobile printing**

NFC Compatible

- NFC connectivity lets you "touch to connect" to establish contact with most NFC-capable mobile devices*

Mobile Device Printing

- Print labels from your smartphone or tablet using Brother™ iPrint&Label app download[■]

Easy to Integrate

- Use the open-source development platform to create custom iOS and Android label-printing applications[‡]

Do more in less time

- Super-fast print speeds and automatic full or half cutting support efficient multi-label printing

Convenient to Use

- Quickly create multi-line labels using the built-in software and your own familiar keyboard

Get Creative

- Print customized labels using fonts and graphics from your PC or Mac. High print resolution supports crisp barcode[‡] and logo printing

Enhanced P-touch Editor Software

- Vast assortment of templates can be downloaded from the Brother Cloud to help save time in creating labels^{▲‡}

Durable, laminated labels

- Create labels for indoor or outdoor use

Hassle-free application

- Split back tapes for easy peel and stick

Tapes for most any application**

- Standard, extra-strength adhesive, acid free[^], cable and wire, tamper evident, fabric iron-on, super narrow or decorative Simply Stylish

Warranty & Support

- 2-year limited warranty and free phone support for the life of your product



[‡] Requires installation of full version of P-touch Editor software. Windows®/Mac software and drivers available as a free download at <http://support.brother.com>. USB Cable Included.

* See www.brother-usa.com/nfc for a list of compatible mobile devices.

[■] Requires connection to a wireless network. Brother™ iPrint&Label free app download for wireless printing from your Apple® or Android™ mobile device.

[▲] Internet connection required.

⁺ SDKs are available for Windows®, iOS and Android™ systems

^{**} Additional purchase required.

[^] Claims that adhesive is "acid-free" and/or "photo-safe" are based upon: 1. Satisfactory test results obtained from Photographic Activity Tests per ISO14523 and non-acidic pH tests per TAPPI 509; 2. Certifications from material manufacturers; and 3. Atomic scans of adhesive following removal of backing paper.

Hardware Features:

Maximum Tape Width	24mm
Built-in Memory	No
Tape Cutter	Automatic (Half and Full)
Maximum Print Speed	20mm/sec. (using rechargeable Li-ion battery**) 30mm/sec. (using including AC Power Adapter)
Maximum Print Resolution	180 dpi (Max 180x360 dpi)
Maximum Print Height	18.0 mm
Power Source	AC Power Adapter (included) Rechargeable, Li-ion battery (optional) 6 x AA Batteries (optional)
Interface	USB, Wireless (802.11 b/g/n), NFC*, Wireless Direct
ENERGY STAR® Qualified	Yes

Software Features:

Built-in Software	P-touch Editor Lite (Windows/Mac)
Number of Fonts	Uses all TrueType Fonts
Number of Font Styles	Uses all TrueType Fonts
Number of Font Sizes	Scalable
Maximum Print Lines	Variable
Number of Symbols	Uses all TrueType Symbols
Number of Frames	10 [◇] / 126 [‡]
Auto Numbering	1-200, A-Z, a-z [◇] / 1-5000, A-Z, a-z [‡]
Repeat Printing	Up to 200 copies [◇] / up to 5000 copies [‡]
Vertical Printing	Yes
Mirror Printing	Yes
Auto Formats	12 categories (or more) [‡]
Download Templates from the Cloud into P-touch Editor	Yes ^{▲‡}
Supports Barcode Printing	Yes [‡]
Supports Database Printing	Yes [‡]
Database Support	CSV, TXT, MDB, XLS, Microsoft® SQL server database (Windows® only) [‡]
Image Support	BMP, JPG, TIFF, PNG, GIF, DIB, WMF, WMF, EMF, ICO, JPEG, and Screen capture function ^{◇‡}
Operating Systems Compatibility [∞]	Windows Vista®, Windows® 7, Windows® 8/8.1, Windows Server® 2008/2008 R2, Microsoft® Windows Server® 2012/2012 R2 Mac OS X v.10.7.5, 10.8.x, 10.9.x.

Mobile Device Printing:

Supports NFC "Touch to Connect" ^{**}	Yes
Supports Mobile Device Printing [†]	Yes (iPrint&Label)
Software Development Kit (SDK) Available	Yes (Windows®, iOS®, and Android™)



Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth. www.brotherearth.com

Accessories:

AD-E001	AC Power Adapter (included)
BA-E001	Rechargeable Li-ion Battery Pack (optional)

*See next page for a detailed list of compatible tapes.***

Carton Contents[§]:

PT-P750w Label Printer
Black on White Standard Laminated TZe Starter Tape 0.94" (24mm) x 13.1' (4m)
AC Power Adapter
USB Cable
User's Guide

Setup Information:

UPC Code	012502637226
ITF Barcode	30012502637227
Unit Dimensions	3.1" x 6.0" x 5.6"
Unit Weight	1.8 lbs.
Carton Dimensions	9.3" x 5.4" x 11.3"
Carton Weight	3.4 lbs.
Master Carton Dimensions	9.9" x 16.7" x 12.3"
Master Carton Weight	11.4 lbs.
Master Carton Quantity	3
Pallet Quantity	120
Pallet Tiers	4
Pallet Quantity per Tier	10
Pallet Size	48" x 40"
Pallet + Cartons Height	53.4"
Pallet + Carton Weight	438.4 lbs.
Tariff / Harmonized Code	8443.39.9000
Country of Origin	China

Scannable Barcode:



◇ Using P-touch Editor Lite

** Additional purchase required.

‡ Requires installation of full version of P-touch Editor software. Windows®/Mac software and drivers available as a free download at <http://support.brother.com>. USB Cable Included.

* See www.brother-usa.com/nfc for a list of compatible mobile devices.

§ P-touch Editor software and drivers for Windows and Mac available as a free download at <http://support.brother.com>.

■ Requires connection to a wireless network. Brother™ iPrint&Label free app download for wireless printing from your Apple® or Android™ mobile device.

▲ Internet connection required.

∞ For the latest OS compatibility, software and drivers, visit <http://support.brother.com/>

Standard Adhesive Laminated Tapes:

Standard Adhesive Laminated Tapes stick to virtually any surface and are great for most applications, indoors and out.

TZe-111	6mm (0.23") x 8m (26.2 ft) Black on Clear tape
TZe-211	6mm (0.23") x 8m (26.2 ft) Black on White tape
TZe-315	6mm (0.23") x 8m (26.2 ft) White on Black tape
TZe-121	9mm (0.35") x 8m (26.2 ft) Black on Clear tape
TZe-221	9mm (0.35") x 8m (26.2 ft) Black on White tape
TZe-325	9mm (0.35") x 8m (26.2 ft) White on Black tape
TZe-421	9mm (0.35") x 8m (26.2 ft) Black on Red tape
TZe-131	12mm (0.47") x 8m (26.2 ft) Black on Clear tape
TZe-135	12mm (0.47") x 8m (26.2 ft) White on Clear tape
TZe-231	12mm (0.47") x 8m (26.2 ft) Black on White tape
TZe-232	12mm (0.47") x 8m (26.2 ft) Red on White tape
TZe-334	12mm (0.47") x 8m (26.2 ft) Gold on Black tape
TZe-335	12mm (0.47") x 8m (26.2 ft) White on Black tape
TZe-631	12mm (0.47") x 8m (26.2 ft) Black on Yellow tape
TZe-141	18mm (0.7") x 8m (26.2 ft) Black on Clear tape
TZe-145	18mm (0.7") x 8m (26.2 ft) White on Clear tape
TZe-241	18mm (0.7") x 8m (26.2 ft) Black on White tape
TZe-242	18mm (0.7") x 8m (26.2 ft) Red on White tape
TZe-243	18mm (0.7") x 8m (26.2 ft) Blue on White tape
TZe-344	18mm (0.7") x 8m (26.2 ft) Gold on Black tape
TZe-345	18mm (0.7") x 8m (26.2 ft) White on Black tape
TZe-441	18mm (0.7") x 8m (26.2 ft) Black on Red tape
TZe-541	18mm (0.7") x 8m (26.2 ft) Black on Blue tape
TZe-545	18mm (0.7") x 8m (26.2 ft) White on Blue tape
TZe-641	18mm (0.7") x 8m (26.2 ft) Black on Yellow tape
TZe-741	18mm (0.7") x 8m (26.2 ft) Black on Green tape
TZe-B41	18mm (0.7") x 5m (16.4 ft) Black on Fluorescent Orange tape
TZe-151	24mm (0.94") x 8m (26.2 ft) Black on Clear tape
TZe-251	24mm (0.94") x 8m (26.2 ft) Black on White tape
TZe-252	24mm (0.94") x 8m (26.2 ft) Red on White tape
TZe-354	24mm (0.94") x 8m (26.2 ft) Gold on Black tape
TZe-355	24mm (0.94") x 8m (26.2 ft) White on Black tape
TZe-451	24mm (0.94") x 8m (26.2 ft) Black on Red tape
TZe-651	24mm (0.94") x 8m (26.2 ft) Black on Yellow tape
TZe-B51	24mm (0.94") x 5m (16.4 ft) Black on Fluorescent Orange tape

Simply Stylish Laminated Tapes:

These brightly colored tapes give labeling projects extra flair.

TZe-MQ835	12mm (0.47") x 5m (16.4 ft) White on Satin Gold tape
TZe-MQ934	12mm (0.47") x 5m (16.4 ft) Gold on Satin Silver tape
TZe-MQG35	12mm (0.47") x 5m (16.4 ft) White on Lime Green tape
TZe-MQP35	12mm (0.47") x 5m (16.4 ft) White on Berry Pink tape

Iron-on Fabric Tape:

This tape can be adhered by ironing.

TZe-FA3	12mm (0.47") x 3m (9.8 ft) Navy Blue on White Fabric tape
----------------	---

Extra-Strength Laminated Tapes:

These tapes have stronger adhesion strengths than standard adhesive tapes, making them ideal for uneven and rough-textured surfaces, slippery painted metal and plastic surfaces and surfaces exposed to harsh environments.

TZe-S211	6mm (0.23") x 8m (26.2 ft) Black on White Tape, Extra Strength Adhesive
TZe-S121	9mm (0.35") x 8m (26.2 ft) Black on Clear Tape, Extra Strength Adhesive
TZe-S221	9mm (0.35") x 8m (26.2 ft) Black on White Tape, Extra Strength Adhesive
TZe-S621	9mm (0.35") x 8m (26.2 ft) Black on Yellow Tape, Extra Strength Adhesive
TZe-S131	12mm (0.47") x 8m (26.2 ft) Black on Clear Tape, Extra Strength Adhesive
TZe-S135	12mm (0.47") x 8m (26.2 ft) White on Clear Tape, Extra Strength Adhesive
TZe-S231	12mm (0.47") x 8m (26.2 ft) Black on White Tape, Extra Strength Adhesive
TZe-S631	12mm (0.47") x 8m (26.2 ft) Black on Yellow Tape, Extra Strength Adhesive
TZe-S141	18mm (0.7") x 8m (26.2 ft) Black on Clear Tape, Extra Strength Adhesive
TZe-S241	18mm (0.7") x 8m (26.2 ft) Black on White Tape, Extra Strength Adhesive
TZe-S641	18mm (0.7") x 8m (26.2 ft) Black on Yellow Tape, Extra Strength Adhesive
TZe-S941	18mm (0.7") x 8m (26.2 ft) Black on Matte Silver Tape, Extra Strength Adhesive
TZe-S151	24mm (0.94") x 8m (26.2 ft) Black on Clear Tape, Extra Strength Adhesive
TZe-S251	24mm (0.94") x 8m (26.2 ft) Black on White Tape, Extra Strength Adhesive
TZe-S651	24mm (0.94") x 8m (26.2 ft) Black on Yellow Tape, Extra Strength Adhesive
TZe-S951	24mm (0.94") x 8m (26.2 ft) Black on Matte Silver Tape, Extra Strength Adhesive

Wire and Cable Laminated Tapes:

This tape offers labeling solutions for textured surfaces, rounded edges, electrical wiring and audio/visual cables.

TZe-FX231	12mm (0.47") x 8m (26.2 ft) Black on White Flexible ID tape
TZe-FX631	12mm (0.47") x 8m (26.2 ft) Black on Yellow Flexible ID tape
TZe-FX241	18mm (0.7") x 8m (26.2 ft) Black on White Flexible ID tape
TZe-FX251	24mm (0.94") x 8m (26.2 ft) Black on White Flexible ID tape
TZe-FX651	24mm (0.94") x 8m (26.2 ft) Black on Yellow Flexible ID tape

Tamper-Evident Laminated Tape:

This tape features a special tell-tale adhesive. If the label is removed, a checkerboard pattern will be left behind. Great for asset management.

TZe-SE4	18mm (0.7") x 8m (26.2 ft) Black on White Security tape
----------------	---

Acid-Free Photo Safe Tapes[^]:

Acid-free adhesive laminated tapes are safe for photo-labeling, scrapbooking and other photo-sensitive materials.

TZe-AF131	12mm (0.47") x 8m (26.2 ft) Black on Clear Acid Free Tape
TZe-AF231	12mm (0.47") x 8m (26.2 ft) Black on White Acid Free Tape

Super Narrow Tape:

This non-laminated tape is perfect for labeling CD case spines and other narrow spaces.

TZe-N201	3.5mm (0.13") x 8m (26.2 ft) Black on White Non-Laminated tape
-----------------	--



[^] Claims that adhesive is "acid-free" and/or "photo-safe" are based upon: 1. Satisfactory test results obtained from Photographic Activity Tests per ISO14523 and non-acidic pH tests per TAPPI 509; 2. Certifications from material manufacturers; and 3. Atomic scans of adhesive following removal of backing paper.