



HP LaserJet Enterprise M607n (K0Q14A)

Active as of 5/1/2017



Overview

This HP LaserJet Printer with JetIntelligence combines exceptional performance and energy efficiency with professional-quality documents right when you need them—all while protecting your network from attacks with the industry's deepest security.¹

The world's most secure printing¹

With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.

Run-time intrusion detection continually monitors to detect and stop attacks, then automatically reboots.

Centralize control of your printing environment with HP Web Jetadmin—and help build business efficiency.²

High-speed performance meets energy efficiency

Speed through tasks and save paper. Print two-sided documents nearly as fast as single-sided.

This printer wakes up fast and prints your first page faster—in as quickly as 7.8 seconds.⁴

This printer uses exceptionally low amounts of energy thanks to its innovative design and toner technology.⁵

More. Performance and Protection.

Produce sharp text, bold blacks, and crisp graphics with precision black toner.

Help retain the Original HP quality you paid for with anti-fraud and cartridge authentication technology.

Help retain the Original HP quality you paid for with anti-fraud and cartridge authentication technology.



Take the guesswork out of fleet management

Centrally monitor and control your printers with HP Web Jetadmin.



Eliminate the wait from your workday

This printer wakes up fast and prints your first page as quickly as XX seconds.



2-sided printing

Allows you to print on both sides of the page, cutting your paper use by up to 50%.



Designed to conserve

This efficient printer is designed for exceptionally low energy consumption



Exceptional quality

Original HP ink and toner cartridges come backed by over 20 years of development, delivering the highest quality prints.

Replaces

Status	Product Name	Discontinued	SKU
Pending discontinuance	HP LaserJet Enterprise M604n	12/01/9998	E6B67A
Pending discontinuance	HP LaserJet Enterprise M604n	12/01/9998	E6B67A

Specifications

Functions

Print

Print speed black (normal, letter)

Up to 55 ppm⁸

Print speed duplex (letter)

Up to 45 ppm

First page out black (letter, ready)

As fast as 5.3 sec

Duty cycle (monthly, letter)

Up to 250,000 pages

(Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.)

Recommended monthly page volume

5000 to 20,000

(HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.)

Number of users

10-30 Users

Print technology

Laser

Print quality black (best)

Up to 1200 x 1200 dpi

Processor speed

1.2 GHz

Print languages

HP PCL 6, HP PCL 5 (HP PCL 5 driver available from the Web only), HP postscript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™

Display

2.7-in (6.86 cm) QVGA LCD (color graphics) rotating (adjustable angle)

Print colours

No

Number of print cartridges

1 (black)

Mac compatible

Yes

Printer Management

HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP Web JetAdmin Software; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver

Security management

Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key; and Kerberos authentication; Supports WJA-10 IPsec configuration Plug-in; 802.1X authentication

(EAP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; Intrusion Detection with Red Balloon Security Technology - Constant in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs, ...); Security management: Compatible with HP JetAdvantage Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs

Fonts and typefaces

105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); Additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at <http://www.hp.com/go/laserjetfonts>

Mobile printing capability

HP ePrint; Apple AirPrint™; Mopria-certified⁷

Wireless capability

Energy Star: 2.131 kWh/Week

Connectivity, standard

1 Hi-Speed USB 2.0 Device; 2 Hi-Speed USB 2.0 Host; 1 Gigabit Ethernet 10/100/1000T network

Connectivity, optional

HP Jetdirect 2900nw Print Server J8031A; HP Jetdirect 3000w NFC/Wireless Accessory J8030A

Minimum System Requirements

2 GB available hard disk space; OS hardware requirements see microsoft.com

Minimum System Requirements for

Macintosh

1.3 GB available hard drive space; Internet; OS hardware requirements see [Apple.com](http://apple.com) for more info

Compatible Operating Systems

Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Yosemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)

(Full solution software available only for Windows 7 and newer, UPD software available only for Windows 7 and newer, HP Software for Mac and Windows is no longer included on the CD, but can be downloaded from 123.hp.com, Legacy Windows Operating Systems (XP, Vista, and equivalent servers) get print and Scan drivers only with a reduced feature set, Windows RT OS for Tablets (32- & 64-bit) uses a simplified HP print driver built into the RT OS)

Compatible Network Operating Systems

Citrix MetaFrame Presentation Server 3.0, Citrix MetaFrame XP Presentation Server (Feature Release 1, 2, and 3), Citrix on Windows Server 2003/2003R2, Citrix on Windows Server 2008/2008R2/2008 R2 SP1, Citrix on Windows Server 2012/2012R2, Citrix Presentation Server 4.0/4.5, Citrix XenApp 5.0 (Plus Feature Pack 2 & 3) for Windows Server 2008 Terminal Services 32- and 64-bit, Citrix XenApp 6.0/6.5 [for Windows Server 2008 R2 Terminal Services, 32- and 64-bit], Citrix XenApp 6.0/6.5/7.5 [for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Citrix XenApp 7.5 [for Windows Server 2012 and 2012 R2 Terminal Services, 64-bit], Citrix XenDesktop 5.6 [for Windows Server 2008 R2 Terminal Services, 32- and 64-bit], Citrix XenDesktop 5.6/7.0/7.5 [for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Citrix XenDesktop 7.0/7.5 [for Windows Server 2012 and 2012 R2 Terminal Services, 64-bit], Novell NetWare 6.5/SP8 Novell Clients www.novell.com/iprint, Novell iPrint Appliance v1.0, Novell Open Enterprise Server 11/SP1, Novell Open Enterprise Server 2 for Linux, Novell Servers www.novell.com/iprint), Windows Server 2003/2003 R2 32-/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server

2003/2003 R2 32-bit (SP1/SP2), Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 32-/64-bit (SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 R2 64-bit (SP1) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32-/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2012/2012 R2 64-bit Standard/Foundation/Essentials/Datacenter (+ Cluster & Terminal Services)

Memory

512 MB

Maximum Memory

1.5 GB, MAX memory, when 1GB Accessory DIMM is installed

Memory Slots

1 slot, 90-pin

Paper handling input, standard

100-sheet multipurpose feeder, 550-sheet input feeder

Paper handling input, optional

Optional 1x550-sheet paper feeder, optional 1x550 paper feeder and stand with cabinet, optional 3x550-sheet paper feeder and stand, optional high-capacity paper feeder and stand with 1x550 sheet feeder and 1x2,000-sheet feeder

Input capacity

Up to 650 sheets

Maximum input capacity (sheets)

Up to 4400 sheets

Paper handling output, standard

500 sheet output bin

Paper handling output, optional

Optional 5 bin stapler stacker

Output capacity

up to 500 sheets

Maximum output capacity (sheets)

up to 1300 sheets

Finished output handling

Sheetfed

Duplex printing

Manual (driver support provided)

Paper trays, standard

2

Paper trays, maximum

Up to 6

Envelope Feeder

Yes, 75 (optional)

Media sizes supported

feeder 1: Letter, legal, statement, executive, Oficio (8.5 x 13 in), envelopes [No. 9, No. 10, Monarch(7 3/4)], 3 x 5, 4 x 6, 5 x 7, 5 x 8; feeder 2: letter, executive, legal

Media sizes, custom

feeder 1: 3 x 5 to 8.5 x 14 in; feeder 2: 3.90 x 5.83 to 8.5 x 14 in

Media types

Paper (plain, light, bond, recycled, heavy, extra heavy, cardstock, pre-printed, pre-punched, colored, rough, heavy rough), mono transparency, labels, letterhead, envelope, heavy envelope

Media weight, supported

Feeder 1: 16 to 53 lb bond (plain), 16 to 24 lb (envelopes); feeder 2: 16 to 32 lb bond (plain)

Power

100V - 127V nominal @ +/-10% (min 90V, max 140V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 12 A; 220V - 240V nominal, @ +/-10% (min 198V, Max 264V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 6 A

Power supply type

Built in 115V or 220V Power Supply (Not dual voltage, power supply varies by part number with # Option code identifier)

Power consumption

780 watts (printing), 15.3 watts (ready), 3.1 watts (sleep), < 0.1 watts (Auto Off/Manual On), < 0.1 watts (Manual Off)³

Typical electricity consumption (TEC) number

Blue Angel: 1.971 kWh/Week; Energy Star: 2.131 kWh/Week

ENERGY STAR® certified

No

Operating temperature range

15 to 27°C

Operating humidity range

10 to 90% RH

Minimum dimensions (W x D x H)

17 x 18.3 x 15 in

Maximum dimensions (W x D x H)

17 x 40.9 x 17.8 in

Weight

47.7 lbs

UPC number

(AB0) 889894067814; (AB2) 889894067821; (ABJ) 889894067838; (ABT) 889894067876; (ABY) 889894067883; (ACJ) 889894067845; (ACQ) 889894067890; (B13) 889894067906; (B19) 889894067913; (BAZ) 889894067920; (BBU) 889894067852; (BGJ) 889894067982; (BGM) 889894067869

Package dimensions (W x D x H)

23.50 x 19.57 x 21.22 in

Package weight

60.1 lb

Quantity per pallet

16

Pallet dimensions

47.24 x 39.37 x 90.94 in (AP), 47.24 x 39.37 x 91.33 in (EMEA & AMS)

Pallet weight

955.89 lb (NA, EMEA, AP)

Country of origin

Made in China (AB0, AB2, ABJ, ACJ, BBU, BGM, ACQ, ABT, ABY, B13, B19, BAZ, BGJ)

What's in the box

HP LaserJet Printer
HP Black Original LaserJet Toner Cartridge (~11K yield)
CD with software drivers and documentation
Documentation (Hardware Install Guide)
Power cord

Cable included

No, please purchase (USB) cable separately

Replacement cartridges

HP 37A Black Original LaserJet Toner Cartridge (11,000 yield) CF237A

Software included

HP Connected
HP Device Experience (DXP)
HP PCL 6 (XPS) Printer Driver
HP Software Installer/Uninstaller
Mac OS Welcome Screen (Directs users to 123.HP.com or OS App Source for printer software)
Online user manuals

Warranty

One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to hp.com/support to learn about HP award winning service and support options in your region. (wty code 4G)

Overview

- 1 Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit <http://www.hp.com/go/PrintersThatProtect>. For more information: <http://www.hp.com/go/printersecurityclaims>
- 2 HP Web Jetadmin is available for download at no additional charge at <http://www.hp.com/go/webjetadmin>
- 4 Measured after 15 min in sleep. Exact speed varies depending on the system configuration, software application, driver, document complexity and time in sleep.
- 5 Energy claim based on TEC data reported on energystar.gov as of January 2017. Data normalized to determine energy efficiency of in-class laser printers with published speed of 55 to 75 ppm. Subject to device settings. Actual results may vary.

Specifications

- 3 Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.
- 7 May require a firmware upgrade to be compatible, download at <http://www.hp.com/go/support>
- 8 Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

Brochure (6)

HP Print Security. Solution Overview (A4)

A solution overview brochure which explains the importance of print security and how to reduce security risks with the embedded security features in HP devices and a broad portfolio of HP JetAdvantage Security Solutions.

HP Print Security. Solution Overview (LTR)

A solution overview brochure which explains the importance of print security and how to reduce security risks with the embedded security features in HP devices and a broad portfolio of HP JetAdvantage Security Solutions.

HP LaserJet with JetIntelligence technology. Brochure (LTR)

A brochure introducing the new HP LaserJets with Original HP Toner cartridges with JetIntelligence, including performance and design features, information about JetIntelligence toner cartridges, and HP JetAdvantage Private Print.

HP LaserJet with JetIntelligence technology. Brochure (A4)

A brochure introducing the new HP LaserJets with Original HP Toner cartridges with JetIntelligence, including performance and design features, information about JetIntelligence toner cartridges, and HP JetAdvantage Private Print.

The Wolf. Brochure (A4)

A customer-facing brochure about "The Wolf" films for HP sales and channel partners to leave behind. Briefly describes each film, including risks and recommendations to improve security for devices (PC and printer), data, and documents.

The Wolf. Brochure (LTR)

A customer-facing brochure about "The Wolf" films for HP sales and channel partners to leave behind. Briefly describes each film, including risks and recommendations to improve security for devices (PC and printer), data, and documents.

Data sheet (1)

HP LaserJet Enterprise M607 Series Printer

4 pages Datasheet for the :HP LaserJet Enterprise M607 Series Printer.

FAQ/Q&A (5)

Original HP Toner Cartridges with JetIntelligence. Frequently asked questions (Brazil)

Partner and Channel

Learn about Original HP Toner cartridges with JetIntelligence, including key features and technologies, such as page maximizer technology, print gauge technology, ColorSphere 3 toner, anti-fraud technology and auto seal removal.

Original HP Toner Cartridges with JetIntelligence. Frequently asked questions (Latin America)

Partner and Channel

Learn about Original HP Toner cartridges with JetIntelligence, including key features and technologies, such as page maximizer technology, print gauge technology, ColorSphere 3 toner, anti-fraud technology and auto seal removal.

Original HP Toner Cartridges with JetIntelligence. Frequently asked questions

Partner and Channel

Learn about Original HP Toner cartridges with JetIntelligence, including key features and technologies, such as page maximizer technology, print gauge technology, ColorSphere 3 toner, anti-fraud technology and auto seal removal.

The Wolf: The Hunt Continues. Sales FAQ (LTR)

Partner and Channel

An internal FAQ to help HP sales and channel partners understand "The Wolf: The Hunt Continues" film. Explains how companies are vulnerable to hacking and describes recommended protocols, HP hardware and solutions that can help prevent attacks.

The Wolf. Sales FAQ (LTR)

Partner and Channel

An internal FAQ to help HP sales and channel partners understand "The Wolf" film. Explains how companies are vulnerable to hacking and describes recommended protocols, HP hardware and solutions that can help prevent attacks.

Partner presentation (2)

[HP LaserJet Enterprise M607dn, M608dn, M609dn. Product presentation \(PDF\)](#)

[Partner and Channel](#)

A presentation for the HP LaserJet Enterprise M607dn, M608dn, M609dn series detailing key features, benefits, target audience, walk-around, upsell, competitors, and more.

[HP LaserJet Enterprise M607, M608, M609 series. Product presentation \(PDF\)](#)

[Partner and Channel](#)

A presentation for the HP LaserJet Enterprise M607, M608, M609 series detailing key features, benefits, target audience, walk-around, upsell, competitors, and more.

[Product family guide \(2\)](#)

[HP printers, MFPs, and all-in-ones. Selection guide](#)

Selection guide providing business customers the information they need to choose the right HP LaserJet or Officejet printer or MFP for their work teams, workgroups, and departments. Includes qualifying questions and tables comparing device features.

[HP LaserJet Enterprise M607, M608, M609 series. Product guide](#)

Learn everything you need to know about the HP LaserJet Enterprise M607, M608, M609 series, including key features and benefits, a product walk around, ordering information, and technical specifications.

[Sales battle card \(1\)](#)

[HP print security. Sales battle card \(LTR\)](#)

[Partner and Channel](#)

A competitive battle card for the channel, including competitive comparisons, qualifying questions, descriptions of HP security offerings, and more. Does not include HP direct-only security products.

[Solution brief \(6\)](#)

[Original HP Toner cartridges with JetIntelligence. Solution brief \(LTR\)](#)

Learn about Original HP Toner cartridges with JetIntelligence, including key features and technologies, such as page maximizer technology, print gauge technology, ColorSphere 3 toner, anti-fraud technology and auto seal removal.

[Original HP Toner cartridges with JetIntelligence. Solution brief \(A4\)](#)

Learn about Original HP Toner cartridges with JetIntelligence, including key features and technologies, such as page maximizer technology, print gauge technology, ColorSphere 3 toner, anti-fraud technology and auto seal removal.

[The Wolf, season 2. Case study \(A4\)](#)

A customer-facing case study about "The Wolf: The Hunt Continues" film. Describes the hack of Coastline Regional Hospital, why the company was at risk, and how HP helped them improve security for devices (PC and printer), data, and documents.

[The Wolf: The Hunt Continues. Case study \(LTR\)](#)

A customer-facing case study about "The Wolf: The Hunt Continues" film. Describes the hack of Coastline Regional Hospital, why the company was at risk, and how HP helped them improve security for devices (PC and printer), data, and documents.

[JetIntelligence Toner Cartridges \(Brazil\)](#)

[Partner and Channel](#)

JetIntelligenceTechnology delivers improved toner formulations and features that help add value to your printing experience.

[JetIntelligence Toner Cartridges \(Latin America\)](#)

[Partner and Channel](#)

JetIntelligenceTechnology delivers improved toner formulations and features that help add value to your printing experience.

[Success story \(5\)](#)

[Principal: HP MPS solution expands to improve security, mobility](#)

Principal is building on its HP MPS foundation with HP Access Control and HP Capture and Route to help boost document security, reduce waste and simplify scanning.

[Autoliv ASP optimizes workflows, cuts costs with HP Managed Print Services](#)

HP Managed Print Services helps Autoliv ASP improve business process through consolidation, automatic toner re-ordering, workflow tracking with HP Web Jetadmin, and HP Virtual Print center for large volume, specialty printing.

Palo Alto Unified School District enables flexible print policy with HP MPS

Palo Alto Unified School District selected HP Managed Print Services (MPS) to help cut costs, improve productivity, and simplify management of its print infrastructure.

HP MPS aids in efficient healthcare at Houston Healthcare while reducing costs

Houston Healthcare, a non-profit healthcare system in Georgia, streamlined costs without impacting quality of care and improved efficiencies with HP Managed Print Services. Implementing HP MPS has reduced print costs at Houston Healthcare by 48%.

HP MPS provides visibility into printing for Kelly-Moore Paints

Kelly-Moore Paints has 150 company-owned retail stores in seven states. The company has reduced internal printing costs by 60% with HP Managed Print Services. They know how much is being printed and that each location receives quality printer service.

Technical white paper (3)

Aftermarket Chips for HP LaserJet Printers. Technical white paper

A Technical White Paper explaining the recommended changes to avoid brand misidentification.

Comparing solution capabilities of HP business printers and MFPs. Internal technical white paper (LTR)

Partner and Channel





An internal technical white paper outlining supported features/solutions on various HP business printers and MFPs (including LaserJet Pro 400/500, PageWide Pro 400/500/700, LaserJet and PageWide Enterprise and select LaserJet managed models).

The Wolf. Telemarketing Script for Channel (LTR)

Partner and Channel

A telemarketing script to help channel partners guide customer calls about "The Wolf" films. Helps raise awareness of risks and encourage hardware and solution sales to improve security for devices (PC and printer), data, and documents.

Images - Product (4)

			
Center facing	Left facing	Right facing	Close up of ink cart
54 x 41 (jpg) 54 x 41 (png) 100 x 70 (jpg) 96 x 72 (jpg) 96 x 72 (png) 99 x 74 (png) 153 x 115 (png) 180 x 135 (png) 240 x 180 (jpg) 240 x 180 (png) 247 x 185 (png) 170 x 190 (jpg) 257 x 193 (png) 320 x 240 (jpg) 320 x 240 (png) 474 x 356 (png) 513 x 385 (png) 400 x 400 (jpg) 400 x 400 (png) 573 x 430 (png) 800 x 600 (png) 1659 x 1246 (png) 1500 x 1788 (jpg) 2216 x 2129 (png) 2215 x 2278 (jpg)	54 x 41 (jpg) 54 x 41 (png) 100 x 70 (jpg) 96 x 72 (jpg) 96 x 72 (png) 99 x 74 (png) 153 x 115 (png) 180 x 135 (png) 240 x 180 (jpg) 240 x 180 (png) 247 x 185 (png) 170 x 190 (jpg) 257 x 193 (png) 320 x 240 (jpg) 320 x 240 (png) 474 x 356 (png) 513 x 385 (png) 400 x 400 (jpg) 400 x 400 (png) 573 x 430 (png) 800 x 600 (png) 1659 x 1246 (png) 1500 x 1593 (jpg) 2447 x 2304 (png) 2498 x 2446 (jpg)	54 x 41 (jpg) 54 x 41 (png) 100 x 70 (jpg) 96 x 72 (jpg) 96 x 72 (png) 99 x 74 (png) 153 x 115 (png) 180 x 135 (png) 240 x 180 (jpg) 240 x 180 (png) 247 x 185 (png) 170 x 190 (jpg) 257 x 193 (png) 320 x 240 (jpg) 320 x 240 (png) 474 x 356 (png) 513 x 385 (png) 2788 x 394 (jpg) 400 x 400 (jpg) 400 x 400 (png) 573 x 430 (png) 800 x 600 (png) 1659 x 1246 (png) 1500 x 1586 (jpg) 2494 x 2306 (png)	54 x 41 (jpg) 54 x 41 (png) 100 x 70 (jpg) 96 x 72 (jpg) 96 x 72 (png) 99 x 74 (png) 153 x 115 (png) 180 x 135 (png) 240 x 180 (jpg) 240 x 180 (png) 247 x 185 (png) 170 x 190 (jpg) 257 x 193 (png) 320 x 240 (jpg) 320 x 240 (png) 474 x 356 (png) 513 x 385 (png) 400 x 400 (jpg) 400 x 400 (png) 573 x 430 (png) 800 x 600 (png) 1659 x 1246 (png) 3639 x 3183 (png) 3649 x 3183 (jpg)

Search additional assets (Asset Hub)

[Search for additional assets](#)

This link is being provided as a convenience and for informational purposes only. HP Sales Central bears no responsibility for the accuracy, legality or content of the external site or for that of subsequent links. Contact the external site for answers to questions regarding its content.

Cabinets and Stands

Printer Cabinets and Stands

Active	HP LaserJet Printer Stand	LOH19A
--------	---------------------------	--------

Paper Handling

Envelope Feeders

Active	HP LaserJet Envelope Feeder	LOH21A
--------	-----------------------------	--------

Input Trays

Active	HP LaserJet 550-sheet Paper Tray	LOH17A
Active	HP LaserJet 2100 Sheet Paper Tray	LOH18A
Active	HP LaserJet Extension Tray Cover	LOH22a

Output Trays and Stackers

Active	HP LaserJet Stapler/Stacker/Mailbox	LOH20A
--------	-------------------------------------	--------

Staple Cartridges

Active	HP Staple Cartridge Refill	J8J96A
--------	----------------------------	--------

PC Drives and Storage

EIO Hard Drives

Active	HP High-Performance Secure Hard Disk	B5L29A
--------	--------------------------------------	--------

Network Print Servers

External Print Servers

Active	HP Jetdirect 2900nw Print Server	J8031A
Active	HP Jetdirect 3000w NFC/Wireless Accessory	J8030A

HP Care Services

Hardware Support Services

Active	HP 1 year Post Warranty 4 hour 9x5 Hardware Support w/DMR for LaserJet Enterprise M607	U9MW6PE
Active	HP 1 year Post Warranty Next Business Day Hardware Support w/DMR for LaserJet Enterprise M607	U9MW4PE
Active	HP 2 year Post Warranty Next Business Day Hardware Support w/DMR for LaserJet Enterprise M607	U9MW5PE
Active	HP 3 year Next Business Day HW Support w/Defective Media Retention for LaserJet Enterprise M607	U9MU0A
Active	HP 3 year Next Business Day HW Support w/Defective Media Retention for LaserJet Enterprise M607	U9MU0E
Active	HP 4 year Next Business Day HW Support w/Defective Media Retention for LaserJet Enterprise M607	U9MU1E
Active	HP 5 year Next Business Day HW Support w/Defective Media Retention for LaserJet Enterprise M607	U9MU2E

Imaging and Printing Commercial Care Services

Active	HP 1 year Post Warranty NBD Parts Exchange Service for LaserJet Enterprise M607 (Channel only)	U9MX3PE
Active	HP 1 year Post Warranty Next Business Day Exchange Service for LaserJet Enterprise M607	U9MX1PE
Active	HP 1 yr Post Warranty Next Business Day Call To Repair HW Support w/DMR for LaserJet Enterprise M607	U9MW9PE
Active	HP 2 year Post Warranty 4 hour 9x5 Hardware Support w/DMR for LaserJet Enterprise M607	U9MW7PE
Active	HP 2 year Post Warranty NBD Parts Exchange Service for LaserJet Enterprise M607 (Channel only)	U9MX4PE
Active	HP 2 yr Post Warranty Next Business Day Call To Repair HW Support w/DMR for LaserJet Enterprise M607	U9MX0PE
Active	HP 3 year 4 hour 9x5 HW Support w/Defective Media Retention for LaserJet Enterprise M607	U9MU3E
Active	HP 3 year Next Business Day Call To Repair HW Support w/DMR for LaserJet Enterprise M607	U9MU9E
Active	HP 3 year Next Business Day Exchange Service for LaserJet Enterprise M607	U9MV2A
Active	HP 3 year Next Business Day Exchange Service for LaserJet Enterprise M607	U9MV2E
Active	HP 3 year Next Business Day Parts Exchange Service for LaserJet Enterprise M607 (Channel only)	U9MV8E
Active	HP 4 year 4 hour 9x5 HW Support w/Defective Media Retention for LaserJet Enterprise M607	U9MU4E
Active	HP 4 year Next Business Day Call To Repair HW Support w/DMR for LaserJet Enterprise M607	U9MV0E
Active	HP 4 year Next Business Day Exchange Service for LaserJet Enterprise M607	U9MV3E
Active	HP 4 year Next Business Day Parts Exchange Service for LaserJet Enterprise M607 (Channel only)	U9MV9E
Active	HP 5 year 4 hour 9x5 HW Support w/Defective Media Retention for LaserJet Enterprise M607	U9MU5E
Active	HP 5 year Next Business Day Call To Repair HW Support w/DMR for LaserJet Enterprise M607	U9MV1E
Active	HP 5 year Next Business Day Exchange Service for LaserJet Enterprise M607	U9MV4E
Active	HP 5 year Next Business Day Parts Exchange Service for LaserJet Enterprise M607 (Channel only)	U9MW0E
Active	HP Inst SVC w/nw Workgroup Printer	U9JT2E
Active	HP Maintenance Kit Replacement Service for LaserJet M60x Multifunction Printer Fuser 110 SVC	U9PS8E
Active	HP Maintenance Kit Replacement Service for LaserJet M60x Multifunction Printer Fuser 220 SVC	U9PS9E

Printing Solutions

Print Management

Active	HP JetAdvantage Insights	HPJETADINSIGHTS
--------	--------------------------	-----------------

Printing Security

Active	HP Access Control Secure Printing and Job Accounting Solution	HPACSOLUTION
Active	HP JetAdvantage Private Print	HPCMPPONDMND
Active	HP JetAdvantage Secure Print	HPJETADSECUREPRINT
Active	HP JetAdvantage Security Manager	HPJETADSECMGR
Active	HP Proximity Card Reader	HPPROXIMTYRDR

HP Laser Toner Cartridges and Kits

HP Black and White Laser Toner Printer Cartridges

Active	HP 37A Black Original LaserJet Toner Cartridge	CF237A
--------	--	--------

HP Laser Printer Supply Kits

Active	HP LaserJet 220V Maintenance Kit	L0H25A
--------	----------------------------------	--------

HP Paper for Multiple Uses

HP Multi-use Everyday Paper

Active	HP 40-lb Heavyweight Project Paper/250 sht/Letter/8.5 x 11 in	Z4R14A
--------	---	--------

Detailed Specifications

Accessories

HP LaserJet 550-Sheet Paper feeder LOH17A, HP LaserJet Z100 sheet Paper feeder LOH18A, HP LaserJet Printer Stand LOH19A, HP LaserJet Stapler/Stacker/ Mailbox LOH20A, HP Envelope Feeder LOH21A, HP Internal USB Ports B5L28A, HP Secure High Perf Hard Disk Drive B5L29A, HP Jetdirect 2900nw Print Server J8031A, HP Trusted Platform Module Accessory F5S62A, 1 GB Memory DIMM Kit G6W84A, HP Extension Tray Cover LOH22A

Acoustic power emissions

6.9 B(A)

Acoustic power emissions (ready)

Inaudible

Acoustic power note

Acoustic values are subject to change. For current information see <http://www.hp.com/support>. Noise measured during printing mono simplex A4 at 53ppm.

Acoustic pressure emissions bystander (active, printing)

55 dB(A)

Acoustic pressure emissions bystander (ready)

Inaudible

Automatic paper sensor

No

Best technical electricity consumption (TEC)

2.135 kWh/Week

Best technical electricity consumption (TEC) footnote number

[5]

Blue Angel (sleep mode)

2.20 watts

Blue Angel compliant

No

Bottom margin (A4)

4.3 mm

Cable included

No, please purchase (USB) cable separately

Code name

Argon 55

Compatible Network Operating Systems

Citrix MetaFrame Presentation Server 3.0, Citrix MetaFrame XP Presentation Server (Feature Release 1, 2, and 3), Citrix on Windows Server 2003/2003R2, Citrix on Windows Server 2008/2008R2/2008 R2 SP1, Citrix on Windows Server 2012/2012R2, Citrix Presentation Server 4.0/4.5, Citrix XenApp 5.0 (Plus Feature Pack 2 & 3) for Windows Server 2008 Terminal Services 32- and 64-bit, Citrix XenApp 6.0/6.5 [for Windows Server 2008 R2 Terminal Services, 32- and 64-bit], Citrix XenApp 6.0/6.5/7.5 [for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Citrix XenApp 7.5 [for Windows Server 2012 and 2012 R2 Terminal Services, 64-bit], Citrix XenDesktop 5.6 [for Windows Server 2008 R2 Terminal Services, 32- and 64-bit], Citrix XenDesktop 5.6/7.0/7.5 [for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Citrix XenDesktop 7.0/7.5 [for Windows Server 2012 and 2012 R2 Terminal Services, 64-bit], Novell NetWare 6.5/SP8 Novell Clients www.novell.com/iprint, Novell iPrint Appliance v1.0, Novell Open Enterprise Server 11/SP1, Novell Open Enterprise Server 2 for Linux, Novell Servers www.novell.com/iprint, Windows Server 2003/2003 R2 32-/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2003/2003 R2 32-bit (SP1/SP2), Standard/Enterprise (+ Cluster & Terminal

Services), Windows Server 2008 32-/64-bit (SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 R2 64-bit (SP1) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32-/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2012/2012 R2 64-bit Standard/Foundation/Essentials/Datacenter (+ Cluster & Terminal Services)

Compatible Operating Systems

Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Yosemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)

Connectivity, optional

HP Jetdirect 2900nw Print Server J8031A; HP Jetdirect 3000w NFC/Wireless Accessory J8030A

Connectivity, standard

1 Hi-Speed USB 2.0 Device; 2 Hi-Speed USB 2.0 Host; 1 Gigabit Ethernet 10/100/1000T network

Control panel

2.7-in (6.86 cm) QVGA LCD (color graphics) rotating (adjustable angle) display with 24-key pad

Count of cartons per pallet layer

4

Count of layers in pallet

4

Country of origin

Made in China (AB0, AB2, ABJ, ACJ, BBU, BGM, ACQ, ABT, ABY, B13, B19, BAZ, BGJ)

Datasheet publication number

4AA6-9783ENUC

Dimensions (W x D x H)

431 x 466 x 380 mm

Display

2.7-in (6.86 cm) QVGA LCD (color graphics) rotating (adjustable angle)

Display area (imperial)

2.13 x 1.59 in

Display area (metric)

54 x 40.5 mm

Downloadable software

HP Easy Start (Guided Software Install for Windows OS and Mac); HP ePrint Software (ePrint Mobile Driver for Windows); HP ePrint Software (for Windows); HP Imaging & Printing Security Center; HP JetAdvantage Security Manager; HP Mobile Printing <http://www8.hp.com/us/en/ads/mobility/overview.html>; HP PCL6 (XPS) print driver only (No installer for "Add Printer" installs); HP PCL6 (XPS) print driver with installer; Product Documentation and Support; HP Proxy Agent Software; HP Universal Print Drivers (PCL6 & PS for Windows); Linux/Unix Print Drivers; Mac Software Solution; Printer Administrator Resource Kit; SAP (PS Print Drivers); Web JetAdmin; Windows driver only solution; Windows Full Software Solution

Driver updates

Current HP printer drivers and software can be obtained from the HP Customer Care Web site: In the US, go to www.hp.com/support/colorljM607; Outside the US, go to <http://www.hp.com/support> 1. Go to <http://www.hp.com/support>. Select the country/region. 2. Select Drivers & Downloads 3. Enter a product name/number. 4. Under Download Options, select Drivers, Software & Firmware 5. Select the operating system version. 6. Then select DOWNLOAD.

Duplex printing

Manual (driver support provided)

Duty cycle (monthly, A4)

Up to 250,000 pages

Duty cycle (monthly, letter)

Up to 250,000 pages

Duty cycle note

Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.

Electromagnetic compatibility

CISPR 22:2008 (International) - Class A, EN 55022: 2010 (EU) - Class A, EN 61000-3-2: 2006 +A1: 2009 +A2: 2009, EN 61000-3-3: 2008, EN 55024: 2010, EMC Directive 2004/108/EC, FCC CFR 47 Part 15 Class A / ICES-003, Issue 5 Class A, Other EMC approvals as required by individual countries

Energy savings feature technology

HP Auto-On/Auto-Off Technology; Instant-on Technology

ENERGY STAR® certified

No

Envelope Feeder

Yes, 75 (optional)

Environmental

Mercury-free

FCC Class A emissions

FCC Class A emissions - for use in commercial environments, not residential environments

Feature supporting point footnote number

[10]

Feature supporting point footnote number

[11]

Feature supporting point footnote number

[12]

Feature supporting point footnote number

[13]

Feature supporting point footnote number

[14]

Feature supporting point footnote number

[15]

Feature supporting point footnote number

[16]

Feature supporting point footnote number

[17]

Feature supporting point footnote number

[18]

Feature supporting point footnote number

[19]

Feature supporting point footnote number

[20]

Feature supporting point footnote number

[21]

Feature supporting point footnote number

[22]

Feature supporting point footnote number

[8]

Feature supporting point footnote number

[9]

Finished output handling

Sheetfed

First page out black (A4, ready)

As fast as 5.4 sec

First page out black (A4, sleep)

As fast as 7.9 sec

First page out black (letter, ready)

As fast as 5.3 sec

First page out black (letter, sleep)

As fast as 7.8 sec

First page out footnote number

[10]

Fonts and typefaces

105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); Additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at <http://www.hp.com/go/laserjetfonts>

Functions

Print

Image legal disclaimer

Product image may differ from actual product

Input capacity

Up to 650 sheets

Left margin (A4)

4.3 mm

Legal disclaimer [04]

Universal device plug-in is offered with HP Web Jetadmin 10.3 SR4 and higher. HP Web Jetadmin is free and available for download at hp.com/go/webjetadmin.

Legal disclaimer [06]

Measured using ISO/IEC 17629. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

Mac compatible

Yes

Maximum dimensions (W x D x H)

17 x 40.9 x 17.8 in

Maximum dimensions (W x D x H)

431 x 1040 x 453 mm

Maximum input capacity (sheets)

Up to 4400 sheets

Maximum Memory

1.5 GB, MAX memory, when 1 GB Accessory DIMM is installed

Maximum output capacity (sheets)

up to 1300 sheets

Media sizes supported

feeder 1: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, Oficio (216 x 340 mm), 16K, envelopes (C5, B5, C6, DL ISO), Postcard (JIS single and double); feeder 2: A4, A5, A5-R, B5 (JIS), 16K

Media sizes supported

feeder 1: Letter, legal, statement, executive, Oficio (8.5 x 13 in), envelopes [No. 9, No. 10, Monarch(7 3/4)], 3 x 5, 4 x 6, 5 x 7, 5 x 8; feeder 2: letter, executive, legal

Media sizes, custom

feeder 1: 3 x 5 to 8.5 x 14 in; feeder 2: 3.90 x 5.83 to 8.5 x 14 in

Media sizes, custom

feeder 1: 76 x 127 to 216 x 356 mm; feeder 2: 99 x 148 to 216 x 356 mm

Media types

Paper (plain, light, bond, recycled, heavy, extra heavy, cardstock, pre-printed, pre-punched, colored, rough, heavy rough), mono transparency, labels, letterhead, envelope, heavy envelope

Media weight, supported

Feeder 1: 16 to 53 lb bond (plain), 16 to 24 lb (envelopes); feeder 2: 16 to 32 lb bond (plain)

Media weight, supported

Feeder 1: 60 to 199 g/m²; feeder 2: 60 to 120 g/m²

Memory

512 MB

Memory Slots

1 slot, 90-pin

Memory upgrade

Expandable to 1.5 GB through 1 GB 90-pin DDR3 DIMM

Minimum dimensions (W x D x H)

17 x 18.3 x 15 in

Minimum System Requirements

2 GB available hard disk space; OS hardware requirements see microsoft.com

Minimum System Requirements for Macintosh

1.3 GB available hard drive space; Internet; OS hardware requirements see Apple.com for more info

Mobile printing capability

HP ePrint; Apple AirPrint™; Mopria-certified

Mobile printing capability footnote number

[7]

Network capabilities

Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (optional).

Network protocols, supported

Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IPP 2.0, Apple AirPrint™, HP ePrint, FTP Print, Google Cloud Print; DISCOVERY: SLP, Bonjour, Web Services Discovery; IP CONFIG: IPv4 (BootP, DHCP, AutoIP, Manual, TFTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6); Management: SNMPv2/v3, HTTP/HTTPS, Telnet, TFTP Config, FTP FW Download, Syslog; Security: SNMPv3, SSL Cert Management, Firewall, ACL, 802.1x

Non-Operating Humidity Range

10 to 80% RH

Number of print cartridges

1 (black)

Number of users

10-30 Users

Operating humidity range

10 to 90% RH

Operating humidity range

30 to 70% RH

Operating system (supported note)

Full solution software available only for Windows 7 and newer, UPD software available only for Windows 7 and newer, HP Software for Mac and Windows is no longer included on the CD, but can be downloaded from 123.hp.com, Legacy Windows Operating Systems (XP, Vista, and equivalent servers) get print and Scan drivers only with a reduced feature set, Windows RT OS for Tablets (32- & 64-bit) uses a simplified HP print driver built into the RT OS

Operating temperature range

15 to 27°C

Operating temperature range

15 to 32.5°C

Orderable product number

KOQ14A#AB0, KOQ14A#AB2, KOQ14A#ABJ, KOQ14A#ACJ, KOQ14A#BBU, KOQ14A#BGM, KOQ14A#ABT, KOQ14A#ABY, KOQ14A#ACQ, KOQ14A#B13, KOQ14A#B19, KOQ14A#BAZ, KOQ14A#BGJ

Orderable supplies

HP Staple Cartridge Refill J8J96A, HP LaserJet 110v Maintenance Kit LOH24A, HP LaserJet 220v Maintenance Kit LOH25A

Output capacity

up to 500 sheets

Package dimensions (W x D x H)

23.50 x 19.57 x 21.22 in

Package dimensions (W x D x H)

597 x 497 x 539 mm

Package weight

27.2 kg

Package weight

60.1 lb

Page yield footnote number

[12]

Pallet dimensions

47.24 x 39.37 x 90.94 in (AP), 47.24 x 39.37 x 91.33 in (EMEA & AMS)

Pallet dimensions (W x D x H)

1200 x 1000 x 2310 mm (AP), 1200 x 1000 x 2320 mm (EMEA & AMS)

Pallet weight

433.59 kg (NA, EMEA, AP)

Pallet weight

955.89 lb (NA, EMEA, AP)

Paper handling input, optional

Optional 1x550-sheet paper feeder, optional 1x550 paper feeder and stand with cabinet, optional 3x550-sheet paper feeder and stand, optional high-capacity paper feeder and stand with 1x550 sheet feeder and 1x2,000-sheet feeder

Paper handling input, standard

100-sheet multipurpose feeder, 550-sheet input feeder

Paper handling output, optional

Optional 5 bin stapler stacker

Paper handling output, standard

500 sheet output bin

Paper trays, maximum

Up to 6

Paper trays, standard

Post warranty repair & maintenance

<http://www.hp.com/support>

Power

100V - 127V nominal @ +/-10% (min 90V, max 140V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 12 A; 220V - 240V nominal, @ +/-10% (min 198V, Max 264V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 6 A

Power consumption

780 watts (printing), 15.3 watts (ready), 3.1 watts (sleep), < 0.1 watts (Auto Off/Manual On), < 0.1 watts (Manual Off)

Power consumption footnote number

[3]

Power supply type

Built in 115V or 220V Power Supply (Not dual voltage, power supply varies by part number with # Option code identifier)

Print colours

No

Print languages

HP PCL 6, HP PCL 5 (HP PCL 5 driver available from the Web only), HP postscript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™

Print quality black (best)

Up to 1200 x 1200 dpi

Print quality black (normal)

FastRes 1200

Print resolution black (fine lines)

Up to 1200 x 1200 dpi

Print Resolution Technologies

FastRes 1200; 1200 x 1200 dpi

Print speed (A4/letter) footnote number

[8]

Print Speed Black (ISO)

Up to 52 ppm

Print speed black (Landscape, A5)

Up to 80 ppm

Print speed black (normal, letter)

Up to 55 ppm

Print speed black (Portrait, A5)

Up to 6 ppm

Print speed duplex (A4)

Up to 43 ppm

Print speed duplex (letter)

Up to 45 ppm

Print speed footnote number (A5)

[9]

Print technology

Laser

Printer Management

HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP Web JetAdmin Software; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver

Printer smart software features

Print preview, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB

Processor speed

1.2 GHz

Product note

FCC Class A emissions device for use in commercial environments, not residential environments[6]

Quantity per pallet

16

Recommended media weight (duplex)

16 to 32 lb

Recommended media weight (duplex)

60 to 120 g/m²

Recommended monthly page volume

5000 to 20,000

Recommended monthly page volume note

HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

Recommended operating temperature range

59 to 80.6°F

Recommended operating temperature range

59 to 90.5°F

Replacement cartridges

HP 37A Black Original LaserJet Toner Cartridge (11,000 yield) CF237A

Replacement cartridges footnote number

[6]

Right margin (A4)

4.3 mm

RMN number

BOISB-1502-00

Safety

IEC 60950-1:2005 +A1:2009 +A2:2013 (International); EN60950-1:2006 +A11:2009 +A1:2010 +A12:2011 +A2:2013 (EU); EN 60825-1:2007 / IEC 60825-1:2007 (Class 1 Laser Product); EN 62479:2010 / IEC 62479:2010; Low Voltage Directive 2006/95/EC with CE Mark Europe); GS Certificate (Germany, Europe); UL/cUL Listed and UC CoC (US/Canada); CAN/CSA C22.2 No. 60950-1-07 2nd Ed. 2011-12; Compliance with Laser safety standards 21 CFR 1040.10 and 1040.11 except for deviations pursuant to Laser notice No. 50, Dated June 24, 2007. Other safety approvals as required by individual countries

Security management

Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key; and Kerberos authentication; Supports WJA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; Intrusion Detection with Red Balloon Security Technology - Constant in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs, ...); Security management: Compatible with HP JetAdvantage Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs

Service & support options

Free telephone support for basic setup, installation, and troubleshooting in North America, Europe, and Asia Pacific during warranty; Optional HP Supportpack for 4-hour response during standard business hours; Optional HP Supportpack for 24 hours a day, 7 days a week; Optional HP Supportpack for Comprehensive Technical Support

Service level options

Assembly, network configuration, and basic administrator familiarization

Service level options

Onsite replacement of your printer's maintenance kit including parts, materials, and labor

Service level options

Onsite service the next business day after the service call is received

Service level options

Onsite support within four hours after the service call is received within the coverage window

Service level options, header

4 hour Onsite Support

Service level options, header

Installation with Network Configuration Service

Service level options, header

Maintenance Kit Replacement Service

Service level options, header

Next Business Day Onsite Support

Services

Customers can retain their hard disk drive and keep control of sensitive data.

Services

Sends an HP technician to customers' site the same business day for repair, within 4 hours, if the issue cannot be resolved through remote support. Various support window times are available, for different requirements.

Services

Ships a permanent replacement unit overnight via premium airfreight, if hardware issue cannot be resolved remotely. Shipping charges are prepaid by HP.

Services (Care Pack)

U9MU2E - HP 5 year Next Business Day HW Support w/Defective Media Retention; U9MU5E - HP 5 year 4 hour 9x5 HW Support w/Defective Media Retention; U9MU8E - HP 5 year 4 hour 13x5 HW Support w/Defective Media Retention; U9MV1E - HP 5 year Next Business Day Call To Repair HW Support w/DMR; U9MV4E - HP 5 year Next Business Day Exchange Service; U9MV7E - HP 5 year Next Business Day Exchange Service; U9MW5PE - HP 2 year Post Warranty Next Business Day Hardware Support w/DMR; U9MW7PE - HP 2 year Post Warranty 4 hour 9x5 Hardware Support w/DMR; U9MW8PE - HP 1 year Post Warranty 4 hour 13x5 Hardware Support w/DMR; U9MX0PE - HP 2 yr Post Warranty Next Business Day Call To Repair HW Support w/DMR; U9MX1PE - HP 1 year Post Warranty Next Business Day Exchange Service

Services description headline 01

Next Business Day Onsite with Defective Media Retention:

Services description headline 02

Next Business Day Exchange:

Services description headline 03

Same Day Onsite – 4 hour 9x5 and 13x5:

Software included

HP Connected, HP Device Experience (DXP), HP PCL 6 (XPS) Printer Driver, HP Software Installer/Uninstaller, Mac OS Welcome Screen (Directs users to 123.HP.com or OS App Source for printer software), Online user manuals

Standard input capacity (envelopes)

Up to 10

Standard media sizes (duplex)

A4; A5; RA4; B5; Oficio; 16k

Standard media sizes (duplex, imperial)

letter; legal; executive; Oficio

Standard output capacity (envelopes)

Up to 75 envelopes

Standard output capacity

(transparencies)

200

Storage temperature range

-20 to 40°C

Storage temperature range

-4 to 104°F

Sub-brand name

LaserJet

SureSupply note

HP SureSupply alerts you when you should replace a print cartridge and helps you purchase locally or via the Internet. For more information, visit <http://www.hp.com/learn/suresupply>. Only available with original HP supplies; Internet access required.

SureSupply supported

Yes

Target user and print volume

For teams over 25 users; Prints up to 20,000 pages/month

Tariff numbers

8443321010 (AM); 8443321090 (EU); 84433230 (AP)

Tech spec footnote

[1] EPEAT® registered where applicable. EPEAT registration varies by country. See <http://www.epeat.net> for registration status by country.

Tech spec footnote

[10] Measured using ISO/IEC 17629. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

Tech spec footnote

[11] eMMC is non-volatile storage; Firmware encryption (AES 128 or AES 256) of customer/job data; Secure Cryptographic Erase – Job Data; Secure Erase – Disk

Tech spec footnote

[12] Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit <http://www.hp.com/go/learnaboutsplies>

Tech spec footnote

[2] Cartridges included; yields 11,000 black pages based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/learnaboutsplies>

Tech spec footnote

[3] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.

Tech spec footnote

[4] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115 V device.

Tech spec footnote

[5] Based on the BA TEC method with the following possible exceptions: 1 minute or less sleep delay setting, Wi-Fi disabled.

Tech spec footnote

[6] Average color composite (C/M/Y) and black declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/learnaboutsplies>

Tech spec footnote

[7] May require a firmware upgrade to be compatible, download at <http://www.hp.com/go/support>

Tech spec footnote

[8] Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending

on the system configuration, software application, driver, and document complexity.

Tech spec footnote

[9] Measured using ISO 24734 Feature Test, A5 Landscape Feed. Speed may vary based on content, PC, media orientation, and media type.

Technical support information

<http://www.hp.com/support/ljM607>

Top margin (A4)

4.3 mm

Total package service recommended

services description

4 hour Onsite Support, Maintenance Kit Replacement Service or Preventive Maintenance, Installation with Network Configuration Service

Total package service recommended

services description

Next Business Day Onsite Support

Total package service recommended

services description

Next Business Day Onsite Support, Maintenance Kit Replacement Service or Preventive Maintenance Service, Installation with Network Configuration Service

Total package service recommended

services description headline

Basic Care (minimum recommended support)

Total package service recommended

services description headline

Optimized Care (optimum performance and stability)

Total package service recommended

services description headline

Standard Care (high level of uptime)

Total package service recommended

services preface

Downtime can have serious consequences, so HP provides support recommendations beyond the standard warranty. You benefit from reduced risk, maximized uptime, and predictable service delivery while avoiding unbudgeted repair costs. Choose from:

Total package service related services

note

For more information about HP Care Pack, HP Contractual, or HP Managed Print Services, visit <http://www.hp.com/go/printservices>.

Typical electricity consumption (TEC)

footnote number

[4]

Typical electricity consumption (TEC)

number

Blue Angel: 1.971 kWh/Week; Energy Star: 2.131 kWh/Week

UNSPSC code

43212105

UPC number

(AB0) 889894067814; (AB2) 889894067821; (ABJ) 889894067838; (ABT) 889894067876; (ABY) 889894067883; (ACJ) 889894067845; (ACQ) 889894067890; (B13) 889894067906; (B19) 889894067913; (BAZ) 889894067920; (BBU) 889894067852; (BGJ) 889894067982; (BGM) 889894067869

Warranty

One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to hp.com/support to learn about HP award winning service and support options in your region. (wty code 4G)

Web address for additional information

Solutions: <http://www.hp.com/go/gsc>; Fonts and IPDS Emulation:

<http://www.hp.com/go/laserjetfonts>; HP Web Jetadmin:
<http://www.hp.com/go/wja>; HP Universal Print Driver: <http://www.hp.com/go/upd>;
HP JetAdvantage Security Manager: www.hp.com/go/securitymanager; HP
JetAdvantage On Demand Cloud Solutions:
www.hp.com/go/JetAdvantageondemand

Weight

21.6 kg

Weight

47.7 lbs

Weight note (imperial)

With print cartridges

Weight note (metric)

With print cartridges

What is in the box footnote number

[2]

What's in the box

HP LaserJet Printer; HP Black Original LaserJet Toner Cartridge (~11K yield); CD with software drivers and documentation; Documentation (Hardware Install Guide); Power cord

Wireless capability

Energy Star: 2.131 kWh/Week

The product could differ from the images shown. © Copyright 2015 HP Inc. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable.