FAVOR SXM 7500

VA-No. Version 1.0 / US Revision date 12/08/2014 **Print Date** 12/16/2014



Identification of the substance/mixture and of the company/undertaking 1.

Page

1 / 10

1.1. **Product identifier**

Trade name : FAVOR SXM 7500

Chemical Name : Sodium polyacrylate, cross-linked

CAS-No. : 9003-04-7

Recommended use of the chemical and restrictions on use

Recommended use : Industrial Use Non-recommended : None known.

use(s)

1.3. Details of the supplier of the safety data sheet

: Evonik Corporation Company

Consumer Specialties

PO Box 1299

HOPEWELL VA 23860

USA

Telephone : +1 (0)804 541-8658 Telefax : +1 (0)804 541-2783

E-mail : productsafety-cs@evonik.com

Contact Canada

Company : Evonik Canada Inc.

PO Box 5057

3380 South Service Road Burlington ON L7N 3J5

Canada

Telephone : +1 (0)905-336-3423 Telefax : +1 (0)905-332-5632

E-mail : productsafety-cs@evonik.com

Emergency telephone number

Emergency : Non-Emergency Phone Number: (800) 732-5616

information

24 HOUR EMERGENCY TELEPHONE NUMBERS: CHEMTREC - US & CANADA toll free: +1-800-424-9300 CHEMTREC - MEXICO toll free: 01-800-681-9531

CHEMTREC GLOBAL - Collect calls accepted: +1-703-527-3887

2. Hazards identification

2.1. Classification of the substance or mixture

Not a hazardous substance or mixture.

2.2. Label elements

Not a hazardous substance or mixture.

Other hazards

FAVOR SXM 7500

VA-No. Version 1.0 / US Revision date 12/08/2014 **Print Date** 12/16/2014 Page 2 / 10



None known

3. Composition/information on ingredients

Substances

Classification according to Regulation 29CFR 1910.1200

Chemical Name	NJ Trade secrets CAS-No.	Concentration	Classification
2-Propenoic acid, homopolymer, sodium salt	- 9003-04-7	>= 90 % - <= 100 %	

Texts of H phrases, see in Chapter 16

3.2. **Mixtures**

First aid measures

4.1. Description of first aid measures

General advice : Remove soiled or soaked clothing immediately

Inhalation Ensure supply of fresh air.

In the event of symptoms seek medical advice.

Skin contact : In case of contact with skin wash off with soap and water.

In the event of symptoms seek medical advice.

: In case of contact with eyes rinse thoroughly with plenty of water. If symptoms persist, Eye contact

seek medical advice.

Ingestion : Thoroughly clean the mouth with water

In the event of symptoms seek medical advice.

Most important symptoms and effects, both acute and delayed

Symptoms : No special hints.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. Fire-fighting measures

5.1. **Extinguishing media**

Suitable extinguishing : foam, carbon dioxide, dry powder, water spray.

media

: Full water jet Unsuitable

extinguishing media

Special hazards arising from the substance or mixture

In the event of fire the following can be released:

- carbon dioxide, carbon monoxide

5.3. Advice for firefighters

Do not inhale explosion and/or combustion gases Use self-contained breathing apparatus

FAVOR SXM 7500

VA-No. Version 1.0 / US Revision date 12/08/2014 **Print Date** 12/16/2014 Page 3 / 10



6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Forms slippery surfaces with water. Use personal protective equipment.

Environmental precautions

Do not allow to enter drains or waterways Do not discharge into the subsoil/soil.

Methods and material for containment and cleaning up

Pick up mechanically

Dispose of absorbed material in accordance with the regulations.

7. Handling and storage

Precautions for safe handling

Advice on safe

handling

: Ensure adequate ventilation.

: Wash hands before breaks and after work. Hygiene measures

> Do not eat, drink or smoke when working. Remove soiled or soaked clothing immediately.

General protective : Do not inhale dust/fumes/aerosols. measures Avoid contact with eyes and skin

Conditions for safe storage, including any incompatibilities

Prevention of fire and explosion

Information : No special measures required.

Storage

Information : none

storage conditions

Further information on : Keep container dry

8. **Exposure controls/personal protection**

8.1. **Control parameters**

Contains no substances with occupational exposure limit values (US)

8.2. Exposure controls

Engineering controls

Personal protective equipment

This product is not classified as a hazardous substance. Any necessity for eye Eye protection

protection must be determined within the scope of a risk assessment.

Hand protection : Glove material: protective gloves

Body Protection : protective clothing

Respiratory : in case of formation of vapours/dusts: Short term: filter apparatus, Filter P1 protection

9. Physical and chemical properties

FAVOR SXM 7500

VA-No. Version 1.0 / US Revision date 12/08/2014

Revision date 12/08/2014
Print Date 12/16/2014
Page 4 / 10



9.1. Information on basic physical and chemical properties

Physical state : solid

Form : granular
Colour : white
Odour : odourless

Odour Threshold : no data available

pH : approx. 6

1.0 g/l

Remarks: in 0.9% NaCl-Solution

Melting point : not applicable

Boiling point : not applicable

Flash point : not applicable

Evaporation rate : no data available

Flammability : no data available

Upper

Explosion/Ignition

Limit

Lower explosion limit : not measured

Vapour pressure : < 10 hPa

(20 °C)

: not measured

Relative vapour

density

: no data available

Relative density : no data available

Solubility : not measured

Water solubility : insoluble

Partition coefficient

: no data available

(n-octanol/water)
Autoignition

: not measured

temperature

Thermal : not measured

decomposition

Viscosity, kinematic : not applicable

Viscosity, dynamic : not applicable

FAVOR SXM 7500

VA-No. Version 1.0 / US
Revision date 12/08/2014
Print Date 12/16/2014

Page

5 / 10



9.2. Other information

Density : approx. 0.7 g/cm3

Bulk density : approx. 720 kg/m3

Other information : none

10. Stability and reactivity

10.1. Reactivity

see section "Possibility of hazardous reactions"

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Risk of dust explosions.

10.4. Conditions to avoid

> 200

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

None with proper storage and handling.

11. Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : no data available

Acute toxicity : no data available

(inhalation)

Acute toxicity (dermal)

: no data available

Irritation/corrosion of

the skin

: Species: rabbit

Result: non-irritant Method: OECD 404

Serious eye damage/

eye irritation

Species: rabbit

Result: Mild eye irritation Method: OECD 405

Respiratory/skin sensitization

: Species: Guinea pig Result: non-sensitizing Method: OECD 406

Repeated dose

toxicity

: no data available

Genotoxicity in vitro : Result: not mutagenic

Method: mouse lymphoma test

Remarks: not mutagenic in in vivo and in vitro tests

FAVOR SXM 7500

VA-No. Version 1.0 / US Revision date 12/08/2014 **Print Date** 12/16/2014 Page 6 / 10



US. National Toxicology Program (NTP) Report on Carcinogens

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

US. IARC Monographs on Occupational Exposures to Chemical Agents

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

US. ACGIH Threshold Limit Values

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

Reprotoxicity /

Fertility

: not applicable

Reprotoxicity/Develo

pment/Teratogenicity

: not applicable

Specific Target Organ Toxicity - : no data available

Single exposure

Specific Target Organ Toxicity -Repeated exposure : no data available

Aspiration hazard : No aspiration toxicity classification

Other information : Proper use provided, no adverse health effects have been observed or have been

come to our knowledge.

12. **Ecological information**

Ecotoxicology Assessment

Acute aquatic toxicity : no data available

Chronic aquatic

toxicity

: no data available

12.1. Toxicity

Aquatoxicity, fish Species: Leuciscus idus

Exposure duration: 96 h LC50: > 5,500 mg/l Method: OECD 203 Species: Danio rerio Exposure duration: 96 h LC50: > 4,000 mg/l Method: OECD 203

Aquatoxicity, invertebrates : no data available

Aquatoxicity, algae / aquatic plants

: no data available

FAVOR SXM 7500

VA-No. Version 1.0 / US
Revision date 12/08/2014
Print Date 12/16/2014
Page 7 / 10



Toxicity in microorganisms

: Species: Pseudomonas putida Exposure duration: 24 h

EC50: > 6,000 mg/l

chronic toxicity in fish : no data available

Chronic toxicity in aquatic Invertebrates

: no data available

Toxicity in organisms which live in the soil

: no data available

12.2. Persistence and degradability

Photodegradation : no data available

Biological degradability

: no data available

12.3. Bioaccumulative potential

Bioaccumulation : no data available

12.4. Mobility in soil

Environmental distribution

: no data available

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

: no data available

12.6. Other adverse effects

General Information : The product is considered to be a weak water pollutant (German law).

Do not allow to enter soil, waterways or waste water canal.

13. Disposal considerations

13.1. Waste treatment methods

Product : In accordance with local authority regulations, take to special waste incineration plant

Contaminated packaging

: If empty contaminated containers are recycled or disposed of, the receiver must be

informed about possible hazards.

14. Transport information

Not dangerous according to transport regulations.

14.1 UN number:

14.2 UN proper shipping name: --

14.3 Transport hazard class(es): --

FAVOR SXM 7500

VA-No. Version 1.0 / US
Revision date 12/08/2014
Print Date 12/16/2014
Page 8 / 10



14.4 Packing group: -14.5 Environmental hazards: -14.6 Special precautions for user: No

15. Regulatory information

Canada:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulation and the (M)SDS contains all information required by the Controlled Products Regulation

Canada : WHMIS CLASSIFICATION

Not Rated

This product does not contain component(s) on the WHMIS Ingredient Disclosure

List.

US regulations:

SARA Title III Section 311/312 Hazard Categories : No SARA Hazards

Other regulations : none

State Right to Know : SARA 313: This material does not contain any chemical components with known

CAS numbers that exceed the threshold (De Minimis) reporting levels established by

SARA Title III, Section 313.

SARA 302: No chemicals in this material are subject to the reporting requirements of

SARA Title III, Section 302.

ZUSPA_RTK: No components subject to "Right-To-Know" legislation in the following

States:

ZUSMA_RTK: No components subject to "Right-To-Know" legislation in the following

States:

ZUSNJ_RTK: No components subject to "Right-To-Know" legislation in the following

States:

US. California Safe Drinking Water & Toxic Enforcement Act (Proposition 65)

This product does not contain any chemicals known to State of California to cause cancer, birth defects or any other harm.

HMIS Ratings Health: 1

Flammability: 0
Reactivity: 0
Personal Protection: X

Notification status

TSCA (USA) : listed/registered or exempted DSL (CDN) : listed/registered or exempted

FAVOR SXM 7500

VA-No. Version 1.0 / US
Revision date 12/08/2014
Print Date 12/16/2014
Page 9 / 10



16. Other information

List of references

Other information : Comply with national laws regulating employee instruction.

Revision date : 12/08/2014

Changes since the last version are highlighted in the margin. This version replaces all previous versions. This information and any recommendations, technical or otherwise, are presented in good faith and believed to be correct as of the date prepared. Recipients of this information and recommendations must make their own determination as to its suitability for their purposes. In no event shall Evonik assume liability for damages or losses of any kind or nature that result from the use of or reliance upon this information and recommendations. EVONIK EXPRESSLY DISCLAIMS ANY REPRESENTATIONS AND WARRANTIES OF ANY KIND, WHETHER EXPRESS OR IMPLIED, AS TO THE ACCURACY, COMPLETENESS, NON-INFRINGEMENT, MERCHANTABILITY AND/OR FITNESS FOR A PARTICULAR PURPOSE (EVEN IF EVONIK IS AWARE OF SUCH PURPOSE) WITH RESPECT TO ANY INFORMATION AND RECOMMENDATIONS PROVIDED. Reference to any trade names used by other companies is neither a recommendation nor an endorsement of the corresponding product, and does not imply that similar products could not be used. Evonik reserves the right to make any changes to the information and/or recommendations at any time, without prior or subsequent notice.

FAVOR SXM 7500

VA-No. Version 1.0 / US
Revision date 12/08/2014
Print Date 12/16/2014

Page



Legend

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland

10 / 10

Waterways

ADNR European agreement concerning the international carriage of dangerous goods by inland

waterways (ADN)

ASTM American Society for Testing and Materials

ATP Adaptation to Technical Progress

BCF Bioconcentration factor

BetrSichV German Ordinance on Industrial Safety and Health

c.c. closed cup

CAS Chemical Abstract Services

CESIO European Committee of Organic Surfactants and their Intermediates

ChemG German Chemicals Act

CMR carcinogenic-mutagenic-toxic for reproduction

DIN German Institute for Standardization
DMEL Derived minimum effect level
DNEL Derived no effect level

EINECS European Inventory of Existing Commercial Chemical Substances

EC50 half maximal effective concentration

GefStoffV German Ordinance on Hazardous Substances

GGVSEB German ordinance for road, rail and inland waterway transportation of dangerous goods

GGVSee German ordinance for sea transportation of dangerous goods

GLP Good Laboratory Practice
GMO Genetic Modified Organism

IATA International Air Transport Association
ICAO International Civil Aviation Organization
IMDG International Maritime Dangerous Goods
ISO International Organization For Standardization

LOAEL Lowest observed adverse effect level

LOELLowest observed effect levelNOAELNo observed adverse effect levelNOECno observed effect concentration

NOEL no observed effect level

o. c. open cup

OECD Organisation for Economic Cooperation and Development

OEL Occupational Exposure Limit
PBT Persistent, bioaccumulative, toxic
PEC Predicted effect concentration
PNEC Predicted no effect concentration

REACH REACH registration

RID Convention concerning International Carriage by Rail

STOT Specific Target Organ Toxicity
SVHC Substances of Very High Concern

TA Technical Instructions

TPR Third Party Representative (Art. 4)
TRGS Technical Rules for Hazardous Substances
VCI German chemical industry association
vPvB very persistent, very bioaccumulative

VOC volatile organic compounds

VwVwS German Administrative Regulation on the Classification of Substances Hazardous to Waters

into Water Hazard Classes

WGK Water Hazard Class
WHO World Health Organization