



# SAFETY DATA SHEET

## 1. Identification

**Product identifier** HyperOx Stain Remover RTU

**Other means of identification**

**Product code** F062312

**Recommended use** Stain Remover

**Recommended restrictions** None known.

**Manufacturer/Importer/Supplier/Distributor information**

**Manufacturer**

**Company name** Franklin Cleaning Technology

**Address** One Fuller Way  
Great Bend, KS 67530  
United States

**Telephone** Customer Service (800) 810-4829

**E-mail** Not available.

**Emergency phone number** CHEMTREC (800) 424-9300  
Emergency (620) 792-1711  
24 hour Emergency (800) 424-9300

## 2. Hazard(s) identification

**Physical hazards** Not classified.

**Health hazards** Serious eye damage/eye irritation Category 2A

**Environmental hazards** Not classified.

**OSHA defined hazards** Not classified.

### Label elements



**Signal word** Warning

**Hazard statement** Causes serious eye irritation.

**Precautionary statement**

**Prevention** Wash thoroughly after handling. Wear eye/face protection.

**Response** If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of waste and residues in accordance with local authority requirements.

**Hazard(s) not otherwise classified (HNOC)** None known.

**Supplemental information** None.

## 3. Composition/information on ingredients

### Mixtures

| Chemical name                            | Common name and synonyms | CAS number | %        |
|--|--------------------------|------------|----------|
| HYDROGEN PEROXIDE                        |                          | 7722-84-1  | 1 - < 3  |
| Other components below reportable levels |                          |            | 90 - 100 |

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

## 4. First-aid measures

|   |  |
|---|--|
| <b>Inhalation</b>   | Move to fresh air. Call a physician if symptoms develop or persist.  |
| <b>Skin contact</b>   | Wash off with soap and water. Get medical attention if irritation develops and persists.   |
| <b>Eye contact</b>  | Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. |
| <b>Ingestion</b>  | Rinse mouth. Get medical attention if symptoms occur.  |
| <b>Most important symptoms/effects, acute and delayed</b>                     | Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.  |
| <b>Indication of immediate medical attention and special treatment needed</b> | Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.   |
| <b>General information</b>  | Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.   |

## 5. Fire-fighting measures

|  |   |
|--|---|
| <b>Suitable extinguishing media</b>                                  | Water fog. Foam. Dry chemical powder. Carbon dioxide (CO <sub>2</sub> ).                      |
| <b>Unsuitable extinguishing media</b>                                | Do not use water jet as an extinguisher, as this will spread the fire.                        |
| <b>Specific hazards arising from the chemical</b>                    | During fire, gases hazardous to health may be formed.   |
| <b>Special protective equipment and precautions for firefighters</b> | Self-contained breathing apparatus and full protective clothing must be worn in case of fire. |
| <b>Fire-fighting equipment/instructions</b>                          | Move containers from fire area if you can do so without risk.                                 |
| <b>Specific methods</b>  | Use standard firefighting procedures and consider the hazards of other involved materials.    |
| <b>General fire hazards</b>  | No unusual fire or explosion hazards noted.   |

## 6. Accidental release measures

|  |  |
|--|--|
| <b>Personal precautions, protective equipment and emergency procedures</b> | Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.  |
| <b>Methods and materials for containment and cleaning up</b>               | <p>Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.</p> <p>Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.</p> <p>Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.</p> |
| <b>Environmental precautions</b>   | Avoid discharge into drains, water courses or onto the ground.   |

## 7. Handling and storage

|   |   |
|---|---|
| <b>Precautions for safe handling</b>                                | Avoid contact with eyes. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. |
| <b>Conditions for safe storage, including any incompatibilities</b> | Store in original tightly closed container. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).                          |

## 8. Exposure controls/personal protection

### Occupational exposure limits

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Components                           | Type | Value                 |
|--------------------------------------|------|-----------------------|
| HYDROGEN PEROXIDE<br>(CAS 7722-84-1) | PEL  | 1.4 mg/m <sup>3</sup> |
|                                      |      | 1 ppm                 |

**US. ACGIH Threshold Limit Values**

| Components | Type | Value |
|------------|------|-------|
|------------|------|-------|

|                                      |     |       |
|--------------------------------------|-----|-------|
| HYDROGEN PEROXIDE<br>(CAS 7722-84-1) | TWA | 1 ppm |
|--------------------------------------|-----|-------|

**US. NIOSH: Pocket Guide to Chemical Hazards**

| Components | Type | Value |
|------------|------|-------|
|------------|------|-------|

|                                      |     |                       |
|--------------------------------------|-----|-----------------------|
| HYDROGEN PEROXIDE<br>(CAS 7722-84-1) | TWA | 1.4 mg/m <sup>3</sup> |
|--------------------------------------|-----|-----------------------|

|  |  |       |
|--|--|-------|
|  |  | 1 ppm |
|--|--|-------|

**Biological limit values**

No biological exposure limits noted for the ingredient(s).

**Appropriate engineering controls**

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Skin protection**

**Hand protection** Wear appropriate chemical resistant gloves.

**Other** Wear appropriate chemical resistant clothing.

**Respiratory protection** In case of insufficient ventilation, wear suitable respiratory equipment.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

**General hygiene considerations**

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

**9. Physical and chemical properties**

|   |                        |
|---|------------------------|
| <b>Appearance</b>                                   | Liquid.                |
| <b>Physical state</b>                               | Liquid.                |
| <b>Form</b>   | Liquid.                |
| <b>Color</b>  | Colorless              |
| <b>Odor</b>   | Matches to Standard    |
| <b>Odor threshold</b>                               | Not available.         |
| <b>pH</b>   | 2.5 - 3.5              |
| <b>Melting point/freezing point</b>                 | Not available.         |
| <b>Initial boiling point and boiling range</b>      | 212 °F (100 °C)        |
| <b>Flash point</b>                                  | > 201.2 °F (> 94.0 °C) |
| <b>Evaporation rate</b>                             | Not available.         |
| <b>Flammability (solid, gas)</b>                    | Not available.         |
| <b>Upper/lower flammability or explosive limits</b> |                        |
| <b>Flammability limit - lower (%)</b>               | Not available.         |
| <b>Flammability limit - upper (%)</b>               | Not available.         |
| <b>Explosive limit - lower (%)</b>                  | Not available.         |
| <b>Explosive limit - upper (%)</b>                  | Not available.         |
| <b>Vapor pressure</b>                               | 0.00001 hPa estimated  |
| <b>Vapor density</b>                                | Not available.         |
| <b>Relative density</b>                             | Not available.         |
| <b>Solubility(ies)</b>                              |                        |
| <b>Solubility (water)</b>                           | Not available.         |
| <b>Partition coefficient (n-octanol/water)</b>      | Not available.         |

|                                  |                        |
|----------------------------------|------------------------|
| <b>Auto-ignition temperature</b> | Not available.         |
| <b>Decomposition temperature</b> | Not available.         |
| <b>Viscosity</b>                 | Not available.         |
| <b>Other information</b>         |                        |
| <b>Density</b>                   | 8.45 lbs/gal estimated |
| <b>Percent volatile</b>          | 97 % estimated         |
| <b>Specific gravity</b>          | 1.02 estimated         |
| <b>VOC (Weight %)</b>            | 0 %                    |

## 10. Stability and reactivity

|   |   |
|---|---|
| <b>Reactivity</b>                         | The product is stable and non-reactive under normal conditions of use, storage and transport. |
| <b>Chemical stability</b>                 | Material is stable under normal conditions.   |
| <b>Possibility of hazardous reactions</b> | No dangerous reaction known under conditions of normal use.                                   |
| <b>Conditions to avoid</b>                | Contact with incompatible materials.  |
| <b>Incompatible materials</b>             | Strong oxidizing agents.  |
| <b>Hazardous decomposition products</b>   | No hazardous decomposition products are known.  |

## 11. Toxicological information

### Information on likely routes of exposure

|                     |  |
|---------------------|--|
| <b>Ingestion</b>    | Expected to be a low ingestion hazard.               |
| <b>Inhalation</b>   | Prolonged inhalation may be harmful.                 |
| <b>Skin contact</b> | No adverse effects due to skin contact are expected. |
| <b>Eye contact</b>  | Causes serious eye irritation.                       |

|   |   |
|---|---|
| <b>Symptoms related to the physical, chemical and toxicological characteristics</b> | Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. |
|---|---|

### Information on toxicological effects

|                       |                |
|-----------------------|----------------|
| <b>Acute toxicity</b> | Not available. |
|-----------------------|----------------|

| Product                                 | Species | Test Results          |
|---|---------|-----------------------|
| HyperOx Stain Remover RTU (CAS Mixture) |         |                       |
| <b>Acute</b>                            |         |                       |
| <i>Other</i>                            |         |                       |
| LD50                                    | Mouse   | 21000 mg/kg estimated |

\* Estimates for product may be based on additional component data not shown.

|                                  |  |
|----------------------------------|--|
| <b>Skin corrosion/irritation</b> | Prolonged skin contact may cause temporary irritation. |
|----------------------------------|--|

|  |                                |
|--|--------------------------------|
| <b>Serious eye damage/eye irritation</b> | Causes serious eye irritation. |
|--|--------------------------------|

### Respiratory or skin sensitization

|                                  |   |
|----------------------------------|---|
| <b>Respiratory sensitization</b> | Not available.  |
| <b>Skin sensitization</b>        | This product is not expected to cause skin sensitization. |

|                               |  |
|-------------------------------|--|
| <b>Germ cell mutagenicity</b> | No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. |
|-------------------------------|--|

|                        |   |
|------------------------|---|
| <b>Carcinogenicity</b> | This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. |
|------------------------|---|

### IARC Monographs. Overall Evaluation of Carcinogenicity

HYDROGEN PEROXIDE (CAS 7722-84-1) 3 Not classifiable as to carcinogenicity to humans.

### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

|                              |  |
|------------------------------|--|
| <b>Reproductive toxicity</b> | This product is not expected to cause reproductive or developmental effects. |
|------------------------------|--|

|   |                 |
|---|-----------------|
| <b>Specific target organ toxicity - single exposure</b> | Not classified. |
|---|-----------------|

|   |                                      |
|---|--------------------------------------|
| <b>Specific target organ toxicity - repeated exposure</b> | Not classified.                      |
| <b>Aspiration hazard</b>                                  | Not available.                       |
| <b>Chronic effects</b>                                    | Prolonged inhalation may be harmful. |

## 12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

| Product                                 | Species | Test Results |
|---|---------|--------------|
| HyperOx Stain Remover RTU (CAS Mixture) |         |              |

\* Estimates for product may be based on additional component data not shown.

|                                      |   |
|--------------------------------------|---|
| <b>Persistence and degradability</b> | No data is available on the degradability of this product.  |
| <b>Bioaccumulative potential</b>     | No data available.  |
| <b>Mobility in soil</b>              | No data available.  |
| <b>Other adverse effects</b>         | No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. |

## 13. Disposal considerations

|  |  |
|--|--|
| <b>Disposal instructions</b>                 | Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.                         |
| <b>Local disposal regulations</b>            | Dispose in accordance with all applicable regulations.   |
| <b>Hazardous waste code</b>                  | The waste code should be assigned in discussion between the user, the producer and the waste disposal company.   |
| <b>Waste from residues / unused products</b> | Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). |
| <b>Contaminated packaging</b>                | Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.       |

## 14. Transport information

### DOT

Not regulated as dangerous goods.

### IATA

Not regulated as dangerous goods.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** This substance/mixture is not intended to be transported in bulk.

## 15. Regulatory information

**US federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are listed or exempted from listing on the U.S. EPA TSCA Inventory List.

### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

### CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

### SARA 304 Emergency release notification

HYDROGEN PEROXIDE (CAS 7722-84-1) 1000 LBS

### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

|                          |   |
|--------------------------|---|
| <b>Hazard categories</b> | Immediate Hazard - Yes<br>Delayed Hazard - No<br>Fire Hazard - No<br>Pressure Hazard - No<br>Reactivity Hazard - No |
|--------------------------|---|

**SARA 302 Extremely hazardous substance**

| Chemical name                          | CAS number     | Reportable quantity | Threshold planning quantity | Threshold planning quantity, lower value | Threshold planning quantity, upper value |
|--|----------------|---------------------|-----------------------------|--|--|
| HYDROGEN PEROXIDE                      | 7722-84-1      | 1000                | 1000 lbs                    |  |  |
| <b>SARA 311/312 Hazardous chemical</b> | Yes            |                     |                             |  |  |
| <b>SARA 313 (TRI reporting)</b>        | Not regulated. |                     |                             |  |  |

**Other federal regulations****Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Not regulated.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**

Not regulated.

**Safe Drinking Water Act (SDWA)** Not regulated.**US state regulations****US. Massachusetts RTK - Substance List**

HYDROGEN PEROXIDE (CAS 7722-84-1)

**US. New Jersey Worker and Community Right-to-Know Act**

HYDROGEN PEROXIDE (CAS 7722-84-1)

**US. Pennsylvania Worker and Community Right-to-Know Law**

HYDROGEN PEROXIDE (CAS 7722-84-1)

**US. Rhode Island RTK**

HYDROGEN PEROXIDE (CAS 7722-84-1)

**US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

**16. Other information, including date of preparation or last revision****Issue date** 05-19-2015**Version #** 01

**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.