

ESD Heel Grounders

M1SHG Series


RoHS & REACH Compliant

ESD Heel Grounders are constructed from durable materials and features a classic hook & loop closure. These heel grounders connect the person wearing them to ground via a proper floor mat or flooring material. Wearing the conductive ribbon inside the shoe or sock assures proper electrical contact with the user. The ribbon connects to the conductive rubber to complete the circuit between the operator and the static controlled floor or mat. A buried 1 Meg ohm resistor is standard. Heel grounders are worn on both feet to provide consistent grounding while in motion.

Product Specifications ⁽¹⁾

Color	Black/Navy Blue hook and loop
Double Layers Rubber Cup	Beige / 10^{8-9} ohm, Black / 10^5 ohm
Conductive Ribbon	Navy Blue / 10^3 ohms, Length: 1.5 ft.
Rubber Exterior	10^5 Ohms, 1.25" wide
Resistor	1 Meg ohm (+/- 5% tolerance)
Ribbon	Conductive yarn in a polyester ribbon

⁽¹⁾ Specifications are subject to change at any time. If you have any questions, please contact us for the latest update.



Bertech® makes no warranty, representation, or guarantee regarding the information contained herein or the suitability of its this product for any particular purpose, nor does Bertech® assume any liability whatsoever arising out of the application or use of this product. It is ultimately the responsibility of the customer to determine a product's suitability for a particular application.



Bertech
640 Maple Ave
Torrance, CA 90503
Phone: (310) 787-0337
Email: sales@bertech.com
www.bertech.com

PRODUCT DATA SHEET