


7' MEGAPOD WITH DUAL PULLEYS & CARRYING CASE



Safe Keeper

Part Number: SA17-SK

CE0120



Tested as per EN 795 : 2012 TYPE B & ANSI Z 359.1-2007

SPECIFICATIONS

Design	<ul style="list-style-type: none"> ▶ Adjustable height from 49.21 in. (1.25m) to 88.18 in. (2.24m) from ground level ▶ At minimum height, distance between legs (foot point) 47.63 in. (1.21m) ▶ At maximum height, distance between legs (foot point) 78.74 in. (2m) ▶ Adjustment achieved by sliding telescopic legs (inner & outer) ▶ Locking pins attached by SS cables ▶ Securely connected two eye-bolts to be used for connection to personal protective equipment ▶ Two pulley system provided to pass the wire rope of winch mounted on one leg and retrieval block on the other leg simultaneously
Load Capacity	▶ 310 lbs. (as per ANSI Z359.1-2007)
Tripod Legs	<ul style="list-style-type: none"> ▶ Material: prime quality aluminum alloy ▶ Finish: anodized
Head	<ul style="list-style-type: none"> ▶ Material: prime quality aluminum alloy ▶ Finish: powder coated
Locking Pins	<ul style="list-style-type: none"> ▶ Material: prime quality aluminum alloy eye bolt and stainless steel locking pin ▶ Finish: deburred and polished
Weight	▶ 41.9 lbs. ± 0.22 lbs.
Applicable Standards	▶ Meets or exceeds ANSI Z 359.1-2007 and EN 795:2012 type B

Safe Keeper Fall Protection is committed to providing high-quality fall protection equipment and systems to create a safer work environment and ultimately save lives in the workforce. We use today's cutting-edge manufacturing processes and experts, applying real-world practical knowledge to engineer effective yet affordable solution-focused products.

