

TOPDON®



TCView TC001

The Dark Has No Secrets



Thermal Imager

Contents

01

Brief

02

Specs

03

Features

04

Functions

05

What's
In The Box?

06

FAQs

Brief

Specs

Features

Functions

What's In
The Box?

FAQ




TCView TC001

TOPDON's TC001 is a portable camera that turns your Android smartphone/tablet or Windows laptop into a powerful thermal imager. Simply download the accompanying app, slot the TC001 in your device's USB-C port, and unleash thermal technology that formally only belonged to special forces.

Perfect for home inspectors, HVAC technicians, electricians, automotive technicians, and even farmers looking to protect crops and livestock.

Brief




Specs


Specs

Specification

Spectral Range: 8~14 μ m
Resolution: 256x192 Pixels
Pixel Size: 12 μ m
NETD: <40mK @25°C, F#1.0, 25Hz
Frame Rate: 25Hz



Operating Systems



Compatible with Android
 Phone / Tablet & Windows Laptop

Features

Functions

Temperature

Object Temperature Range:
 -20~150°C (-4~302°F),
 150°C~550°C (302~1022°F)


Accuracy:
 Maximum Temperature Variance of 2°C,
 right down to the 0.1°C

Note:
 The potential thermal error will be less
 than $\pm 1.8^\circ\text{F}$ (1°C) when the target
 temperature is below 212°F (100°C).



Parameters

Weight: 30g
Dimension:
 71*42*14mm (2.80*1.65*0.55 inch)
Cable Length:
 50cm (19.69 inch)



What's In
The Box?

FAQ

Brief

Superior Image Quality

Equipped with an ultra-high IR camera resolution of 256x192 pixels, the TC001 can produce a thermal image with unmatched clarity.

The TC001 is especially suitable for objects where surface temperature is hardly distinguishable, such as circuit boards and other electronics.



Specs

Features

Functions

What's In The Box?

FAQ



Brief

Built for Compatibility & Mobility

The TC001 is compatible with Android phone/tablet and features a downloadable app to turn a regular smartphone into a high-tech thermal camera. Windows tablet functionality is also supported, with the TCView app available to download from the TOPDDON official website.

Designed with mobility in mind, the TC001 can easily pair with most Android smartphones; the device only weighs 30g, and measures 71x42x14mm; further adding to the TC001's mobility.

Specs

Features

Functions

What's In
The Box?

FAQ



Brief

Optimized Temperature Range And Accuracy

With a wide temperature range of 1. -4°F to 1022°F(-20°C to 550°C) , the camera can perform temperature reading for more objects.

The TC001 infrared thermal camera can perform temperature detection with $\pm 3.6^{\circ}\text{F}$ (2°C) or 2% of max temperature for error.

It can also measure temperature to 0.1°C accuracy, allowing users to detect temperature with extreme accuracy.

Specs

Features

Functions

What's In The Box?

FAQ




Brief

Thermal Imaging App-Discover More

Users can download the app to view temperature recording data at any time and view or create real-time temperature graphs.

Featuring a DIY temperature range ability, the TOPDON infrared thermal camera allows users to set upper and lower limits, and corresponding colors.



Specs

Features

Functions

What's In The Box?

FAQ



Brief

Monitor Temperature Change By Waveform Graph

The TC001 can take continuous measurements of a scene, storing the data in the App. This data can provide the high, low, and average temperatures of objects in the scene over a set period of time and generate a waveform graph.

This waveform graph makes thermal reading observation much clearer, and allows for easier thermal temperature analysis.


Specs

Features

Functions

What's In The Box?

FAQ



Brief

Low Power Consumption, Lasts Longer

Compared to traditional infrared cameras, the TOPDON TC001 infrared thermal camera attaches to a smartphone or a tablet's input and is powered by the device, eliminating fear of running out of power outside with low power consumption of only 0.35W.

0.35W

power consumption



Specs

Features

Functions

What's In The Box?

FAQ



Brief

Unique Image Enhancement Technology

Includes 10 kinds of color palettes, sharpness and contrast adjustment, picture-in-picture and many other functions. Image enhancement technology makes the field of view clearer and more detailed, and enhances the target recognition function.



Specs

Features

Functions

What's In
The Box?

FAQ



Brief

More Scenarios For Application

Plug and play and no registration is required if you only read the temperature. This tool is perfect for security purpose, such as Insulation inspection, Cylinder inspections, Water leak inspection, HVAC system inspection.




Specs

Features

Functions

What's In
The Box?

FAQ



Brief



TC001 Functions

Turns Your Android Smartphone Into An Infrared Thermal Camera.

Specs



Read temperature for more objects ranging of -4°F to 1022°F (-20°C to 550°C).



Manually select 3 dimensions to check temperature: Point, Line(Highest and Lowest), Surface(Highest and Lowest).




DIY upper and lower limits, and corresponding colors to view temperature intuitively




Adjust image sharpness and contrast to make the field of view clearer.

Features

Functions



Monitor Temperature Change by Waveform Graph



Choose from a variety of color palettes for more creative possibility.



Display a clear thermal image with ultra-high IR resolution of 256×192 .





Image Manipulation: Image rotation & Picture-in-Picture.

What's In The Box?

FAQ

Brief



What's In The Box?

Specs

TC001 Thermal Imaging Camera



x 1

Carrying Case



x 1

Multifunctional Adapter Cable



x 1


Features

Functions

Package Box



(Front)



(Inner)


x 1

Quick User Guide



x 1

Cleaning Cloth



x 1

What's In The Box?

FAQ

Brief



FAQs

Specs

Question

Why is there no response after connecting the TC001 to a phone?

Answer

Features

Follow the the steps below to identify the problem:

a) Check if the blue LED indicator on the side of the TC001 is on. If not, the device may not be properly connected to your phone, or your phone does not support OTG functionality.

b) Check if OTG is available in your phone settings and if it is set to ON. For most phones, OTG functions are enabled by default and can be used directly. If not, please search “OTG” in Settings and turn it on manually. Please note that the TC001 is not compatible with phones without OTG functionality.

Functions

c) Check if the software version of Android is 6.0 or above.

d) Check if you have downloaded the TC001 app and given it necessary authorization.

What's In
The Box?

e) Unplug the TC001 and reconnect it. If there is still no response, please contact after-sales personnel.

FAQ

Brief



FAQs

Specs

Question

Can the TC001 detect objects underwater, through glass, or a wall?

Answer

Features

No. Infrared detectors mainly detect the long-wave infrared region of 8~14 μ m, and can only be used to measure surface temperature.

Question

Functions

Why does the temperature reading increase when the device gets closer to the object?

Answer

What's In
The Box?

Infrared radiation attenuates when passing through the atmosphere. The longer the distance, the greater the attenuation. Thus, the accuracy of temperature measurement at a distance will decrease. To ensure accuracy of measurement, please go to Personal Information -Settings - Temperature Correction - Distance to Spot, and input the actual distance (max: 5m) to get the corrected temperature.

FAQ

Brief



FAQs

Specs

Question

Is the TC001 compatible with iOS devices?

Answer

Features

No. The TC001 is ONLY compatible with Android devices and Windows computers.

Question

Why is there a clicking sound? What does "shutter moving" mean?

Answer

Functions

The temperature of the infrared imager will change slightly during use. Therefore, a periodic internal temperature calibration is needed. The micro-motor controlled activation or deactivation of the internal calibration makes such a sound, which is known in the industry as "shutter moving".

What's In
The Box?

FAQ

Brief



FAQs

Specs

Question

Why is the measured temperature not precise?

Answer

Features

The temperature resolution of the TC001 is $\pm 2\%$. The TC001 provides a normal temperature range of $-20\sim 150^{\circ}\text{C}$ ($-4\sim 302^{\circ}\text{F}$), and a high temperature range of $150\sim 550^{\circ}\text{C}$ ($302\sim 1022^{\circ}\text{F}$). Please select the corresponding range in the app before measuring.

Functions

Question

What external factors will affect the infrared temperature measurement?

Answer

What's In
The Box?

The factors are as follows:

- a)** Emissivity of the target object surface.
- b)** Ambient temperature: the object will reflect the infrared rays emitted by surrounding objects, which affects the temperature measurement of the object itself.
- c)** Atmospheric temperature: the atmosphere also emits infrared rays.
- d)** Atmospheric transmittance: the infrared rays emitted by the object are attenuated in the atmosphere.
- e)** Distance: the longer the distance, the greater the attenuation of the infrared rays emitted by the object in the atmosphere.

FAQ

TOPDON



    @topdonofficial

+86-755-21612590 (Global HQ)
+1-833-629-4832 (North America)

sales@topdon.com
support@topdon.com

CHINA TOPDON HQ

topdon.com

Unit 2005 20/F, No. 3040 Xinghai Avenue,
Qianhai Shima Tower, Qianhai Shenzhen-Hong Kong
Cooperation Zone, Shenzhen, PR, China 518000

USA TOPDON

topdon.us

400 Commons Way, Suite A
Rockaway, NJ 07866

