

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA
GHS

Printing date: 13 March 2017

Revision: 13 March 2017

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- **1.1 Product identifier**
- Trade name: **Sewer Solv v.2**
- Article number: 100421; 200421
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture:** Drain opener
- **1.3 Details of the supplier of the Safety Data Sheet**
- **Manufacturer/Supplier:**
Theochem Laboratories
7373 Rowlett Park Drive
Tampa, FL 33610
Phone: 813-237-6463
- **1.4 Emergency telephone number:**
ChemTel Inc.
(800)255-3924 (North America)
+1 (813)248-0585 (International)



SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
Ox. Sol. 3 H272 May intensify fire; oxidiser.
Skin Corr. 1A H314 Causes severe skin burns and eye damage.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the Globally Harmonized System within the United States.
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**

GHS03 GHS05
- **Signal word** Danger
- **Hazard-determining components of labelling:**
sodium hydroxide
sodium nitrate
- **Hazard statements**
H272 May intensify fire; oxidiser.
H314 Causes severe skin burns and eye damage.
- **Precautionary statements**
P221 Take any precaution to avoid mixing with combustibles.

(Cont'd. on page 2)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA
GHS

Printing date: 13 March 2017

Revision: 13 March 2017

Trade name: Sewer Solv v.2

(Cont'd. from page 1)

- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P260 Do not breathe dust.
- P220 Keep/Store away from clothing/combustible materials.
- P264 Wash thoroughly after handling.
- P280 Wear protective gloves/protective clothing/eye protection.
- P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a POISON CENTER/doctor.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P363 Wash contaminated clothing before reuse.
- P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
- P370+P378 In case of fire: Use for extinction: CO₂, powder or water spray.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **NFPA ratings (scale 0 - 4)**



Health = 3
Fire = 0
Reactivity = 0

- **HMS-ratings (scale 0 - 4)**



Health = 3
Fire = 0
Reactivity = 0

- **2.3 Other hazards** There are no other hazards not otherwise classified that have been identified.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**

- **Components:**

CAS: 1310-73-2 EINECS: 215-185-5 Index number: 011-002-00-6 Reg.nr.: 01-2119457892-27-XXXX	sodium hydroxide Met. Corr.1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318	≥50%
-----------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------	------

(Cont'd. on page 3)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA
GHS

Printing date: 13 March 2017

Revision: 13 March 2017

Trade name: Sewer Solv v.2

(Cont'd. from page 2)

CAS: 7631-99-4 EINECS: 231-554-3	sodium nitrate ⚠ Ox. Sol. 2, H272 ⚠ Eye Irrit. 2, H319	≤10%
CAS: 7429-90-5 EINECS: 231-072-3 Index number: 013-002-00-1	aluminium powder (stabilised) ⚠ Flam. Sol. 1, H228; Water-react. 2, H261	≤10%

- **Additional information:**

For the wording of the listed Hazard Statements refer to section 16.

For the listed ingredient(s), the identity and/or exact percentages are being withheld as a trade secret.

SECTION 4: First aid measures

- **4.1 Description of first aid measures**

- **After inhalation:**

Unlikely route of exposure.

Supply fresh air; consult doctor in case of complaints.

In case of unconsciousness place patient stably in side position for transportation.

- **After skin contact:**

Immediately remove any clothing soiled by the product.

Immediately rinse with water.

If skin irritation continues, consult a doctor.

Seek medical treatment if any skin damage has occurred.

- **After eye contact:**

Protect unharmed eye.

Remove contact lenses if worn, if possible.

Rinse opened eye for several minutes under running water. Then consult a doctor.

- **After swallowing:**

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

- **4.2 Most important symptoms and effects, both acute and delayed**

Cramp

Nausea

Thirst

Methaemoglobinaemia

Dizziness

Coughing

- **Hazards:**

Causes severe skin burns and eye damage.

Danger of gastric perforation.

- **4.3 Indication of any immediate medical attention and special treatment needed**

Contains Nitrates. Consult literature for specific antidotes.

If necessary oxygen respiration treatment.

Medical supervision for at least 48 hours.

(Cont'd. on page 4)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA
GHS

Printing date: 13 March 2017

Revision: 13 March 2017

Trade name: Sewer Solv v.2

(Cont'd. from page 3)

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** CO₂, powder or water spray. Fight larger fires with water spray.
- **For safety reasons unsuitable extinguishing agents:** None.
- **5.2 Special hazards arising from the substance or mixture**
Formation of toxic gases is possible during heating or in case of fire.
- **5.3 Advice for firefighters**
- **Protective equipment:**
Wear self-contained respiratory protective device.
Wear fully protective suit.
- **Additional information:** Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Use respiratory protective device against the effects of fumes/dust/aerosol.
Product forms slippery surface when combined with water.
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
- **6.2 Environmental precautions**
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
Inform respective authorities in case of seepage into water course or sewage system.
- **6.3 Methods and material for containment and cleaning up**
Pick up mechanically.
Send for recovery or disposal in suitable receptacles.
Do not flush with water or aqueous cleansing agents
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Prevent formation of dust.
Any unavoidable deposit of dust must be regularly removed.
Open and handle receptacle with care.
Avoid breathing dust.
Use only in well ventilated areas.
Avoid contact with the eyes and skin.
Keep out of reach of children.
- **Information about fire - and explosion protection:**
Keep respiratory protective device available.

(Cont'd. on page 4)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA
GHS

Printing date: 13 March 2017

Revision: 13 March 2017

Trade name: Sewer Solv v.2

(Cont'd. from page 4)

Substance/product can reduce the ignition temperature of flammable substances.
Avoid dust cloud formation. Keep ignition sources away. No smoking.

- **7.2 Conditions for safe storage, including any incompatibilities**

- **Storage:**

- **Requirements to be met by storerooms and receptacles:**

Store only in the original receptacle.

Store in a cool location.

Avoid storage near extreme heat, ignition sources or open flame.

Unsuitable material for receptacle: steel.

Unsuitable material for receptacle: aluminium.

Unsuitable material for receptacle: glass or ceramic.

Protect from humidity and water.

- **Information about storage in one common storage facility:**

Store away from foodstuffs.

Store away from water.

Store away from metals.

Do not store together with acids.

- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**

- **Ingredients with limit values that require monitoring at the workplace:**

1310-73-2 sodium hydroxide

PEL (USA)	Long-term value: 2 mg/m ³
REL (USA)	Ceiling limit: 2 mg/m ³
TLV (USA)	Ceiling limit: 2 mg/m ³

7429-90-5 aluminium powder (stabilised)

PEL (USA)	Long-term value: 15* ; 5** mg/m ³
REL (USA)	Long-term value: 10* 5** mg/m ³
TLV (USA)	Long-term value: 1* mg/m ³

*Total dust; ** Respirable fraction

as Al*Total dust**Respirable/pyro powd./welding f.

as Al; *as respirable fraction

- **DNELs:** No further relevant information available.

- **PNECs:** No further relevant information available.

- **8.2 Exposure controls**

- **Personal protective equipment:**

- **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not breathe dust.

(Cont'd. on page 5)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA
GHS

Printing date: 13 March 2017

Revision: 13 March 2017

Trade name: Sewer Solv v.2

(Cont'd. from page 5)

- **Respiratory protection:**
Wear appropriate NIOSH or EU approved respirator when ventilation is inadequate and occupational exposure limits are exceeded.
For spills, respiratory protection may be advisable.

- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- **Eye protection:**
Contact lenses should not be worn.



Tightly sealed goggles

- **Body protection:** Impervious protective clothing
- **Limitation and supervision of exposure into the environment:**
No further relevant information available.
- **Risk management measures:** See Section 7 for additional information.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· Appearance

· Form:	Powder
· Colour:	Red
· Odour:	Odourless
· Odour threshold:	Not determined.

· pH-value (100 g/l) at 20 °C (68 °F):	14
· Melting point/freezing point:	Not determined.
· Initial boiling point and boiling range:	Not determined.

· Flash point:	Not applicable.
-----------------------	-----------------

· Flammability (solid, gas):	Not determined.
-------------------------------------	-----------------

· Auto/Self-ignition temperature:	>260 °C (>500 °F) (Estimate)
------------------------------------------	------------------------------

· Decomposition temperature:	Not determined.
-------------------------------------	-----------------

· Explosive properties:	Product does not present an explosion hazard.
--------------------------------	-----------------------------------------------

· Explosion limits

· Lower:	Not determined.
· Upper:	Not determined.

· Vapour pressure:	Not applicable.
---------------------------	-----------------

· Density:	Not determined.
-------------------	-----------------

(Cont'd. on page 7)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA
GHS

Printing date: 13 March 2017

Revision: 13 March 2017

Trade name: Sewer Solv v.2

(Cont'd. from page 6)

- | | |
|--------------------------------------------------|--------------------------------------------|
| · Relative density: | Not determined. |
| · Vapour density: | Not applicable. |
| · Evaporation rate: | Not applicable. |
| · Solubility in / Miscibility with water: | Soluble. |
| · Partition coefficient: n-octanol/water: | Not determined. |
| · Viscosity | |
| Dynamic: | Not applicable. |
| Kinematic: | Not applicable. |
| · 9.2 Other information | No further relevant information available. |

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** Moist conditions
- **10.3 Possibility of hazardous reactions**
 - Strong exothermic reaction with acids.
 - Contact with acids releases toxic gases.
 - Corrosive action on metals.
 - Attacks materials containing glass and silicate.
 - As the product is supplied it is not capable of dust explosion; however enrichment with fine dust causes risk of dust explosion.
 - Diluting or dissolving in water always causes rapid heating.
 - Strongly dehydrating (water extracting).
 - Reacts with fats and oils.
- **10.4 Conditions to avoid** Moisture.
- **10.5 Incompatible materials** Strong acids.
- **10.6 Hazardous decomposition products**
 - Carbon monoxide and carbon dioxide
 - Nitrogen oxides
 - Toxic metal oxide smoke

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity:** Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:		
7631-99-4 sodium nitrate		
Oral	LD50	3236 mg/kg (rat)

(Cont'd. on page 8)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA
GHS

Printing date: 13 March 2017

Revision: 13 March 2017

Trade name: Sewer Solv v.2

(Cont'd. from page 6)

- **Primary irritant effect**
- **Skin corrosion/irritation:**
Causes severe skin burns and eye damage.
- **Serious eye damage/irritation:**
Causes severe skin burns and eye damage.
- **Respiratory or skin sensitisation:** Based on available data, the classification criteria are not met.
- **Carcinogenic categories**

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

- **Probable routes of exposure:**

- Ingestion.
- Inhalation
- Eye contact.
- Skin contact.

- **Germ cell mutagenicity:** Based on available data, the classification criteria are not met.
- **Carcinogenicity:** Based on available data, the classification criteria are not met.
- **Reproductive toxicity:** Based on available data, the classification criteria are not met.
- **STOT-single exposure:** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure:** Based on available data, the classification criteria are not met.
- **Aspiration hazard:** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** A part of the components is biodegradable.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** After neutralisation a reduction of the harming action may be recognised.
- **Additional ecological information:**
- **General notes:**
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. If the dilution of the use-level pH-value is considerably reduced, the aqueous waste, emptied into drains, is only low water-dangerous.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Cont'd. on page 9)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA
GHS

Printing date: 13 March 2017

Revision: 13 March 2017

Trade name: Sewer Solv v.2

(Cont'd. from page 8)

- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Small amounts may be diluted with plenty of water and washed away. Dispose of larger amounts in accordance with Local Authority requirements.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

· Uncleaned packaging:

· **Recommendation:** Disposal must be made according to official regulations.

· **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

SECTION 14: Transport information

· 14.1 UN-Number

· DOT, ADR, IMDG, IATA UN3084

· 14.2 UN proper shipping name

· DOT Corrosive solids, oxidizing, n.o.s. (Sodium hydroxide, Sodium nitrate)

· ADR, IMDG CORROSIVE SOLID, OXIDIZING, N.O.S. (SODIUM HYDROXIDE, SODIUM NITRATE)

· IATA Corrosive solid, oxidizing, n.o.s. (Sodium hydroxide, Sodium nitrate)

· 14.3 Transport hazard class(es)

· DOT



· Class 8 Corrosive substances.

· Label 8, 5.1

· ADR



· Class 8 Corrosive substances.

(Cont'd. on page 10)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA
GHS

Printing date: 13 March 2017

Revision: 13 March 2017

Trade name: Sewer Solv v.2

(Cont'd. from page 9)

· **Label** 8+5.1

· **IMDG**



· **Class** 8 Corrosive substances.
· **Label** 8/5.1

· **IATA**



· **Class** 8 Corrosive substances.
· **Label** 8 (5.1)

· **14.4 Packing group**
· **DOT, ADR, IMDG, IATA** II

· **14.5 Environmental hazards:**
· **Marine pollutant:** No

· **14.6 Special precautions for user** Warning: Corrosive substances.
· **EMS Number:** F-A,S-Q
· **Segregation groups** Alkalis, powdered metals

· **14.7 Transport in bulk according to Annex II of Marpol and the IBC Code** Not applicable.

· **Transport/Additional information:**

· **ADR**



Limited Quantity for packages less than 30 kg gross and inner packagings less than 1 kg each.

· **IMDG**



Limited Quantity for packages less than 30 kg gross and inner packagings less than 1 kg each.

· **IATA**



Limited Quantity for packages less than 30 kg gross and inner packagings less than 0,5 kg (each), 5 kg (net).

(Cont'd. on page 11)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA
GHS

Printing date: 13 March 2017

Revision: 13 March 2017

Trade name: Sewer Solv v.2

(Cont'd. from page 10)

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

- **United States (USA)**
- **SARA**

- **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

- **Section 313 (Specific toxic chemical listings):**

7429-90-5 | aluminium powder (stabilised)

- **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

- **Proposition 65 (California):**

- **Chemicals known to cause cancer:**

None of the ingredients are listed.

- **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

- **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

- **Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

- **Carcinogenic Categories**

- **EPA (Environmental Protection Agency)**

None of the ingredients are listed.

- **IARC (International Agency for Research on Cancer)**

None of the ingredients are listed.

- **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients are listed.

- **Canadian Domestic Substances List (DSL)**

All ingredients are listed.

- **Other regulations, limitations and prohibitive regulations**

- **Substances of very high concern (SVHC) according to REACH, Article 57**

None of the ingredients are listed.

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Cont'd. on page 12)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA
GHS

Printing date: 13 March 2017

Revision: 13 March 2017

Trade name: Sewer Solv v.2

(Cont'd. from page 11)

- **Relevant phrases**

H228 Flammable solid.
 H261 In contact with water releases flammable gases.
 H272 May intensify fire; oxidiser.
 H290 May be corrosive to metals.
 H314 Causes severe skin burns and eye damage.
 H318 Causes serious eye damage.
 H319 Causes serious eye irritation.

- **Abbreviations and acronyms:**

LDLo: Lowest Lethal Dose Observed
 ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
 IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 NFPA: National Fire Protection Association (USA)
 HMIS: Hazardous Materials Identification System (USA)
 DNEL: Derived No-Effect Level (REACH)
 PNEC: Predicted No-Effect Concentration (REACH)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic
 SVHC: Substances of Very High Concern
 vPvB: very Persistent and very Bioaccumulative
 NIOSH: National Institute for Occupational Safety
 OSHA: Occupational Safety & Health
 Flam. Sol. 1: Flammable solids – Category 1
 Water-react. 2: Substances and mixtures which in contact with water emit flammable gases – Category 2
 Ox. Sol. 2: Oxidizing solids – Category 2
 Ox. Sol. 3: Oxidizing solids – Category 3
 Met. Corr. 1: Corrosive to metals – Category 1
 Skin Corr. 1A: Skin corrosion/irritation – Category 1A
 Eye Dam. 1: Serious eye damage/eye irritation – Category 1
 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

- **Sources**

Website, European Chemicals Agency (echa.europa.eu)
 Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)
 Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)
 Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6
 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaassen, Curtis D., ed., ISBN: 978-0-07-176923-5.
 Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com