Printing date 23.12.2014 Revision: 23.12.2014

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

· Trade name: Snow Bleach v.3

· Article number: 100142; 210142


· 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

· Application of the substance / the mixture Bleach

· 1.3 Details of the supplier of the Safety Data Sheet

· Manufacturer/Supplier:

Theochem Laboratories 7373 Rowlett Park Drive Tampa, FL 33610



· 1.4 Emergency telephone number:

ChemTel Inc.

(800)255-3924, +1 (813)248-0585



### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Classifications listed also are applicable to the OSHA GHS Hazard Communication Standard (29CFR1910.1200).

The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H411.



environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



Eye Irrit. 2

H319 Causes serious eye irritation.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC



Xi; Irritant

Irritating to eyes. R36:



N; Dangerous for the environment

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R51/53:

Contact with acids liberates toxic gas.

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

(Contd. on page 2)

Printing date 23.12.2014 Revision: 23.12.2014

Trade name: Snow Bleach v.3

· Classification system:

(Contd. of page 1)

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

### · 2.2 Label elements

### · Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the Globally Harmonized System within the United States (GHS).

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



This pictogram only applicable for EU regulations. Not for use in the United States (OSHA GHS).





GHS07 GHS09

### · Signal word Warning

#### · Hazard-determining components of labelling:

troclosene sodium, dihydrate

#### · Hazard statements

The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H411.

H319 Causes serious eve irritation.

H411 Toxic to aquatic life with long lasting effects.

### · Precautionary statements

P280 Wear protective gloves / eye protection.
P273 Avoid release to the environment.
P264 Wash thoroughly after handling.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P391 Collect spillage.

#### · Additional information:

EUH031 Contact with acids liberates toxic gas.

- · Hazard description:
- · WHMIS-symbols:

D2B - Toxic material causing other toxic effects



(Contd. on page 3)

Printing date 23.12.2014 Revision: 23.12.2014

Trade name: Snow Bleach v.3

· NFPA ratings (scale 0 - 4)

(Contd. of page 2)



Health = 1 Fire = 0 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



· HMIS Long Term Health Hazard Substances

None of the ingredients are listed.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

## **SECTION 3: Composition/information on ingredients**

- · 3.2 Mixtures
- **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 51580-86-0	troclosene sodium, dihydrate	10-25%
EINECS: 220-767-7	Xn R22; Xi R36/37; N R50/53	
Index number: 613-030-01-7		
	Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Acute Tox. 4, H302; Eye Irrit. 2, H319; STOT SE 3, H335	
CAS: 497-19-8	sodium carbonate	<10%
EINECS: 207-838-8	<b>★</b> Xi R36	
Index number: 011-005-00-2	Eye Irrit. 2, H319	

• Additional information: For the wording of the listed risk phrases refer to section 16.

### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Clean with water and soap.

If skin irritation continues, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

(Contd. on page 4)

Printing date 23.12.2014 Revision: 23.12.2014

Trade name: Snow Bleach v.3

(Contd. of page 3)

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

Breathing difficulty

Nausea

Cramp

Dizziness

· Hazards

Danger of circulatory collapse.

Danger of disturbed cardiac rhythm.

· 4.3 Indication of any immediate medical attention and special treatment needed

If swallowed, gastric irrigation with added, activated carbon.

In cases of irritation to the lungs, initial treatment with cortical steroid inhalants.

Medical supervision for at least 48 hours.

If necessary oxygen respiration treatment.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: None.
- · 5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information Cool endangered receptacles with water spray.

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid formation of dust.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Product forms slippery surface when combined with water.

- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Dispose contaminated material as waste according to item 13.

Do not flush with water or aqueous cleansing agents

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 5)

Printing date 23.12.2014 Revision: 23.12.2014

Trade name: Snow Bleach v.3

See Section 13 for disposal information.

(Contd. of page 4)

## **SECTION 7: Handling and storage**

## · 7.1 Precautions for safe handling

Keep away from heat and direct sunlight.

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of dust.

- · Information about fire and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

Protect from humidity and water.

· Information about storage in one common storage facility:

Store away from oxidising agents.

Do not store together with acids.

Store away from foodstuffs.

Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

This product is hygroscopic.

Protect from humidity and water.

Keep container tightly sealed.

· 7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · **DNELs** No further relevant information available.
- · PNECs No further relevant information available.
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

(Contd. on page 6)

Printing date 23.12.2014 Revision: 23.12.2014

Trade name: Snow Bleach v.3

· Respiratory protection:

(Contd. of page 5)

Not required under normal conditions of use.

For spills, respiratory protection may be advisable.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· For the permanent contact gloves made of the following materials are suitable:

Butyl rubber, BR

Neoprene gloves

Nitrile rubber, NBR

· Eye protection:



Safety glasses

- · Body protection: Protective work clothing
- Limitation and supervision of exposure into the environment

No further relevant information available.

· Risk management measures

See Section 7 for additional information. No further relevant information available.

## **SECTION 9: Physical and chemical properties**

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Powder
Colour: White

Odour: Chlorine-like
Odour threshold: Not determined.

• **pH-value at 20 °C:** 9,5-10,5 (1% solution)

(Contd. on page 7)

Printing date 23.12.2014 Revision: 23.12.2014

Trade name: Snow Bleach v.3

(Contd. of page 6)

· Change in condition

Melting point/Melting range:
Boiling point/Boiling range:
Undetermined.

Flash point:
Flammability (solid, gaseous):
Auto/Self-ignition temperature:
Not determined.

Not determined.

Not determined.

· **Self-igniting:** Product is not self-igniting.

• **Danger of explosion:** Product does not present an explosion hazard.

· Explosion limits:

Lower:
Upper:
Not determined.
Not applicable.

Vapour pressure:
Not applicable.

Density at 20 °C:
Relative density
Not determined.

Vapour density
Not applicable.

Evaporation rate
Not applicable.

· Solubility in / Miscibility with

water: Soluble.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

**Dynamic:** Not applicable. **Kinematic:** Not applicable.

· Solvent content:

Organic solvents: Not determined.

Solids content: Not determined.

• **9.2 Other information** No further relevant information available.

## **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity
- 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions

Contact with acids releases toxic gases.

Reacts with strong oxidising agents.

Reacts with strong acids.

(Contd. on page 8)

Printing date 23.12.2014 Revision: 23.12.2014

Trade name: Snow Bleach v.3

(Contd. of page 7)

Reacts with many consumer products, releasing chlorine or chlorine oxide gas.

As the product is supplied it is not capable of dust explosion; however enrichment with fine dust causes risk of dust explosion.

- · 10.4 Conditions to avoid Store away from oxidising agents.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Chlorine

Hydrogen chloride (HCI)

Nitrogen oxides

Toxic metal oxide smoke

## **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- LD/LC50 values relevant for classification:

### 51580-86-0 troclosene sodium, dihydrate

Oral LD50 1400 mg/kg (rat)

- · Primary irritant effect:
- on the skin: Slight irritant effect on skin and mucous membranes.
- on the eye: Irritating effect.
- · Sensitisation: No sensitising effects known.
- Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant

## **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: Toxic for aquatic organisms
- 12.2 Persistence and degradability The product is partially biodegradable. Significant residuals remain.
- 12.3 Bioaccumulative potential Does not accumulate in organisms.
- · 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- Remark: Inhibition of the growth rate
- Additional ecological information:
- · General notes:

This statement was deduced from the properties of the single components.

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

(Contd. on page 9)

Printing date 23.12.2014 Revision: 23.12.2014

Trade name: Snow Bleach v.3

(Contd. of page 8)

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- 12.6 Other adverse effects No further relevant information available.

## **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

- Uncleaned packaging:
- · **Recommendation:** Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

## **SECTION 14: Transport information**

- · 14.1 UN-Number
- · DOT, ADR, IMDG, IATA

UN3077

14.2 UN proper shipping name



Limited Quantity for packages less than 30 kg (66 lb) and inner packagings less than 5 kg (11 lb.)

· DOT

· ADR

· IMDG

· IATA

· 14.3 Transport hazard class(es)

· DOT, IMDG, IATA



· Class

(troclosene sodium, dihydrate), MARINE POLLUTANT 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (troclosene sodium, dihydrate)

Environmentally hazardous substances, solid, n.o.s.

ENVIRONMENTALLY HAZARDOUS SUBSTANCE. SOLID, N.O.S. (troclosene sodium, dihydrate), MARINE **POLLUTANT** 

Environmentally hazardous substance, solid, n.o.s.

(troclosene sodium, dihydrate)

9 Miscellaneous dangerous substances and articles.

(Contd. on page 10)

Printing date 23.12.2014 Revision: 23.12.2014

Trade name: Snow Bleach v.3

(Contd. of page 9) · Label

· ADR



9 (M7) Miscellaneous dangerous substances and · Class

articles.

· Label

· 14.4 Packing group

· DOT. ADR. IMDG. IATA

· 14.5 Environmental hazards: Product contains environmentally hazardous

substances: troclosene sodium, dihydrate

· Marine pollutant:

Symbol (fish and tree) · Special marking (ADR): Symbol (fish and tree) Special marking (IATA): Symbol (fish and tree)

· 14.6 Special precautions for user Warning: Miscellaneous dangerous substances and

articles.

· Danger code (Kemler): · EMS Number: F-A,S-F

· 14.7 Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· Transport/Additional information:

· ADR

· Limited quantities (LQ) 5 ka Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 g

Maximum net quantity per outer packaging: 1000 g

Transport category · Tunnel restriction code Ε

· IMDG

· Limited quantities (LQ) 5 kg Excepted quantities (EQ) Code: E1

> Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g

· DOT

· Remarks: Classification as a MARINE POLLUTANT is based on

> MARPOL and DOT rules. Labeling as a MARINE POLLUTANT is not required for non-bulk single package shipments by motor vehicle, rail car or aircraft. Bulk packaging consists of a maximum capacity of greater than 450L (119 gallons) for a liquid and a maximum net mass greater than 400kg (882 pounds)

(Contd. on page 11)

Printing date 23.12.2014 Revision: 23.12.2014

Trade name: Snow Bleach v.3

(Contd. of page 10)

· UN "Model Regulation":

UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (troclosene sodium,

dihydrate), 9, III, MARINE POLLUTANT

## **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- United States (USA)
- ·SARA
- Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65 (California):
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

- · Carcinogenic Categories
- · EPA (Environmental Protection Agency)

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

TLV (Threshold Limit Value established by ACGIH)

None of the ingredients are listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

- · Canada
- · Canadian Domestic Substances List (DSL)

All ingredients are listed.

· Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients are listed.

(Contd. on page 12)

Printing date 23.12.2014 Revision: 23.12.2014

Trade name: Snow Bleach v.3

(Contd. of page 11)

- · Canadian Ingredient Disclosure list (limit 1%)
- 497-19-8 sodium carbonate
- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients are listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

- H302 Harmful if swallowed.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- R22 Harmful if swallowed.
- R31 Contact with acids liberates toxic gas.
- R36 Irritating to eyes.
- R36/37 Irritating to eyes and respiratory system.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

#### Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Acute Tox. 4: Acute toxicity, Hazard Category 4

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2

#### Sources

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

(Contd. on page 13)

Printing date 23.12.2014 Revision: 23.12.2014

Trade name: Snow Bleach v.3

(Contd. of page 12)

Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com