Page: 2/11

### **Safety Data Sheet**

## according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 07.20.2022 Revision: 07.20.2022

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

· Trade name: <u>T-5 Purple v.6</u>

· Article number: 100486

• 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

· Application of the substance / the mixture: Degreaser

· 1.3 Details of the supplier of the Safety Data Sheet

· Manufacturer/Supplier:

Theochem Laboratories 7373 Rowlett Park Drive Tampa, FL 33610 Phone: 813-237-6463



· 1.4 Emergency telephone number:

ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International)

#### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Classifications listed are applicable to the OSHA GHS Hazard Communication Standard (29CFR1910.1200).

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the Globally Harmonized System within the United States

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS05

- · Signal word Danger
- · Hazard-determining components of labelling:

disodium metasilicate pentahydrate alcohols, ethoxylated, phosphate esters

Hazard statements

H315 Causes skin irritation.

H318 Causes serious eve damage.

(Cont'd. on page 2)

Page: 3/11

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Trade name: T-5 Purple v.5

Printing date: 07.20.2022

(Cont'd. from page 1)

Revision: 07.20.2022

#### · Precautionary statements

P264 Wash thoroughly after handling.
P280 Wear protective gloves / eye protection.
P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.
P332+P313 If skin irritation occurs: Get medical advice/attention.

P332+P313 If skin irritation occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

- · 2.3 Other hazards There are no other hazards not otherwise classified that have been identified.
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

#### **SECTION 3: Composition/information on ingredients**

. 2.2 Miyturas		
: <del>2.3. Mixtures</del>		
CAS: 111-76-2	2-butoxyethanol	< 10%
EINECS: 203-905-0 Index number: 603-014-00-0 Reg.nr.: 01-2119475108-36-XXXX	Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319	
CAS: 68130-47-2	alcohols, ethoxylated, phosphate esters	< 2,0%
	Skin Corr. 1C, H314	
CAS: 10213-79-3 EINECS: 229-912-9	disodium metasilicate pentahydrate	< 2,0%
	Met. Corr.1, H290; Skin Corr. 1B, H314; Eye Dam. 1, H318	
	♦ STOT SE 3, H335	
CAS: 1310-73-2	sodium hydroxide	< 1,0%
EINECS: 215-185-5 Index number: 011-002-00-6 Reg.nr.: 01-2119457892-27-XXXX	Met. Corr.1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318	

#### · Additional information: For the wording of the listed Hazard Statements refer to section 16.

#### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately remove any clothing soiled by the product.

Rinse with warm water.

Seek medical treatment in case of complaints.

· After eye contact:

Remove contact lenses if worn, if possible.

(Cont'd. on page 3)

### Safety Data Sheet

## according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 07.20.2022 Revision: 07.20.2022

Trade name: T-5 Purple v.6

(Cont'd. from page 2)

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

· 4.2 Most important symptoms and effects, both acute and delayed

Irritant to skin and mucous membranes.

Coughing

Gastric or intestinal disorders.

Nausea

- · Hazards: Causes serious eye damage.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents:

The product is not flammable.

Use fire extinguishing methods suitable to surrounding conditions.

- · For safety reasons unsuitable extinguishing agents: None.
- · 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Use respiratory protective device against the effects of fumes/dust/aerosol.

Particular danger of slipping on leaked/spilled product.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

#### · 6.2 Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

#### 6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Pick up mechanically.

Send for recovery or disposal in suitable receptacles.

Clean the affected area carefully; suitable cleaners are:

Warm water

#### · 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Cont'd. on page 4)

Page: 5/11

### **Safety Data Sheet**

# according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 07.20.2022 Revision: 07.20.2022

Trade name: T-5 Purple v.6

See Section 13 for disposal information.

(Cont'd. from page 3)

#### **SECTION 7: Handling and storage**

#### · 7.1 Precautions for safe handling

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

Avoid contact with the eyes and skin.

Keep out of reach of children.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

Unsuitable material for receptacle: aluminium.

Unsuitable material for receptacle: steel.

· Information about storage in one common storage facility:

Store away from foodstuffs.

Do not store together with oxidising and acidic materials.

- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- · 7.3 Specific end use(s) No further relevant information available.

#### **SECTION 8: Exposure controls/personal protection**

#### · 8.1 Control parameters

· 8.1 Control	1				
· Ingredients v	· Ingredients with limit values that require monitoring at the workplace:				
111-76-2 2-bu	utoxyethanol				
IOELV (EU)	Short-term value: 246 mg/m³, 50 ppm Long-term value: 98 mg/m³, 20 ppm Skin				
PEL (USA)	Long-term value: 240 mg/m³, 50 ppm Skin				
REL (USA)	Long-term value: 24 mg/m³, 5 ppm Skin				
TLV (USA)	Long-term value: 97 mg/m³, 20 ppm BEI				
EL (Canada)	Long-term value: 20 ppm				
EV (Canada)	Long-term value: 20 ppm Skin				
1310-73-2 so	dium hydroxide				
PEL (USA)	Long-term value: 2 mg/m³				
REL (USA)	Ceiling limit: 2 mg/m³				
	(Cont'd. on page 5				

Page: 6/11

#### **Safety Data Sheet**

# according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 07.20.2022 Revision: 07.20.2022

Trade name: T-5 Purple v.6

	(Cont'd. from page 4
TLV (USA)	Ceiling limit: 2 mg/m³
EL (Canada)	Short-term value: C 2 mg/m³

- DNELs: No further relevant information available.
- · PNECs: No further relevant information available.

#### · Ingredients with biological limit values:

#### 111-76-2 2-butoxyethanol

BEI (USA) 200 mg/g creatinine Medium: urine

Time: end of shift

Parameter: Butoxyacetic acid with hydrolysis

- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not inhale gases / fumes / aerosols.

· Respiratory protection:

Not required under normal conditions of use.

Use suitable respiratory protective device in case of insufficient ventilation.

Use suitable respiratory protective device when aerosol or mist is formed.

For spills, respiratory protection may be advisable.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- For the permanent contact gloves made of the following materials are suitable: Rubber gloves
- · Eye protection:



Safety glasses

- · Body protection: Alkaline resistant protective clothing
- Limitation and supervision of exposure into the environment:

No further relevant information available.

· Risk management measures: See Section 7 for additional information.

(Cont'd. on page 6)

Page: 7/11

### **Safety Data Sheet**

# according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 07.20.2022 Revision: 07.20.2022

Trade name: T-5 Purple v.6

(Cont'd. from page 5)

	(cont a. nom page
SECTION 9: Physical and che	emical properties
· 9.1 Information on basic physic	al and chemical properties
· Appearance	• •
Form:	Liquid
Colour:	Violet
Odour: Odour threshold:	Pleasant Not determined.
· pH-value:	11.5-13
Melting point/freezing point:     Initial bailing point and bailing room	Not determined.
· Initial boiling point and boiling ran	
· Flash point:	Not applicable.
· Flammability (solid, gas):	Not applicable.
· Auto/Self-ignition temperature:	Not determined.
· Decomposition temperature:	Not determined.
· Explosive properties:	Product does not present an explosion hazard.
· Explosion limits	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure at 20°C (68 °F):	23hPa (17,3 mm Hg)
· Density:	
Relative density:	1.03g/cm³ (8,6 lbs/gal)
Vapour density:	Not determined.
Evaporation rate:	Not determined.
· Solubility in / Miscibility with	
water:	Fully miscible.
· Partition coefficient: n-octanol/wate	er: Not determined.
· Viscosity	
Dynamic:	Not determined.
Kinematic:	Not determined.
· 9.2 Other information	No further relevant information available.

### **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions

Reacts with strong oxidising agents.

(Cont'd. on page 7)

Page: 8/11

### **Safety Data Sheet**

# according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 07.20.2022 Revision: 07.20.2022

Trade name: T-5 Purple v.6

(Cont'd. from page 6)

Exothermic reaction with acids.

Toxic fumes may be released if heated above the decomposition point.

- · 10.4 Conditions to avoid Excessive heat.
- · 10.5 Incompatible materials No further relevant information available.
- 10.6 Hazardous decomposition products

Carbon monoxide and carbon dioxide

Nitrogen oxides

#### **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification: None.
- · Primary irritant effect
- Skin corrosion/irritation:

Causes skin irritation.

· Serious eye damage/irritation:

Causes serious eye damage.

- · Respiratory or skin sensitisation: Based on available data, the classification criteria are not met.
- · Carcinogenic categories
- IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable routes of exposure:

Ingestion.

Inhalation.

Eve contact.

Skin contact.

- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: Based on available data, the classification criteria are not met.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

#### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.

(Cont'd. on page 8)

Page: 9/11

### Safety Data Sheet

# according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 07.20.2022 Revision: 07.20.2022

Trade name: T-5 Purple v.6

(Cont'd. from page 7)

- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. If the dilution of the use-level pH-value is considerably reduced, the aqueous waste, emptied into drains, is only low water-dangerous.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

#### **SECTION 13: Disposal considerations**

- 13.1 Waste treatment methods
- · Recommendation

Small amounts may be diluted with plenty of water and washed away. Dispose of larger amounts in accordance with Local Authority requirements.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN-Number		
DOT, ADR, IMDG, IATA	Not Regulated	
14.2 UN proper shipping name		
DOT, ADR, IMDG, IATA	Not Regulated	
14.3 Transport hazard class(es)		
DOT, ADR, IMDG, IATA		
Class	Not Regulated	
14.4 Packing group		
DOT, ADR, IMDG, IATA	Not Regulated	

Page: 9/11

### **Safety Data Sheet**

#### according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 07.20.2022 Revision: 07.20.2022

Trade name: T-5 Purple v.6

(Cont'd. from page 8) · 14.5 Environmental hazards: · Marine pollutant: No · 14.6 Special precautions for user Not applicable. · Danger code (Kemler): 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.

#### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- · Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65 (California):
- · Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

111-76-2 2-butoxyethanol

Carcinogenic Categories
 EPA (Environmental Protection Agency)

NL

IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

· Canadian Domestic Substances List (DSL)

All ingredients are listed.

(Cont'd. on page 10)

Page: 10/11

### **Safety Data Sheet**

# according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 07.20.2022 Revision: 07.20.2022

Trade name: T-5 Purple v.6

(Cont'd. from page 9)

- Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients are listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

#### · Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

Met. Corr.1: Corrosive to metals - Category 1

Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1A: Skin corrosion/irritation - Category 1A

Skin Corr. 1B: Skin corrosion/irritation - Category 1B

Skin Corr. 1C: Skin corrosion/irritation - Category 1C

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

#### Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

(Cont'd. on page 11)

Page: 11/11

# Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 07.20.2022 Revision: 07.20.2022

Trade name: T-5 Purple v.6

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com

(Cont'd. from page 10)