Page: 1/12

## **Safety Data Sheet**

## according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 19 April 2017 Revision: 19 April 2017

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

· Trade name: Wonder Grill v.3

· Article number: 101601

• 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

· Application of the substance / the mixture: Basic cleaner

1.3 Details of the supplier of the Safety Data Sheet

Manufacturer/Supplier:

Theochem Laboratories 7373 Rowlett Park Drive Tampa, FL 33610 Phone: 813-237-6463



· 1.4 Emergency telephone number:

ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International)

## **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS05

- · Signal word Danger
- · Hazard-determining components of labelling:

sodium hydroxide

disodium metasilicate pentahydrate

· Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P234 Keep only in original container.
P260 Do not breathe mist/vapours/spray.

(Cont'd. on page 2)

Page: 2/12

## **Safety Data Sheet**

## according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 19 April 2017 Revision: 19 April 2017

Trade name: Wonder Grill v.3

(Cont'd. from page 1)

P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection. P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.
P363 Wash contaminated clothing before reuse.
P390 Absorb spillage to prevent material damage.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

### · NFPA ratings (scale 0 - 4)



Health = 3 Fire = 0

Reactivity = 0

· HMIS-ratings (scale 0 - 4)



3 Health = 30 Fire = 0

REACTIVITY 0 Reactivity = 0

- · 2.3 Other hazards There are no other hazards not otherwise classified that have been identified.
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

· Components:		
CAS: 1310-73-2 EINECS: 215-185-5 Index number: 011-002-00-6 Reg.nr.: 01-2119457892-27-XXXX	sodium hydroxide  Met. Corr.1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318	5-15%
CAS: 67-63-0 EINECS: 200-661-7 Index number: 603-117-00-0 Reg.nr.: 01-2119457558-25-XXXX	propan-2-ol Flam. Liq. 2, H225 Eye Irrit. 2, H319; STOT SE 3, H336	<2%
CAS: 10213-79-3 EINECS: 229-912-9	disodium metasilicate pentahydrate  Net. Corr.1, H290; Skin Corr. 1B, H314; Eye Dam. 1, H318  STOT SE 3, H335	<2%

## **Safety Data Sheet**

## according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 19 April 2017 Revision: 19 April 2017

Trade name: Wonder Grill v.3

(Cont'd. from page 2)

### · Additional information:

For the wording of the listed Hazard Statements refer to section 16.

For the listed ingredient(s), the identity and/or exact percentages are being withheld as a trade secret.

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

#### · After inhalation:

Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

#### · After skin contact:

Immediately remove any clothing soiled by the product.

Immediately rinse with water.

If skin irritation continues, consult a doctor.

Seek immediate medical help for blistering or open wounds.

### · After eye contact:

Remove contact lenses if worn, if possible.

Rinse opened eye for several minutes under running water. Then consult a doctor.

#### · After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

#### 4.2 Most important symptoms and effects, both acute and delayed

Strong caustic effect on skin and mucous membranes.

Cramp

Nausea

#### · Hazards:

Danger of gastric perforation.

Causes serious eye damage.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Medical supervision for at least 48 hours.

If necessary oxygen respiration treatment.

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

## · Suitable extinguishing agents:

The product is not flammable.

Use fire extinguishing methods suitable to surrounding conditions.

- For safety reasons unsuitable extinguishing agents: None.
- 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

(Cont'd. on page 4)

Page: 4/12

## **Safety Data Sheet**

## according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 19 April 2017 Revision: 19 April 2017

Trade name: Wonder Grill v.3

Wear fully protective suit.

(Cont'd. from page 3)

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Use respiratory protective device against the effects of fumes/dust/aerosol.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Particular danger of slipping on leaked/spilled product.

#### 6.2 Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Inform respective authorities in case of seepage into water course or sewage system.

#### · 6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Send for recovery or disposal in suitable receptacles.

Clean the affected area carefully; suitable cleaners are:

Warm water

### · 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

#### · 7.1 Precautions for safe handling

Avoid splashes or spray in enclosed areas.

Prevent formation of aerosols.

Open and handle receptacle with care.

Avoid contact with the eyes and skin.

Keep out of reach of children.

Information about fire - and explosion protection: No special measures required.

### • 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

#### · Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Unsuitable material for receptacle: aluminium.

Unsuitable material for receptacle: steel.

Unsuitable material for receptacle: glass or ceramic.

#### Information about storage in one common storage facility:

Store away from foodstuffs.

Do not store together with acids.

Store away from metals.

#### Further information about storage conditions:

Keep container tightly sealed.

(Cont'd. on page 5)

Page: 5/12

## **Safety Data Sheet**

## according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 19 April 2017 Revision: 19 April 2017

Trade name: Wonder Grill v.3

(Cont'd. from page 4)

Protect from frost.

• 7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

### · 8.1 Control parameters

	· Ingredients with limit values that require monitoring at the workplace:			
Ī	1310-73-2 sodium hydroxide			
Ī	PEL (USA)	Long-term value: 2 mg/m³		
İ	REL (USA)	Ceiling limit: 2 mg/m³		
İ	TLV (USA) Ceiling limit: 2 mg/m³			
Ī	67-63-0 propan-2-ol			
	AGW (Germany)	Long-term value: 500 mg/m³, 200 ppm 2(II);DFG, Y		
l	PEL (USA)	Long-term value: 980 mg/m³, 400 ppm		
	REL (USA)	Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm		
	TLV (USA)	Short-term value: 984 mg/m³, 400 ppm Long-term value: 492 mg/m³, 200 ppm BEI		

- **DNELs:** No further relevant information available.
- · PNECs: No further relevant information available.

## · Ingredients with biological limit values:

### 67-63-0 propan-2-ol

BGW (Germany) 25 mg/l

Untersuchungsmaterial: Vollblut

Probennahmezeitpunkt: Expositionsende bzw. Schichtende

Parameter: Aceton

25 mg/l

Untersuchungsmaterial: Urin

Probennahmezeitpunkt: Expositionsende bzw. Schichtende

Parameter: Aceton

BEI (USA) 40 mg/L

Medium: urine

Time: end of shift at end of workweek

Parameter: Acetone (background, nonspecific)

- 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

(Cont'd. on page 6)

Page: 6/12

## **Safety Data Sheet**

## according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 19 April 2017 Revision: 19 April 2017

Trade name: Wonder Grill v.3

(Cont'd. from page 5)

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin. Do not inhale gases / fumes / aerosols.

Respiratory protection:

Not required under normal conditions of use.

Use suitable respiratory protective device when aerosol or mist is formed.

For spills, respiratory protection may be advisable.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Eye protection:



Safety glasses

- · Body protection: Alkaline resistant protective clothing
- Limitation and supervision of exposure into the environment:

No further relevant information available.

· Risk management measures: No further relevant information available.

#### **SECTION 9: Physical and chemical properties** 9.1 Information on basic physical and chemical properties · Appearance Form: Liquid Colour: Violet · Odour: Odourless · Odour threshold: Not determined. · pH-value at 20 °C (68 °F): 13.0-14.0 Melting point/freezing point: Not determined. · Initial boiling point and boiling range: Not determined. · Flash point: Not applicable. · Flammability (solid, gas): Not applicable. · Auto/Self-ignition temperature: Not applicable. · Decomposition temperature: Not determined. · Explosive properties: Product does not present an explosion hazard. · Explosion limits Lower: Not determined. **Upper:** Not determined. (Cont'd. on page 7)

Page: 7/12

## **Safety Data Sheet**

## according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 19 April 2017 Revision: 19 April 2017

Trade name: Wonder Grill v.3

(Cont'd. from page 6)

· Vapour pressure at 20 °C (68 °F): 23 hPa (17 mm Hg)

· Density:

Relative density: 1.10-1.13
Vapour density: Not determined.
Evaporation rate: Not determined.

· Solubility in / Miscibility with

water: Soluble.

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity

**Dynamic:** Not determined. **Kinematic:** Not determined.

• **9.2 Other information**No further relevant information available.

## **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

Stable at environment temperature.

· 10.3 Possibility of hazardous reactions

Exothermic reaction with acids.

Reacts with certain metals.

Toxic fumes may be released if heated above the decomposition point.

Attacks materials containing glass and silicate.

Reacts with fats and oils.

- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials Strong acids.
- 10.6 Hazardous decomposition products

Carbon monoxide and carbon dioxide

Sulphur oxides (SOx)

## **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification: None.
- · Primary irritant effect
- · Skin corrosion/irritation:

Causes severe skin burns and eye damage.

Serious eye damage/irritation:

Causes serious eye damage.

(Cont'd. on page 8)

Page: 8/12

## **Safety Data Sheet**

## according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 19 April 2017 Revision: 19 April 2017

Trade name: Wonder Grill v.3

(Cont'd. from page 7)

- · Respiratory or skin sensitisation: Based on available data, the classification criteria are not met.
- · Carcinogenic categories
- IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

Probable routes of exposure:

Ingestion.

Inhalation

Eve contact.

Skin contact.

- · Acute effects (acute toxicity, irritation and corrosivity): Causes severe skin burns and eye damage.
- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: Based on available data, the classification criteria are not met.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · **Aspiration hazard:** Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- **Ecotoxical effects:**
- · **Remark:** After neutralisation a reduction of the harming action may be recognised.
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. If the dilution of the use-level pH-value is considerably reduced, the aqueous waste, emptied into drains, is only low water-dangerous.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

(Cont'd. on page 9)

Page: 9/12

## **Safety Data Sheet**

## according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 19 April 2017 Revision: 19 April 2017

Trade name: Wonder Grill v.3

(Cont'd. from page 8)

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

· Recommendation

Small amounts may be diluted with plenty of water and washed away. Dispose of larger amounts in accordance with Local Authority requirements.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

•	SECTION 14: Transport information		
14.1 UN-Number DOT, ADR, IMDG, IATA	UN1719		
14.2 UN proper shipping name DOT	Caustic alkali liquids, n.o.s. (Sodium hydroxide Disodium trioxosilicate)		
ADR, IMDG	CAUSTIC ALKALI LIQUID, N.O.S. (SODIU HYDROXIDE, DISODIUM TRIOXOSILICATE) Caustic alkali liquid, n.o.s. (Sodium hydroxid Disodium trioxosilicate)		
14.3 Transport hazard class(es)			
DOT			
TORROSUE			
Class	8 Corrosive substances.		
Label	8		
ADR			
<u> </u>			
Class	8 (C5) Corrosive substances.		
Label	8		

Page: 10/12

## **Safety Data Sheet**

## according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 19 April 2017 Revision: 19 April 2017

Trade name: Wonder Grill v.3

(Cont'd. from page 9) · IMDG, IATA · Class 8 Corrosive substances. · Label 8 14.4 Packing group DOT, ADR, IMDG, IATA Ш 14.5 Environmental hazards: · Marine pollutant: No · 14.6 Special precautions for user Warning: Corrosive substances. · Danger code (Kemler): · EMS Number: F-A,S-B · Segregation groups Alkalis 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. · Transport/Additional information: · DOT Limited Quantity for packages less than 30 kg gross and inner packagings less than 1 L each. · ADR Limited Quantity for packages less than 30 kg gross and inner packagings less than 1 L each. ·IMDG Limited Quantity for packages less than 30 kg gross and inner packagings less than 1 L each. ·IATA Limited Quantity for packages less than 30 kg gross and inner packagings less than 0.1 L each / 0.5 L net.

Page: 11/12

## **Safety Data Sheet**

## according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 19 April 2017 Revision: 19 April 2017

Trade name: Wonder Grill v.3

(Cont'd. from page 10)

## **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

67-63-0 propan-2-ol

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- Proposition 65 (California):
- · Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

- · Carcinogenic Categories
- · EPA (Environmental Protection Agency)

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

· Canadian Domestic Substances List (DSL)

All ingredients are listed.

- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients are listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Cont'd. on page 12)

Page: 12/12

## Safety Data Sheet

### according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA **GHS**

Printing date: 19 April 2017 Revision: 19 April 2017

Trade name: Wonder Grill v.3

(Cont'd. from page 11)

#### · Relevant phrases

H225 Highly flammable liquid and vapour.

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H319 Causes serious eve irritation.

H335 May cause respiratory irritation.

H336 May cause drowsiness or dizziness.

#### Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

Flam. Liq. 2: Flammable liquids – Category 2 Met. Corr.1: Corrosive to metals – Category 1

Skin Corr. 1A: Skin corrosion/irritation - Category 1A

Skin Corr. 1B: Skin corrosion/irritation - Category 1B

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com