

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR)

Issuing Date 14-Apr-2020 Revision Date 14-Apr-2020 Revision Number 1

# 1. Identification

**Product identifier** 

Product Name Multi-Functional THP Fluid

Other means of identification

Product Code(s) 110

Other information Blend Revision ID 3116

Recommended use of the chemical and restrictions on use

Recommended use Lubricant

**Restrictions on use**No information available.

Details of the supplier of the safety data sheet

**Supplier Address** 

U.S. Lubricants, a Division of U.S. Venture Inc. 425 Better Way Appleton, WI 54915 800-490-4900

Emergency telephone number

Emergency Telephone 800-490-4900

Chemtrec 1-800-424-9300 (Account# 705487)

# 2. Hazard(s) identification

#### Classification

Serious eye damage/eye irritation Category 2A

## Label elements

#### Warning

#### **Hazard statements**

Causes serious eye irritation.



(M)SDS Number UL-USL-084

#### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling. Wear eye and face protection.

**Precautionary Statements - Response** 

#### **Eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice and attention.

#### Other information

May be harmful if swallowed. May be harmful in contact with skin. Harmful to aquatic life with long lasting effects. Harmful to aquatic life.

# 3. Composition/information on ingredients

#### Substance

Not applicable.

#### Mixture

Chemical name	CAS No	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	5-10	-	-
Hydrotreated heavy paraffinic petroleum distillate	64742-54-7	1-5	-	-
Phosphorodithioic acid, mixed O,O-bis(1,	84605-29-8	0.5-1	-	-
3-dimethylbutyl and iso-Pr) esters, zinc salts				
Phosphorodithioic acid, mixed O,O-bis (2-ethylhexyl	68988-45-4	0.5-1	-	-
and iso-Bu and pentyl) esters, zinc salts				
Petroleum distillates, hydrotreated light naphthenic	64742-53-6	0.1-0.5	-	-

## 4. First-aid measures

## **Description of first aid measures**

**General advice** Show this safety data sheet to the doctor in attendance.

**Inhalation** Remove to fresh air.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and

persists.

Skin contact Wash skin with soap and water. Get medical attention if symptoms occur. Wash

contaminated clothing before reuse.

**Ingestion** If large quantities of this material are swallowed, call a physician immediately.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed

May cause redness and tearing of the eyes. Burning sensation.

Indication of any immediate medical attention and special treatment needed

**Note to physicians** Treat symptomatically.

5. Fire-fighting measures

**Suitable Extinguishing Media** Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing media Water spray jet.

Specific hazards arising from the

chemical

**Symptoms** 

Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous combustion products Oxides of sulfur. Aldehydes. Ketones and their derivatives. Carbon monoxide. Organic

compounds.

**Explosion data** 

**Sensitivity to mechanical impact** None. **Sensitivity to static discharge** None.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

## 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Do not touch damaged containers or spilled material unless wearing appropriate protective

clothing. Keep people away from and upwind of spill/leak. Extremely slippery when spilled. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Deny entry to unauthorized and unprotected personnel.

Methods and material for containment and cleaning up

**Methods for containment** Dike far ahead of liquid spill for later disposal.

Methods for cleaning up

Take up with sand or other noncombustible absorbent material and place into containers for

later disposal.

## 7. Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Ensure adequate

ventilation. Use personal protection equipment. Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Wash thoroughly after handling. Do not eat, drink or

smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a cool, well-ventilated place. Do not reuse empty

containers.

# 8. Exposure controls/personal protection

#### Control parameters

#### **Exposure Limits**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Petroleum distillates, solvent dewaxed heavy paraffinic 64742-65-0	TWA: 5 mg/m³ (inhalable fraction)	PEL: 5 mg/m³ (mist)	REL: 5 mg/m³ (mist) STEL: 10 mg/m³ (mist) REL: 350 mg/m³ Ceiling limit: 1,800 mg/m³
Hydrotreated heavy paraffinic petroleum distillate 64742-54-7	TWA: 5 mg/m³ (inhalable fraction)	-	-
Petroleum distillates, hydrotreated light naphthenic 64742-53-6	TWA: 5 mg/m³ (inhalable fraction)	PEL: 5 mg/m³ (mist)	REL: 5 mg/m³ (mist) STEL: 10 mg/m³ (mist) REL: 350 mg/m³ Ceiling limit: 1,800 mg/m³

#### **Biological occupational exposure limits**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

## **Appropriate engineering controls**

Engineering controls Showers

Eyewash stations Ventilation systems.

## Individual protection measures, such as personal protective equipment

Eye/face protection Goggles.

**Hand protection** Impervious gloves. Protective gloves.

**Skin and body protection** Wear suitable protective clothing.

**Respiratory protection**No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly

after handling. Avoid breathing vapors or mists. Avoid contact with skin, eyes or clothing.

Take off contaminated clothing and wash before reuse.

# 9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance

Physical state Liquid Color Amber

Odor Mild Petroleum

Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

Ha No data available None known Melting point / freezing point No data available None known No data available Boiling point / boiling range None known 204.4 °C / 399.9 °F Flash point None known **Evaporation rate** No data available None known Flammability (solid, gas) No data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressure No data available None known Vapor density No data available None known Relative density 0.87 (7.22 lb/gal) None known Water solubility Insoluble None known Solubility(ies) No data available None known **Partition coefficient** No data available None known **Autoignition temperature** No data available None known **Decomposition temperature** No data available None known Kinematic viscosity 60 cSt None known Dynamic viscosity No data available None known

Other information

Explosive properties

Oxidizing properties

No information available.

No information available.

No information available.

No information available information available.

## 10. Stability and reactivity

**Reactivity** None under normal use conditions.

Chemical stability Stable under normal conditions.

**Possibility of hazardous reactions** None under normal processing.

**Conditions to avoid** Extremes of temperature and direct sunlight.

**Incompatible materials** Strong oxidizing agents.

Hazardous decomposition products None known based on information supplied.

## 11. Toxicological information

Information on likely routes of exposure

Product Information .

**Inhalation** Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract.

**Eye contact** Specific test data for the substance or mixture is not available. Causes serious eye irritation.

(based on components). May cause redness, itching, and pain.

**Skin contact** Specific test data for the substance or mixture is not available. May cause irritation.

Prolonged contact may cause redness and irritation. May be harmful in contact with skin.

**Ingestion** Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea. May be harmful if swallowed.

## Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** May cause redness and tearing of the eyes.

**Acute toxicity** 

**Numerical measures of toxicity** 

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Petroleum distillates, solvent dewaxed heavy paraffinic	> 15000 mg/kg (Rat)	> 5000 mg/kg ( Rabbit )	> 2400 mg/m³ (Rat) 4 h
Hydrotreated heavy paraffinic petroleum distillate	> 15 g/kg (Rat)	> 5000 mg/kg ( Rabbit )	-
Phosphorodithioic acid, mixed O,O-bis(1, 3-dimethylbutyl and iso-Pr) esters, zinc salts	= 3100 mg/kg (Rat) = 3200 mg/kg (Rat)	> 2000 mg/kg ( Rabbit )	-
Petroleum distillates, hydrotreated light naphthenic	> 5000 mg/kg (Rat)	> 2000 mg/kg ( Rabbit )	= 2180 mg/m³ (Rat) 4 h

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** May cause skin irritation.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

**Respiratory or skin sensitization** No information available.

Germ cell mutagenicity No information available.

**Carcinogenicity** No information available.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Petroleum distillates, solvent dewaxed heavy paraffinic 64742-65-0	A2	Group 1	Known	X
Hydrotreated heavy paraffinic petroleum distillate 64742-54-7	A2	Group 1	Known	X
Petroleum distillates, hydrotreated light naphthenic 64742-53-6	A2	Group 1	Known	X

## Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

\_\_\_\_\_

**Reproductive toxicity** No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure**No information available.

Aspiration hazard No information available.

# 12. Ecological information

#### **Ecotoxicity**

Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Petroleum distillates, solvent dewaxed heavy paraffinic 64742-65-0	EC 50: >100 mg/L (3d, Green algae (Scenedesmus quadricauda))	LC50: >5000mg/L (96h, Oncorhynchus mykiss)	-	EC50: >1000mg/L (48h, Daphnia magna)
Hydrotreated heavy paraffinic petroleum distillate 64742-54-7	-	LC50: >5000mg/L (96h, Oncorhynchus mykiss)	-	EC50: >1000mg/L (48h, Daphnia magna)
Phosphorodithioic acid, mixed O,O-bis(1, 3-dimethylbutyl and iso-Pr) esters, zinc salts 84605-29-8	-	LC50: =4.5mg/L (96h, Oncorhynchus mykiss)	-	EC50: =23mg/L (48h, Daphnia magna)
Petroleum distillates, hydrotreated light naphthenic 64742-53-6	-	LC50: >5000mg/L (96h, Oncorhynchus mykiss)	-	EC50: >1000mg/L (48h, Daphnia magna)

Persistence and degradability No information available.

**Bioaccumulation** No information available.

**Mobility in soil** No information available.

Other adverse effects No information available.

# 13. Disposal considerations

# Waste treatment methods

Waste from residues/unused products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

California Hazardous Waste Status This product contains one or more substances that are listed with the State of California as

a nazardous	waste.

Chemical name	California Hazardous Waste Status
Phosphorodithioic acid, mixed O,O-bis(1, 3-dimethylbutyl and	Toxic
iso-Pr) esters, zinc salts	
84605-29-8	
Phosphorodithioic acid, mixed O,O-bis (2-ethylhexyl and iso-Bu	Toxic
and pentyl) esters, zinc salts	

\_\_\_\_\_

68988-45-4	

# 14. Transport information

DOTNot regulatedTDGNot regulatedIATANot regulatedIMDGNot regulated

## 15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **International Regulations**

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

**International Inventories** 

**TSCA** Contact supplier for inventory compliance status.

**DSL/NDSL** Contact supplier for inventory compliance status.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

#### **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
Phosphorodithioic acid, mixed O,O-bis(1, 3-dimethylbutyl and	1.0
iso-Pr) esters, zinc salts - 84605-29-8	
Phosphorodithioic acid, mixed O,O-bis (2-ethylhexyl and iso-Bu	1.0
and pentyl) esters, zinc salts - 68988-45-4	

## SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

#### **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Phosphorodithioic acid, mixed O,O-bis(1, 3-dimethylbutyl and iso-Pr) esters, zinc salts	-	X	-	-

84605-29-8			
Phosphorodithioic acid, mixed O,O-bis (2-ethylhexyl and iso-Bu and pentyl) esters, zinc salts 68988-45-4	X	-	-

## **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

#### **US State Regulations**

#### **California Proposition 65**

This product contains the following Proposition 65 chemicals:

Chemical name	California Proposition 65
Toluene - 108-88-3	Developmental

#### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Phosphorodithioic acid, mixed	Х	-	Х
O,O-bis(1, 3-dimethylbutyl and			
iso-Pr) esters, zinc salts			
84605-29-8	V		V
Phosphorodithioic acid, mixed	X	-	X
O,O-bis (2-ethylhexyl and			
iso-Bu and pentyl) esters, zinc			
salts			
68988-45-4			
Petroleum distillates,	-	X	-
hydrotreated light naphthenic			
64742-53-6			
Toluene	X	X	X
108-88-3			

## U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other	information
-----------	-------------

NFPAHealth hazards2Flammability1Instability0Physical and chemical properties -HMISHealth hazards2Flammability1Physical hazards0Personal protectionX

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value \* Skin designation

Key literature references and sources for data used to compile the SDS

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Issuing Date 14-Apr-2020

Revision Date 14-Apr-2020

Revision Note Initial Release.

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**