



PCB Fuse Holders for 5x20mm Fuses

H15 Series



Dimensions - mm

Drawing Not to Scale



H15-V-1

H15-H-1

Description

- For 5x20mm fuses
- Fuse carriers are interchangeable
- Vertical (-V) or horizontal (-H) mounting
- Fuse carrier and knob are spring loaded bayonet type with screwdriver slot
- Solderability in accordance with IEC 68-2-20
- Shock safety of PC2
- High temperature thermoplastic meets:
 - UL 94V0
 - Glow wire test: 960°C per IEC 695-2-1

Agency Information

- cURus Recognized: IZLT2, IZLT8, E14853
- VDE Certificate: Pending

Ordering

- Specify packaging and product code (e.g., BK-H15-V-1)

| Component Material | |
|--------------------|-------------------|
| Clip | Tin Plating |
| Terminals | Brass, Tin-plated |
| Body | PBT |

Specifications

| Catalog Number | Orientation/ Mounting | Voltage Rating Vac | Ambient Temperature | Temperature Rise | Agency Information/Current Rating | |
|----------------|--------------------------|-----------------------|------------------------|---------------------|-----------------------------------|-------|
| | | | | | VDE* | cURus |
| H15-V-1 | Vertical | 250 | 24°C | 41°C | 6.3A | 6.3A |
| H15-H-1 | Horizontal | 250 | 24°C | 41°C | 6.3A | 6.3A |

* Agency information pending

Packaging Code

| Packaging Code Prefix | Description |
|-----------------------|---|
| BK- | 100 Fuse holders packed into a cardboard shelf package |
| BK1- | 1000 Fuse holders packed into a cardboard shelf package |

The only controlled copy of this Data Sheet is the electronic read-only version located on the Bussmann Network Drive. All other copies of this document are by definition uncontrolled. This bulletin is intended to clearly present comprehensive product data and provide technical information that will help the end user with design applications. Bussmann reserves the right, without notice, to change design or construction of any products and to discontinue or limit distribution of any products. Bussmann also reserves the right to change or update, without notice, any technical information contained in this bulletin. Once a product has been selected, it should be tested by the user in all possible applications.

Life Support Policy: Bussmann does not authorize the use of any of its products for use in life support devices or systems without the express written approval of an officer of the Company. Life support systems are devices which support or sustain life, and whose failure to perform, when properly used in accordance with instructions for use provided in the labeling, can be reasonably expected to result in significant injury to the user.