Our commitment. Your advantage.

Search

My Account

Products

Documentation

Resources

My Account

Customer Support

<u>Home</u> > <u>Products</u> > <u>By Type</u> > <u>Resistors</u> > <u>Product Feature Selector</u> > <u>Product Details</u>

404806411017 Product Details



Check Pricing & Availability

Contact Us About This Product

<u>Product Feature Selector</u>

Search for Tooling

Quick Links

404806411017 (1-1623849-7)

TE Internal Number: 1-1623849-7 <u>Active</u>

Variable Resistors

<u>Converted to EU RoHS/ELV Compliant (Statement of Compliance)</u>

Product Highlights:

- Variable Resistor
- Resistor Type = Trimmer
- Resistance Selection = M?
- Resistance = 2M?
- Power Rating = .50 W

View all Features









Request Sample 🌕 Find Similar Products 🥌

Documentation & Additional Information

Product Drawings:

PROFESSIONAL TRIMMERS SERIES 4290W (PDF, English)

Catalog Pages/Data Sheets:

• <u>Professional Trimmers - Type 4290 Series - Tyco Elec...</u> (PDF, English)

Product Specifications:

• None Available

Application Specifications:

• None Available

Instruction Sheets:

None Available

CAD Files:

None Available

Additional Information:

• Product Line Information

Related Products:

• <u>Tooling</u>

<u>List all Documents</u>

Product Features (Please use the Product Drawing for all design activity)

Product Type Features:

- Product Type = Variable Resistor
- Resistor Type = Trimmer
- Resistance (?) = 2M
- <u>Element</u> = Cermet
- <u>Sealed</u> = Yes
- Mount Angle = Horizontal
- <u>Termination Type</u> = PCB Terminations

Electrical Characteristics:

- Resistance Selection (?) = M
- <u>Power Rating (W)</u> = 0.50
- <u>Tolerance (%)</u> = 10

Termination Related Features:

• Termination Post Orientation = In Line

Body Related Features:

- <u>Series</u> = 4290
- Package, Component Size = 10

Configuration Related Features:

- <u>Sections</u> = Single
- Adjustment Location = Top
- <u>Adjustment Style</u> = Screwdriver Slot
- Operating Function = Multi Turn

Industry Standards:

- RoHS/ELV Compliance = RoHS compliant, ELV compliant
- <u>Lead Free Solder Processes</u> = Wave solder capable to 240?C, Wave solder capable to 260?C, Wave solder capable to 265?C
- RoHS/ELV Compliance History = Converted to comply with RoHS directive

Conditions for Usage:

Temperature Coefficient (ppm/?C) = 100

• Brand = Citec