**Customer Support** 

Search

Our commitment. Your advantage.


My Account

<u>Home</u> > <u>Products</u> > <u>By Type</u> > <u>Resistors</u> > <u>Product Feature Selector</u> > <u>Product Details</u>

Resources

# 404806410006 Product Details

**Documentation** 



404806410006 (1623848-3)TE Internal Number: 1623848-3

<u>Active</u>

#### **Variable Resistors**

Converted to EU RoHS/ELV Compliant (Statement of Compliance)

#### **Product Highlights:**

- Variable Resistor
- Resistor Type = Trimmer
- Resistance Selection = <1K?
- Resistance = 500 ?
- Power Rating = .50 W

View all Features











Live Product Chat

# **Quick Links**

Check Pricing & Availability Search for Tooling **Product Feature Selector** Contact Us About This Product

### **Documentation & Additional Information**

#### **Product Drawings:**

None Available

# Catalog Pages/Data Sheets:

• Professional Trimmers - Type 4290 Series - Tyco Elec... (PDF, English)

# **Product Specifications:**

None Available

# **Application Specifications:**

None Available

# **Instruction Sheets:**

None Available

### **CAD Files:**

None Available

### **Additional Information:**

• Product Line Information

### **Related Products:**

Tooling

List all Documents

### Product Features (Please use the Product Drawing for all design activity)

# **Product Type Features:**

- Product Type = Variable Resistor
- Resistor Type = Trimmer
- Resistance (?) = 500
- <u>Element</u> = Cermet
- <u>Sealed</u> = Yes
- <u>Mount Angle</u> = Vertical
- <u>Termination Type</u> = PCB Terminations
- Comment = Low Profile

# **Electrical Characteristics:**

- Resistance Selection (?) = <1K
- Power Rating (W) = 0.50
- Tolerance (%) = 10

### **Termination Related Features:**

• <u>Termination Post Orientation</u> = 5.0 x 2.5

### **Body Related Features:**

- <u>Series</u> = 4290
- Package, Component Size = 10

### **Configuration Related Features:**

- <u>Sections</u> = Single
- Adjustment Location = Side
- Adjustment Style = Screwdriver Slot
- Operating Function = Multi Turn

# **Industry Standards:**

- RoHS/ELV Compliance = RoHS compliant, ELV compliant
- <u>Lead Free Solder Processes</u> = Wave solder capable to 240?C, Wave solder capable to 260?C, Wave solder capable to 265?C
- RoHS/ELV Compliance History = Converted to comply with RoHS directive

# **Conditions for Usage:**

• Temperature Coefficient (ppm/?C) = 100

### Other:

• Brand = Citec