

UNSCREENED



✓ Active

TE CONNECTIVITY (TE) 209M308-62J

Raychem | Unscreened Boot Backshells

209M308-62J

TE Internal Number: CB5464-000

EU RoHS Compliant EU ELV Compliant

Adapter Angle Straight

Cable Diameter Range 4.5 – 8.7 mm [.18 – .34 in]

Material Stainless Steel



PRODUCT DRAWING

English



♣ 3D PDF

DOCUMENTATION

Product Drawings

Heat Shrink Boot Backshell

PDF

English

CAD Files

3D PDF

PDF

3D

Customer View Model

2D DXF.ZIP

English

Customer View Model

3D_IGS.ZIP

English

3D_STP.ZIP
English English
Catalan Barras/Data Shaata
Catalog Pages/Data Sheets
5-1654025-5_sec6_Adapters PDF
English
Product Specifications
Product Specification
General Harness Repair Manual
PDF
English Control of the Control of th
General Information Package For Solid, Spin Coupling And Shielded Adapters PDF
English
Adapter Finish Specifications
PDF
English Control of the Control of th
FEATURES +
<u> </u>
Please review product documents or contact us for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.
riease Note. Ose the Froduct Drawing for all design activity.
Product Type Features
Adapter Angle Straight
Body Features
Body Features Material Stainless Steel
Material Stainless Steel
Material Stainless Steel Dimensions
Material Stainless Steel Dimensions
Material Stainless Steel Dimensions Cable Diameter Range 4.5 – 8.7 mm [.18 – .34 in]
Material Stainless Steel Dimensions Cable Diameter Range 4.5 − 8.7 mm [.18 − .34 in] Other Comment For Specific shell size information, refer to Harnware™ or Catalog.
Material Stainless Steel Dimensions Cable Diameter Range 4.5 − 8.7 mm [.18 − .34 in] Other Comment For Specific shell size information, refer to Harnware™ or Catalog. Statement of Compliance
Material Stainless Steel Dimensions Cable Diameter Range 4.5 − 8.7 mm [.18 − .34 in] Other Comment For Specific shell size information, refer to Harnware™ or Catalog.