


## **CABLE BRAIDS**



✓ Active

TE CONNECTIVITY (TE)
LWB-101-3.0(50)

LWB-101-3.0(50)

TE Internal Number: EG3235-000

EU RoHS Compliant
EU ELV Compliant

Product Type Braid

Plating Tin

Braid Material Copper Alloy

Braid Coverage (%) 90 (Min)



## **DOCUMENTATION**

**Product Drawings** 

## **INSTALITE LIGHTWEIGHT SCREENING BRAID**

PDF

**English** 

## **FEATURES**



Please review product documents or contact us for the latest agency approval information.

Please Note: Use the Product Drawing for all design activity.

**Product Type Features** 

**Product Type** Braid

**Electrical Characteristics** 

DC Resistance (Nominal) (mΩ) 28
Body Features
Plating Tin
Braid Material Copper Alloy
Dimensions
<b>Cable Entry Diameter</b> 3 – 4.5 mm [ .118 – .177 in ]
Length (ft) 164.04
Length (m) 50 Weight (Nominal) (kg/km) 8.5
Weight (Normal) (kg/km/ 0.5
Usage Conditions
Operating Temperature Range (°C) -65 – 150
Packaging Features
Packaging Quantity 50
Packaging Method Reel
Other
Braid Coverage (%) 90 (Min)
Statement of Compliance
Statement of Compliance
PDF