1445693-1 ✓ ACTIVE

AMP


TE Internal #: 1445693-1

Rack & Panel Contacts, Socket, 8 Shell Size, Quadrax, Length 33.83 mm [1.331 in], Gold, Cable-to-Panel, Sealable, Wire & Cable, Signal

View on TE.com >



Connectors > PCB Connectors > Backplane Connectors > Rack & Panel Backplane > Rack & Panel Contacts



Contact Type: Socket

Rack & Panel Connector Contact Size: 8

Rack & Panel Connector Contact Style: Quadrax

Contact Length: 33.83 mm [1.331 in]

Contact Mating Area Plating Material: Gold

Features

Product Type Features

Connector System	Cable-to-Panel
Sealable	Yes
Connector & Contact Terminates To	Wire & Cable

Electrical Characteristics

Impedance	100 Ω	
-----------	-------	--

Body Features

Contact Removal Style	Rear Release/Rear Remove

Contact Features

Contact Orientation	Straight
Crimp Type	Hex
Contact Base Material	Copper
Contact Type	Socket
Rack & Panel Connector Contact Size	8
Rack & Panel Connector Contact Style	Quadrax
Contact Length	33.83 mm[1.331 in]
Contact Mating Area Plating Material	Gold
Contact Current Rating (Max)	1 A

Termination Features



Termination Method to Wire & Cable	Crimp
Mechanical Attachment	
Contact Retention Type Within Housing	Retention Clip
Dimensions	
Wire Size	24 AWG
Usage Conditions	
Operating Temperature Range	-65 – 125 °C[-85 – 257 °F]
Operation/Application	
Circuit Application	Signal
Identification Marking	
Contact Color Code	None
Packaging Features	
Packaging Method	Package

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JAN 2022 (223) SVHC > Threshold: Pb (3.7% in Component Part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products



will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 1976593-6 TOOLS, INS, GB & GA QUADRAX

TE Part # 1976923-1 KIT, JAW (GB SOCKET)

Documents

Product Drawings

SOCKET CONTACT, QUADRAX, SZ8, RR

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1445693-1_M.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1445693-1_M.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1445693-1_M.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

DEUTSCH MIL-DTL-38999 CIRCULAR CONNECTORS

English

Product Specifications

Application Specification

English

Application Specification

English

Rack & Panel Contacts, Socket, 8 Shell Size, Quadrax, Length 33.83 mm [1.331 in], Gold, Cable-to-Panel, Sealable, Wire & Cable, Signal



Product Environmental Compliance

TE Material Declaration

English