1546051-1 ~ ACTIVE

Buchanan

TE Internal #: 1546051-1 Terminal Block & Strip Mounting & Retention Accessories, Polarization Key, Length .263 in [6.7 mm], Wire-to-Board, Printed Circuit Board

View on TE.com >



Connectors > Terminal Blocks & Strips > Terminal Block & Strip Accessories > Terminal Block & Strip Mounting & Retention Accessories



Mounting & Retention Accessory Type: Polarization Key

Product Length: 6.7 mm [.263 in]

Connector System: Wire-to-Board

Connector & Contact Terminates To: Printed Circuit Board

Operating Temperature Range: 0-110°C[0-230°F]

Features

Product Type Features

Connector System

Connector & Contact Terminates To

Wire-to-Board

Printed Circuit Board

Body Features

Plastic & Resin Material Type	Polyamide
Primary Product Color	Red
Mounting & Retention Accessory Type	Polarization Key
Dimensions	
Product Length	6.7 mm[.263 in]
Usage Conditions	
Operating Temperature Range	0-110 °C[0-230 °F]
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022

1546051-1

Terminal Block & Strip Mounting & Retention Accessories, Polarization Key, Length . 263 in [6.7 mm], Wire-to-Board, Printed Circuit Board



Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Halogen Content

Solder Process Capability

Wave solder capable to 265°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Documents

Product Drawings PLZN.KEY,TERMI-BLOK HDR

English

CAD Files

3D PDF

3D

Customer View Model ENG_CVM_CVM_1546051-1_O.2d_dxf.zip English Customer View Model ENG_CVM_CVM_1546051-1_O.3d_igs.zip English Customer View Model

C For support call+1 800 522 6752

1546051-1

Terminal Block & Strip Mounting & Retention Accessories, Polarization Key, Length . 263 in [6.7 mm], Wire-to-Board, Printed Circuit Board



ENG_CVM_CVM_1546051-1_O.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

BUCHANAN TERMINAL BLOCKS CATALOG - EUROSTYLE TERMINAL BLOCKS

English

1-1773458-1_EURO_STYLE_TERMINAL_BLOCKS_QRG

English

Product Specifications Application Specification

English