

Citec | Citec TW TE Internal #: 1676979-7 Potentiometers, 1 W, Terminates To Wire, Panel, 23.5 x 22.6 mm, 10 %, 2.5K Ω, Plain, 1 Turns, Single, Side, Spindle, 6.35 x 25 mm Shaft Size, Citec TW

View on TE.com >

Passive Components > Resistors > Potentiometers



Power Rating: 1 W
Product Terminates To: Wire
Product Mount Type: Panel
Passive Component Dimensions: 23.5 x 22.6 mm
Passive Component Tolerance: 10 %

Features

Product Type Features

Element Type	Wire Wound
Sealing Option	Not Sealed
Rotary Turn Type	Single Turn



Configuration Features

Number of Turns	1
Sections	Single
Adjustment Location	Side
Adjustment Method	Spindle
Electrical Characteristics	
Power Rating	1 W
Passive Component Tolerance	10 %
Resistance Value	2.5ΚΩ
Resistance Class	$1k\Omega - 1M\Omega$
Body Features	
Shaft Style	Plain
Product Orientation	Right Angle
Termination Features	
Product Terminates To	Wire

TW1252KA

Potentiometers, 1 W, Terminates To Wire, Panel, 23.5 x 22.6 mm, 10 %, 2.5K Ω , Plain, 1 Turns, Single, Side, Spindle, 6.35 x 25 mm Shaft Size, Citec TW



Mechanical Attachment

Product Mount Type	Panel
Dimensions	
Passive Component Dimensions	23.5 x 22.6 mm
Shaft Size	6.35 x 25 mm
Usage Conditions	
Temperature Coefficient	±100 ppm/°C
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE

Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per

homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Hand solderable with lead free solder

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts

TW1252KA

Potentiometers, 1 W, Terminates To Wire, Panel, 23.5 x 22.6 mm, 10 %, 2.5K Ω, Plain, 1 Turns, Single, Side, Spindle, 6.35 x 25 mm Shaft Size, Citec TW







TE Part # 1-1676979-0 TW 1W 500R 6.35X25PL

Also in the Series | Citec TW

Potentiometers(11)	

Documents

Product Drawings TW 1W 2K5 6.35X25PL

English

CAD Files

3D PDF

3D

Customer View Model

C For support call+1 800 522 6752

TW1252KA

Potentiometers, 1 W, Terminates To Wire, Panel, 23.5 x 22.6 mm, 10 %, 2.5K Ω, Plain, 1 Turns, Single, Side, Spindle, 6.35 x 25 mm Shaft Size, Citec TW



ENG_CVM_CVM_1676979-7_A.2d_dxf.zip

English

Customer View Model ENG_CVM_CVM_1676979-7_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1676979-7_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Datasheets & Catalog Pages 1309350_PASSIVE_COMPONENT

English

Wirewound Spindle Operated Potentiometer Type TW Series

English