## LATTICE PRODUCTS | AMP LATTICE

TE Internal #: 176763-1

Rectangular Connector Housings, Wire-to-Wire, 28 Position, .155 in [3.96 mm] Centerline, 4 Row, Nylon, Plug, Receptacle, Wire &

Cable, AMP LATTICE

View on TE.com >



Connectors > Rectangular Connectors > Rectangular Connector Housings



Connector System: Wire-to-Wire

Number of Positions: 28

Centerline (Pitch): 3.96 mm [ .155 in ] Row-to-Row Spacing: 4.6 mm [ .181 in ]

Number of Rows: 4

#### **Features**

#### **Product Type Features**

Connector System	Wire-to-Wire
Connector & Housing Type	Plug
Sealable	No
Connector & Contact Terminates To	Wire & Cable
Product Type	Housing
Configuration Features	
Number of Positions	28
Number of Rows	4
Electrical Characteristics	
Operating Voltage	250 VAC

Color	Gray
Material	Nylon

#### **Contact Features**

**Body Features** 

Contact Type	Receptacle	
Mechanical Attachment		

Connector Mounting Type Cable Mount (Free-Hanging)



## **Housing Features**

Centerline (Pitch)	3.96 mm[.155 in]
Housing Material	Nylon
Housing Color	Gray
Dimensions	
Row-to-Row Spacing	4.6 mm[.181 in]
Length	33.5 mm
Width	21.3 mm

#### **Usage Conditions**

Operating Temperature Range	-20 - 105 °C[-4 - 221 °F]

#### **Industry Standards**

UL Flammability Rating	UL 94V-0

## **Packaging Features**

Packaging Quantity	200
Packaging Method	Bag

# **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JAN 2021 (211) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part




numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# Compatible Parts



# Also in the Series | AMP LATTICE



#### **Documents**

**Product Drawings** 

AMP LATTICE 28P PLUG HSG

English

#### **CAD Files**

**Customer View Model** 

ENG\_CVM\_176763-1\_O.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_176763-1\_O.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_176763-1\_O.3d\_stp.zip

English

3D PDF

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use



# **Product Specifications**

Crimping of AMP Lattice Contact

English

**Application Specification** 

English

**Agency Approvals** 

Agency Approval Document

English