

Alcoswitch | Alcoswitch DIP, Alcoswitch DIP Shunt

TE Internal #: 1825190-7


DIP & SIP Switches, Shunt, Tin, Black Housing, High Temperature

Nylon, 8 Switch, -30 – 85 °C, DIP, 2 A, Alcoswitch DIP

View on TE.com >



Relays, Contactors & Switches > Switches > DIP & SIP Switches



DIP & SIP Switch Product Type: Shunt

DIP & SIP Switch Contact Mating Area Plating Material: Tin

DIP & SIP Switch Housing Color: Black

DIP & SIP Switch Housing Material: High Temperature Nylon

Auto-Insertable: No

Features

Product Type Features

Product Type Features	
DIP & SIP Switch Product Type	Shunt
Sealed DIP & SIP Switch	No
DIP & SIP Switch Type	DIP
Configuration Features	
Number of Positions	8
Number of Switches	8
Configuration (Pole-Throw)	Single Pole - Single Throw
Electrical Characteristics	
DIP & SIP Switch Voltage Rating	500 VDC
Contact Features	
Solder Tail Contact Plating	Tin
Shunt Type	DIP
DIP & SIP Switch Contact Mating Area Plating Material	Tin
Auto-Insertable	No



DIP & SIP Switch Contact Current Rating	2 A
Contact Base Material	Copper Alloy
Termination Features	
Termination Post Length	3.8 mm[.15 in]
Mechanical Attachment	
Mounting Angle	Right Angle
DIP & SIP Switch Mounting Type	Through Hole
Housing Features	
DIP & SIP Switch Housing Color	Black
DIP & SIP Switch Housing Material	High Temperature Nylon
DIP & SIP Switch Centerline	2.54 mm[.1 in]
Dimensions	
Length	20.32 mm[.799 in]
Height	2 mm[.079 in]
Usage Conditions	
Operating Temperature Range	-30 – 85 °C
Industry Standards	
UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Method	Tube
Packaging Quantity	25

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC



Free

Solder Process Capability

Wave solder capable to 265°C


Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


Compatible Parts



Also in the Series | Alcoswitch DIP







Also in the Series | Alcoswitch DIP Shunt





Documents

Product Drawings

DIP Shunt,8 pos

English

CAD Files

Customer View Model

ENG_CVM_CVM_1825190-7_C1.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1825190-7_C1.3d_stp.zip

English

Customer View Model

ENG_CVM_CVM_1825190-7_C1.2d_dxf.zip

English

3D PDF

3D

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

SWITCHES_CORE_PROGRAM_CATALOG

English

AMPMODU_INTERCONNECTION_SYSTEM_SECTION_6_7AND8

English

Product Specifications

Application Specification

English

Product Environmental Compliance

TE Material Declaration

English