CROWN CLIP Junior

TE Internal #: 1982995-1

Busbar Connectors, Board-to-Bus Bar, 2 Position, Bus Bar / Printed Circuit Board, Thermoplastic, Black, Mating Alignment, CROWN

CLIP Junior

View on TE.com >





Connectors > Power Connectors > Power Busbar Connectors > Busbar Connectors











Connector System: Board-to-Bus Bar

Number of Positions: 2

Sealable: No

Connector & Contact Terminates To: Bus Bar, Printed Circuit Board

Mating Conductor Thickness: 3 mm [.118 in]

Features

Product Type Features

| Product Type | Connector |
|-----------------------------------|--------------------------------|
| Connector System | Board-to-Bus Bar |
| Sealable | No |
| Connector & Contact Terminates To | Bus Bar, Printed Circuit Board |
| Connector & Housing Type | Receptacle |
| Configuration Features | |
| Number of Positions | 2 |
| PCB Mount Orientation | Right Angle |
| Mating & Unmating Configuration | Hot Pluggable |
| Electrical Characteristics | |
| Operating Voltage | 600 VAC |
| Operating Voltage Reference | DC |

Tin

Bus Bar Contact Plating Material

Body Features



| Contact Features | |
|---|----------------------------------|
| Contact Transmits (Typical) | Power |
| Underplate Material Thickness | 1.27 μm[50 μin] |
| Contact Design | Multiple Contact Band/CROWN BAND |
| Contact Plating Thickness | 3 μm[118 μin] |
| Contact Underplating Material | Nickel |
| Contact Base Material | Copper Alloy |
| Contact Current Rating (Max) | 170 A |
| Contact Length | 31.4 mm[.123 in] |
| Bus Bar Contact Style | Socket |
| ermination Features | |
| Termination Method to Printed Circuit Board | Through Hole - Screw |
| Mechanical Attachment | |
| Mating Alignment Type | Blindmate |
| Mating Alignment | With |
| Bus Bar Connector Mounting Retention | With |
| PCB Mount Retention Type | Mounting Ears, Mounting Hole |
| Connector Mounting Type | Board Mount |
| Housing Features | |
| Housing Material | Thermoplastic |
| Housing Color | Black |
| Dimensions | |
| Height | 24.27 mm[.956 in] |
| PCB Thickness (Recommended) | 1 – 5 mm[.039 – .197 in] |
| Length | 31.4 mm |
| Width | 24 mm[.945 in] |
| Jsage Conditions | |
| Operating Temperature Range | -55 – 105 °C[-67 – 221 °F] |
| Operation/Application | |
| | |



| Agency/Standard | UL |
|----------------------------|-----------------------------|
| Packaging Features | |
| Packaging Method | Box & Carton, Box & Tray |
| Other | |
| Comment | Right Angle Mounting Flange |
| Mating Conductor Thickness | 3 mm[.118 in] |

Product Compliance

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU | Compliant |
|---|---|
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC |
| Halogen Content | Not Low Halogen - contains Br or Cl > 900 ppm. |
| Solder Process Capability | Not applicable for solder process capability |

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts





Also in the Series | CROWN CLIP Junior



Documents

Product Drawings

CROWN CLIP JUNIOR SCREW-MOUNT CONN

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1982995-1_A4.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1982995-1_A4.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1982995-1_A4.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

POWER_CONNECTORS_CATALOG_SEC05_BUSBAR

English

Busbar Power Brochure

English

CROWN CLIP JUNIOR Direct Power Connection for Bus Bars Catalog 1654261-8

Busbar Connectors, Board-to-Bus Bar, 2 Position, Bus Bar / Printed Circuit Board, Thermoplastic, Black, Mating Alignment, CROWN CLIP Junior



English

Product Specifications

Application Specification

English

Product Environmental Compliance

MD_1982995-1_11262013735_dmtec

English

MD_1982995-1_11262013735_dmtec

English

Agency Approvals

UL Report

English