## 1SNK900652R0000 - ACTIVE


#### ENTRELEC | ENTRELEC SNK

TE Internal #: 1SNK900652R0000 Terminal Block & Strip Conducting Accessories, Short Circuit Bridge, 2 Pole, Yellow, Product Spacing .315 in [8 mm], ENTRELEC SNK

#### View on TE.com >



Connectors > Terminal Blocks & Strips > Terminal Block & Strip Accessories > Terminal Block & Strip Conducting Accessories



Conducting Accessory Type: Short Circuit Bridge

Number of Poles: 2

Primary Product Color: Yellow

Product Spacing: 8 mm [.315 in ]

Contact Current Rating (Max): 5 A

## Features

### Product Type Features

Conducting Accessory Type	Short Circuit Bridge	
Configuration Features		
Number of Poles	2	
Electrical Characteristics		
Current Rating (IEC)	5 A	
Body Features		
Plastic & Resin Material Type	Polyamide	
Product Weight	2 g[.071 oz]	
Primary Product Color	Yellow	
Contact Features		
Contact Current Rating (Max)	5 A	
Mechanical Attachment		
DIN Rail Mounting Type	G32, TH15-5.5, TH35-15, TH35-7.5	

#### 1SNK900652R0000

Terminal Block & Strip Conducting Accessories, Short Circuit Bridge, 2 Pole, Yellow, Product Spacing .315 in [8 mm], ENTRELEC SNK



#### Dimensions

Tool Size	3.5 mm[.138 in]
Product Depth	13.9 mm[.547 in]
Product Width	8 mm[.315 in]
Product Height	24.6 mm[.968 in]
Product Spacing	8 mm[.315 in]
Usage Conditions	
Storage Temperature Range	-55 – 110 °C[-67 – 230 °F]
Installation Temperature Range	-5-40 °C[23-104 °F]
Operating Temperature Range	-55 – 110 °C[-67 – 230 °F]
Industry Standards	
IP Rating	IP20

### Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant

China RoHS 2 Directive MILL Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

### 1SNK900652R0000

Terminal Block & Strip Conducting Accessories, Short Circuit Bridge, 2 Pole, Yellow, Product Spacing .315 in [8 mm], ENTRELEC SNK



# **Compatible Parts**



TE Part # 1SNK508011R0000 ZS10-R1



TE Part # 1SNK508151R0000 ZS10-PE-R1



TE Part # 1SNK508310R0000 ZS10-ST



TE Part # 1SNA115914R0700 D6/8.ST.RS



TE Part # 1SNK508311R0000 ZS10-ST-T4



TE Part # 1SNA115831R0400 D6/8.ST1.RS.IP20

# Also in the Series | ENTRELEC SNK







and a s	1 ~	1
Modular Terminal Blocks(318)	Terminal Block & Strip Conducting Accessories(67)	Terminal Block & Strip Insulating Accessories(30)

## Documents

CAD Files

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_1SNK900652R0000\_D.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_1SNK900652R0000\_D.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_1SNK900652R0000\_D.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

### 1SNK900652R0000

Terminal Block & Strip Conducting Accessories, Short Circuit Bridge, 2 Pole, Yellow, Product Spacing .315 in [8 mm], ENTRELEC SNK



Datasheets & Catalog Pages Catalogue - ENTRELEC terminal-blocks-sna-series English ENTRELEC Terminal Block - Master Catalog English SC-JB8-2 English SNK SERIES TERMINAL BLOCKS English