
# 1-1474612-2 - ACTIVE

TE Internal #: 1-1474612-2 Board-to-Board Jumpers & Shunts, Board-to-Board, 24 Position, .1 in [2.54 mm] Centerline, Printed Circuit Board, Power & Signal, Board Mount

#### View on TE.com >



Connectors > PCB Connectors > Board-to-Board Connectors > Board-to-Board Jumpers & Shunts



Connector System: Board-to-Board

Number of Positions: 24

Centerline (Pitch): 2.54 mm [.1 in]

Connector & Contact Terminates To: Printed Circuit Board

Contact Current Rating (Max): 3A

# Features

## Product Type Features

	11/01/2022 02./
Circuit Application	Power & Signal
Operation/Application	
Operating Temperature Range	-40 – 150 °C[-40 – 302 °F]
Usage Conditions	
Centerline (Pitch)	2.54 mm[.1 in]
Housing Features	
Connector Mounting Type	Board Mount
Mechanical Attachment	
Contact Current Rating (Max)	3 A
Contact Features	
Number of Positions	24
Configuration Features	
Connector & Contact Terminates To	Printed Circuit Board
Connector System	Board-to-Board

**C** For support call+1 800 522 6752

11/01/2022 02:49PM | Page 1

# 1-1474612-2

Board-to-Board Jumpers & Shunts, Board-to-Board, 24 Position, .1 in [2.54 mm] Centerline, Printed Circuit Board, Power & Signal, Board Mount



### **Industry Standards**

UL Rating	Recognized
UL Flammability Rating	UL 94V-0

# **Product Compliance**

#### For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge

based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**



# Documents

**C** For support call+1 800 522 6752

# 1-1474612-2

Board-to-Board Jumpers & Shunts, Board-to-Board, 24 Position, .1 in [2.54 mm] Centerline, Printed Circuit Board, Power & Signal, Board Mount



Product Drawings FSK-23Z-24

English

Product Specifications
Product Specification

English