1-1703100-1 <

RAST | RAST 5 IDC Connectors, RAST 5D

TE Internal #: 1-1703100-1 Housing, Receptacle, Wire-to-Board, 4 Position, 5 mm [.197 in] Centerline, Insulation Displacement (IDC), 1 Row, Natural, RAST 5 IDC Connectors

View on TE.com >

Connectors > PCB Connectors > Wire-to-Board Connectors > Wire-to-Board Connector Assemblies & Housings



Connector Product Type: Housing Connector & Housing Type: Receptacle Connector System: Wire-to-Board Number of Positions: 4

Centerline (Pitch): 5 mm [.197 in]

Features



Product Type Features

Connector Product Type	Housing				
Connector & Housing Type	Receptacle				
Connector System	Wire-to-Board				
Sealable	No				
Connector & Contact Terminates To	Wire & Cable				
Configuration Features					
Keying & Polarized Rib Location	1 + 2, 4				
Number of Positions	4				
Number of Rows	1				
Termination Features					
Termination Method to Wire & Cable	Insulation Displacement (IDC)				
Mechanical Attachment					
Locking Latch Between Cavity Number	1 + 2				
Mating Retention	Without				

Housing, Receptacle, Wire-to-Board, 4 Position, 5 mm [.197 in] Centerline, Insulation Displacement (IDC), 1 Row, Natural, RAST 5 IDC Connectors



Board Mount					
Housing Features					
PA 6					
5 mm[.197 in]					
Natural					
Usage Conditions					
-40 – 105 °C[-40 – 221 °F]					
Operation/Application					
Power & Signal					
Industry Standards					
UL 94V-2					
Packaging Features					
2000					

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Colder Dropped Conceluity	Not reviewed for colder process concluits.

Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent to these limits for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits

Housing, Receptacle, Wire-to-Board, 4 Position, 5 mm [.197 in] Centerline, Insulation Displacement (IDC), 1 Row, Natural, RAST 5 IDC Connectors




as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

Compatible Parts



Housing, Receptacle, Wire-to-Board, 4 Position, 5 mm [.197 in] Centerline, Insulation Displacement (IDC), 1 Row, Natural, RAST 5 IDC Connectors






Also in the Series | RAST 5 IDC Connectors




PCB Headers & Receptacles(424)	Rectangular Connector Housings(1)	Standard Edge Connectors(47)	Standard Rectangular Connectors(112)




Also in the Series | RAST 5D

Housing, Receptacle, Wire-to-Board, 4 Position, 5 mm [.197 in] Centerline, Insulation Displacement (IDC), 1 Row, Natural, RAST 5 IDC Connectors







Documents

Product Drawings 4POS MT - EDGE HOUSING

English

CAD Files 3D PDF

3D

Customer View Model

ENG_CVM_CVM_1-1703100-1_B.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1-1703100-1_B.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-1703100-1_B.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Environmental Compliance

Product Compliance

English

Product Compliance

English

Agency Approvals

UL Report

English

C For support call+1 800 522 6752

Housing, Receptacle, Wire-to-Board, 4 Position, 5 mm [.197 in] Centerline, Insulation Displacement (IDC), 1 Row, Natural, RAST 5 IDC Connectors

