


Power Triple Lock TE Internal #: 1-1971876-7 Rectangular Power Connectors, Housing, Plug, Wire-to-Wire, 15 Position, 6 mm [.236 in] Centerline, Wire & Cable, UL 94V-0, Power Triple Lock

View on TE.com >



Connectors > Power Connectors > Rectangular Power > Rectangular Power Connectors > POWER TRIPLE LOCK Plug, Standard Temperature





Rectangular Power Connector Type: Housing

Connector & Housing Type: Plug

Connector System: Wire-to-Wire

Number of Positions: 15

Centerline (Pitch): 6 mm [.236 in]

All POWER TRIPLE LOCK Plug, Standard Temperature (48)

Features

Product Type Features

Rectangular Power Connector Type	Housing			
Connector & Housing Type	Plug			
Connector System	Wire-to-Wire			
Sealable	No			
Connector & Contact Terminates To	Wire & Cable			
Configuration Features				
Number of Positions	15			
Keying	A			
Number of Power Positions	15			
Number of Rows	3			
Electrical Characteristics				
Operating Voltage	600 VDC			

Rectangular Power Connectors, Housing, Plug, Wire-to-Wire, 15 Position, 6 mm [.236 in] Centerline, Wire & Cable, UL 94V-0, Power Triple Lock



Contact Features

Contact Layout	Matrix					
Contact Retention Within Housing	Without					
Contact Type	Receptacle					
Termination Features						
Termination Method to Wire & Cable	Crimp					
Mechanical Attachment						
Panel Mount Feature	Without					
Connector Mounting Type	Cable Mount (Free-Hanging)					
Housing Features						
Centerline (Pitch)	6 mm[.236 in]					
Housing Color	Natural					
Housing Material	PBT GF					
Cable Exit Angle	Straight					
Dimensions						
Row-to-Row Spacing	8.1 mm[.319 in]					

Usage Conditions

Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]		
Operation/Application			
Circuit Application	Power		
Identification Marking			
Circuit Identification Feature	With		
Industry Standards			
UL Flammability Rating	UL 94V-0		
Glow Wire Rating	Standard Part - Not Glow Wire		
UL Rating	Recognized		
UL Rating	Recognized		
UL Rating Agency/Standard Number	Recognized E28476		
UL Rating Agency/Standard Number Agency/Standard	Recognized E28476		
UL Rating Agency/Standard Number Agency/Standard Packaging Features	Recognized E28476 UL		

C For support call+1 800 522 6752

Rectangular Power Connectors, Housing, Plug, Wire-to-Wire, 15 Position, 6 mm [.236 in] Centerline, Wire & Cable, UL 94V-0, Power Triple Lock



For Use With

CPA, Cap Housing, Receptacle (Socket) Contact, TPA

Product Compliance


For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts




Rectangular Power Connectors, Housing, Plug, Wire-to-Wire, 15 Position, 6 mm [.236 in] Centerline, Wire & Cable, UL 94V-0, Power Triple Lock







Also in the Series | Power Triple Lock



nsertion & Extraction Tools(1)	Power Contacts(28)	Rectangular Connector Locking(12)	Rectangular Power Connectors(299)

Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1-1971876-7_E.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1-1971876-7_E.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-1971876-7_E.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

1-1773734-9 TE Power Triple Lock Quick Reference Guide - German

Rectangular Power Connectors, Housing, Plug, Wire-to-Wire, 15 Position, 6 mm [.236 in] Centerline, Wire & Cable, UL 94V-0, Power Triple Lock



German

9-1773465-1Power Triple Lock QRG

English

Product Specifications

Application Specification

English

Product Environmental Compliance

Product Compliance

English

Product Compliance

English