# 1-2029097-2 ACTIVE

#### VAL-U-LOK

TE Internal #: 1-2029097-2

Rectangular Power Connectors, Housing, Receptacle, Wire-to-Wire, 12 Position, 4.2 mm [.165 in] Centerline, Wire & Cable, UL 94V-2

View on TE.com >



Connectors > Power Connectors > Rectangular Power > Rectangular Power Connectors











Rectangular Power Connector Type: Housing

Connector & Housing Type: Receptacle

Connector System: Wire-to-Wire

Number of Positions: 12

Centerline (Pitch): 4.2 mm [ .165 in ]

### **Features**

# Product Type Features

Rectangular Power Connector Type	Housing
Connector & Housing Type	Receptacle
Connector System	Wire-to-Wire
Sealable	No
Connector & Contact Terminates To	Wire & Cable

# **Configuration Features**

Number of Positions	12
Number of Rows	1

#### **Electrical Characteristics**

Operating Voltage	600 VAC	

# **Contact Features**

Contact Retention Within Housing	Without
Contact Type	Receptacle

#### **Termination Features**



Termination Method to Wire & Cable	Crimp
Mechanical Attachment	
Connector Mounting Type	Panel Mount
Housing Features	
Centerline (Pitch)	4.2 mm[.165 in]
Housing Color	Blue
Housing Material	Nylon
Dimensions	
Height	11.8 mm[.464 in]
Length	26.4 mm[1.039 in]
Width	20 mm[.787 in]
Usage Conditions	
Operating Temperature Range	-40 – 105 °C[-40 – 221 °F]
Operation/Application	
Circuit Application	Power & Signal
Industry Standards	
UL Flammability Rating	UL 94V-2
Glow Wire Rating	Standard Part - Not Glow Wire
UL Rating	Recognized
Agency/Standard Number	E28476
CSA File Number	208567
Agency/Standard	CSA, UL
Packaging Features	
Packaging Method	Bag
Packaging Quantity	500

# **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	



Current ECHA Candidate List: JUNE 2022

(224)

Candidate List Declared Against: JAN 2018

(181)

SVHC > Threshold: Not Yet Reviewed

Halogen Content Low Halogen - Br, Cl, F, I < 900 ppm per

homogenous material. Also BFR/CFR/PVC

Free

Solder Process Capability

Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

# **Compatible Parts**













TE Part # 1-2029027-2 12P PLUG VAL-U-LOK FH V2 BLK

TE Part # 1-2029088-2 12P PLUG VAL-U-LOK V2 PM BLK



TE Part # 1-2029089-2 12P PLUG VAL-U-LOK V2 PM RED TE Part # 1-2029090-2 12P PLUG VAL-U-LOK V2 FH RED TE Part # 1-2029095-2 12P PLUG VAL-U-LOK V2 PM BLUE

# **Documents**

### **Product Drawings**

12P RCPT VAL-U-LOK V2 BLUE

English

**CAD Files** 

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_1-2029097-2\_B\_c-1-2029097-2-b.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1-2029097-2\_B\_c-1-2029097-2-b.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1-2029097-2\_B\_c-1-2029097-2-b.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

# **Product Specifications**

**Application Specification** 

English