2102351-4 - ACTIVE

CeeLok FAS-T | CeeLok FAS-T Connector, CeeLok FAS-T Nano Connector

TE Internal #: 2102351-4 Standard Circular Connectors, Wire-to-Board, 8 Position, Black Zinc Nickel, A Polarization Code, Size 8, Contacts Preloaded, CeeLok FAS-T Connector

View on TE.com >



Connectors > Circular Connectors > Standard Circular Connectors



Connector System: Wire-to-Board Number of Positions: 8 Shell Plating Material: Black Zinc Nickel Polarization Code: A Circular Connector Shell Size: 8

Features

Product Type Features

Product Type	Connector
Connector System	Wire-to-Board
Circular Connector Type	Receptacle
Configuration Features	
Number of Positions	8
Contacts Preloaded	Yes
Signal Characteristics	
Data Rate	10 Gb/s
Body Features	
Shell Plating Material	Black Zinc Nickel
Mechanical Attachment	
Polarization Code	A
Housing Features	
Circular Connector Shell Size	8
Packaging Features	
Packaging Quantity	1

2102351-4

Standard Circular Connectors, Wire-to-Board, 8 Position, Black Zinc Nickel, A Polarization Code, Size 8, Contacts Preloaded, CeeLok FAS-T Connector



Product Compliance


For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JAN 2022 (223) SVHC > Threshold: Pb (4% in Contact/Component) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Wave solder capable to 260°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

Also in the Series CeeLok FAS-T Connector



Also in the Series | CeeLok FAS-T Nano Connector


C For support call+1 800 522 6752

10/31/2022 10:20AM | Page 2

2102351-4

Standard Circular Connectors, Wire-to-Board, 8 Position, Black Zinc Nickel, A Polarization Code, Size 8, Contacts Preloaded, CeeLok FAS-T Connector





Documents

Product Drawings CeeLok FAS-T, Recept, Kit, PCB,ZnNi,A

English

CAD Files

3D PDF

3D

Customer View Model ENG_CVM_CVM_2102351-4_E.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2102351-4_E.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2102351-4_E.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

CeeLok FAS-T Connectors, Cable Assemblies, and Associated Products Brochure

English

CeeLok FAS-T Nano Circular Connector

English

Product Specifications

Application Specification

English

Instruction Sheets Instruction Sheet (U.S.)

English