2102768-1 - ACTIVE

MULTIGIG RT | MULTIGIG RT 2-R

TE Internal #: 2102768-1 High Speed Backplane Connectors, Board-to-Board, 144 Position, Mating Alignment, 9 Row, 16 Column, PCB Mount Receptacle, MULTIGIG RT 2-R

View on TE.com >



Connectors > PCB Connectors > Backplane Connectors > High Speed Connectors



Connector System: Board-to-Board Number of Positions: 144 Row-to-Row Spacing: 1.8 mm [.07 in] Mating Alignment: With

Number of Rows: 9

Features

Product Type Features

Applied to Printed Circuit Board Type

Connector System

Backplane

Board-to-Board

PCB Connector Assembly Type	PCB Mount Receptacle
Shroud Style	Unshrouded
Connector & Contact Terminates To	Printed Circuit Board
Configuration Features	
Number of Positions	144
Number of Rows	9
Number of Columns	16
Backplane Architecture	Traditional Backplane
PCB Mount Orientation	Vertical
Guide Location	Center
Contact Features	
Contact Current Rating (Max)	1.5 A
Mechanical Attachment	
Mechanical Attachment Mating Alignment	With

2102768-1

High Speed Backplane Connectors, Board-to-Board, 144 Position, Mating Alignment, 9 Row, 16 Column, PCB Mount Receptacle, MULTIGIG RT 2-R



Housing Features

Number of Shrouded Sides	0
Centerline (Pitch)	1.8 mm[.07 in]
Dimensions	
Row-to-Row Spacing	1.8 mm[.07 in]
Usage Conditions	
Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]
Operation/Application	
Circuit Application	Power & Signal
Product Compliance	
For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE

2022 (224)

SVHC > Threshold:

Pb (13% in Component Part)

Article Safe Usage Statements:

Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Halogen Content

Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


2102768-1

High Speed Backplane Connectors, Board-to-Board, 144 Position, Mating Alignment, 9 Row, 16 Column, PCB Mount Receptacle, MULTIGIG RT 2-R





Also in the Series | MULTIGIG RT 2-R



Documents

Product Drawings BP, Center, RTM, MULTIGIG RT 2R

English

CAD Files 3D PDF

3D

Customer View Model

ENG_CVM_CVM_2102768-1_C_c-2102768-1-c.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2102768-1_C_c-2102768-1-c.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2102768-1_C_c-2102768-1-c.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages MULTIGIG RT 2-R Ruggedized Connectors

English

Product Specifications Product Specification

C For support call+1 800 522 6752

2102768-1

High Speed Backplane Connectors, Board-to-Board, 144 Position, Mating Alignment, 9 Row, 16 Column, PCB Mount Receptacle, MULTIGIG RT 2-R



English