
2267075-2 - ACTIVE

TE Internal #: 2267075-2 Push Button Switches, Single Pole - Single Throw Configuration (Pole-Throw), Switch, Single Actuator, Extended Actuator Profile, Unthreaded, Off [On]

View on TE.com >



Relays, Contactors & Switches > Switches > Push Button Switches



Configuration (Pole-Throw): Single Pole - Single Throw

Push Button Switch Product Type: Switch

Number of Actuators: Single

Actuator Profile: Extended

Bushing Style: Unthreaded

Features

Product Type Features

Dust Proof	No
Push Button Switch Product Type	Switch
Illuminated	No
Actuator Style	Round
Configuration Features	
ESD Grounding Terminal	Without
Ganged	No
Configuration (Pole-Throw)	Single Pole - Single Throw
	en gier eier ein gier im ein
Number of Actuators	Single
Number of Actuators Snap Action	
	Single
Snap Action	Single Without
Snap Action Support Bracket	Single Without Without

2267075-2

Push Button Switches, Single Pole - Single Throw Configuration (Pole-Throw), Switch, Single Actuator, Extended Actuator Profile, Unthreaded, Off [On]



Push Button Switch Voltage Rating	20 VDC
Body Features	
Case Material	Diallyl Phthalate (DAP)
Actuator Material	Thermoplastic Polyester
Actuator Profile	Extended
Bushing Style	Unthreaded
Actuator Color	Black
Contact Features	
Push Button Switch Contact Current Rating	.4 A
Switch Contact Plating Material	Gold
ermination Features	
Termination Type	Printed Circuit
lechanical Attachment	
Mounting Angle	Right Angle
Screw & Hole Thread Size	1/4-40
Push Button Switch Mounting Type	Through Hole

Housing Features

Low Profile	No
Process Sealed	No
Dimensions	
Actuator Length	3.94 mm[.155 in]
Usage Conditions	
Temperature Rating	Standard
Packaging Features	
Packaging Method	Loose Piece
Other	
Comment	(On) indicates momentary position.
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant with Exemptions

2267075-2

Push Button Switches, Single Pole - Single Throw Configuration (Pole-Throw), Switch, Single Actuator, Extended Actuator Profile, Unthreaded, Off [On]



EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUN 2018 (191) SVHC > Threshold: Pb (3.7% in Component Part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Wave solder capable to 260°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked.Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts



2267075-2

Push Button Switches, Single Pole - Single Throw Configuration (Pole-Throw), Switch, Single Actuator, Extended Actuator Profile, Unthreaded, Off [On]





Documents

Product Drawings PMS9P1B08M6RE

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2267075-2_A_c-2267075-2-a.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2267075-2_A_c-2267075-2-a.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2267075-2_A_c-2267075-2-a.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages Subminiature Switches

English