TE Internal #: 2293382-1

Housing, Plug, Wire-to-Board, 1 Position, 5 mm [.197 in] Centerline, Insulation Displacement (IDC), 1 Row, Natural, Wire & Cable, Power & Signal

View on TE.com >



Connectors > PCB Connectors > Wire-to-Board Connectors > Wire-to-Board Connector Assemblies & Housings











Connector Product Type: Housing
Connector & Housing Type: Plug
Connector System: Wire-to-Board

Number of Positions: 1

Centerline (Pitch): 5 mm [.197 in]

Features

Product Type Features

Connector Product Type	Housing
Connector & Housing Type	Plug
Connector System	Wire-to-Board
Sealable	No
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Number of Positions	1
Number of Rows	1

Electrical Characteristics

Operating Voltage	380 V
-------------------	-------

Contact Features

Termination Features

remination Method to wire & Cable insulation Displacement (IDC)	rmination Method to Wire & Cable Insulation Displacement (IDC)	
---	--	--



Mechanical Attachment

Mating Retention	Without
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Centerline (Pitch)	5 mm[.197 in]
Housing Color	Natural
Dimensions	
Wire Size	$.5 - 1.5 \text{ mm}^2$
Usage Conditions	
Operating Temperature Range	-25 – 105 °C[-13 – 221 °F]
Operation/Application	
Circuit Application	Power & Signal
	1 Ower & Signal
Industry Standards	Tower & Signal
Industry Standards Glow Wire Rating	GWT 750°C (Without Flame)

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous



materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts





AMP MONO-SHAPE SINGLE WAY

STICK 6X















Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2293382-1_H.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2293382-1_H.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2293382-1_H.3d_stp.zip

Housing, Plug, Wire-to-Board, 1 Position, 5 mm [.197 in] Centerline, Insulation Displacement (IDC), 1 Row, Natural, Wire & Cable, Power & Signal



English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Environmental Compliance

Product Compliance

English

Product Compliance

English

Agency Approvals

UL Report

English