KU402B1/8 - ACTIVE

Alcoswitch | Alcoswitch KU

TE Internal #: 2-1437623-2 Switch Knobs, Knob, Aluminum 56S, Serrated Diamond Trim Cut Knob Design, 3.17 mm [.125 in] Shaft Size, 9.5 mm [.374 in] Diameter, Black, Alcoswitch KU

View on TE.com >





Switch Knob Product Type: Knob Switch Knob Material: Aluminum 56S Knob Design: Serrated Diamond Trim Cut Shaft Size: 3.17 mm [.125 in] Switch Knob Diameter: 9.5 mm [.374 in]

Features



Product Type Features

Switch Knob Product Type	Knob
Configuration Features	
Skirt	With
Spinner	Without
Spin Plate	Without
Knob Design	Serrated Diamond Trim Cut
Body Features	
Switch Knob Material	Aluminum 56S
Switch Knob Color	Black
Dimensions	
Shaft Size	3.17 mm[.125 in]
Switch Knob Diameter	9.5 mm[.374 in]
Identification Marking	

C For support call+1 800 522 6752

10/31/2022 10:58AM | Page 1

KU402B1/8

Ot

Switch Knobs, Knob, Aluminum 56S, Serrated Diamond Trim Cut Knob Design, 3.17 mm [.125 in] Shaft Size, 9.5 mm [.374 in] Diameter, Black, Alcoswitch KU



Indicator Style	Dot
Indicator Location	On Skirt
Other	
Comment	Use only one set screw. Located 180° from indicator dot.

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts


KU402B1/8

Switch Knobs, Knob, Aluminum 56S, Serrated Diamond Trim Cut Knob Design, 3.17 mm [.125 in] Shaft Size, 9.5 mm [.374 in] Diameter, Black, Alcoswitch KU





Also in the Series | Alcoswitch KU



Switch Knobs(3)

Documents

CAD Files 3D PDF

3D

.

Customer View Model

ENG_CVM_CVM_2-1437623-2_99_c-2-1437623-2-99.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2-1437623-2_99_c-2-1437623-2-99.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2-1437623-2_99_c-2-1437623-2-99.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages SWITCHES_CORE_PROGRAM_CATALOG

English