

CII | CII 3SBC Relay

TE Internal #: 2-1617072-0

1/5-Size Relays, 2 Form C, DPDT, 2 C/O, 6 VDC Input, 2 A, 6 VDC


Coil Voltage, 56 Ω Coil Resistance, 643 mW Coil Power (DC), CII

3SBC Relay

View on TE.com >



Relays, Contactors & Switches > Relays > Mil-Aero Relays > 1/5-Size Relays



1/5-Size Relay Contact Arrangement: 2 Form C, DPDT, 2 C/O

1/5-Size Relay Input Voltage: 6 VDC

Coil Suppression Diode: Without

1/5-Size Relay Contact Current Rating: 2A1/5-Size Relay Coil Voltage Rating: 6 VDC

Features

Product Type Features

Enclosure Type	Hermetically Sealed
Relay Type	Military/Aerospace High Performance
Coil Latching	Without
Product Type	Relay
MOSFET Driver	Without

Configuration Features

Transistor Driver With	hout
------------------------	------

Electrical Characteristics

Actuating System	DC
Vibration	30G's, 10 – 3000Hz
Coil Magnetic System	Non-Polarized, Monostable
Shock	75G's, 6ms
Coil Power Measurement	Milliwatts
Coil Polarity Protection Diode	Without
1/5-Size Relay Input Voltage	6 VDC
Coil Suppression Diode	Without
1/5-Size Relay Coil Voltage Rating	6 VDC



1/5-Size Relay Coil Resistance	56 Ω
1/5-Size Relay Coil Power Rating (DC)	643 mW
Contact Features	
1/5-Size Relay Contact Arrangement	2 Form C, DPDT, 2 C/O
1/5-Size Relay Contact Current Rating	2 A
Termination Features	
Termination Type	PC Pins
Mechanical Attachment	
1/5-Size Relay Mounting Type	Printed Circuit Board
Usage Conditions	

-65 – 125 °C

Product Compliance

Operating Temperature Range

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Not Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not lead free process capable

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach



Compatible Parts



TE Part # 1-1617076-3 3SBH1142A2 = M39016/14-002L



TE Part # 4-1617076-3 3SBH5004K1 = RELAY



TE Part # 1-1617076-1 3SBH1139A2 = M39016/14-002M



Also in the Series | CII 3SBC Relay



Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2-1617072-0_E_c-2-1617072-0-e.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2-1617072-0_E_c-2-1617072-0-e.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2-1617072-0_E_c-2-1617072-0-e.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

5-1773450-5_sec1_3SBC

English

RELAY

English