

Alcoswitch | Alcoswitch FSMIJ

TE Internal #: 2-2213818-9

Tactile Switches, Rectangular Actuator Style, Off (On), Brass, Silver,

50 mA, Single Pole - Single Throw Configuration (Pole-Throw),

Alcoswitch FSMIJ

View on TE.com >



Relays, Contactors & Switches > Switches > Tactile Switches



Actuator Style: Rectangular

Operating Function: Off (On)

Contact Base Material: Brass

Switch Contact Plating Material: Silver

Dust Proof: No

Features

Product Type Features

| Illuminated | With |
|----------------|-------------|
| Actuator Style | Rectangular |
| Dust Proof | No |

Configuration Features

| Operating Function | Off (On) |
|----------------------------|----------------------------|
| Configuration (Pole-Throw) | Single Pole - Single Throw |
| Number of Actuators | 1 |

Body Features

| Actuator Color | Brown | |
|----------------|-------|--|

Contact Features

| Contact Base Material | Brass |
|---------------------------------------|--------|
| Switch Contact Plating Material | Silver |
| Tactile Switch Contact Current Rating | 50 mA |

Mechanical Attachment

| Tactile Switch Mounting Type | Through Hole |
|-------------------------------|--------------|
| Tactile Switch Mounting Angle | Vertical |

Housing Features



| Process Sealed | No | |
|----------------|----|--|
|----------------|----|--|

Product Compliance

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU | Compliant |
|---|--|
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUL 2019 (201) Does not contain REACH SVHC |
| Halogen Content | Not Yet Reviewed for halogen content |
| Solder Process Capability | Wave solder capable to 265°C |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts














Also in the Series | Alcoswitch FSMIJ



Documents

Product Drawings

6X6 ILL TACT THT 160GF HI SOFT ORANGE

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2-2213818-9_B.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2-2213818-9_B.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2-2213818-9_B.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

SWITCHES_CORE_PROGRAM_CATALOG

English