


### PIDG

TE Internal #: 2-328975-1 Ring Terminals & Spade Terminals, Ring Tongue, 22 AWG Wire Size, .38 mm<sup>2</sup> Wire Size, 754 CMA Wire Size, Stud Size M12, PIDG View on TE.com >



Terminals & Splices > Ring Terminals & Spade Terminals > PIDG RING TONGUE TERMINALS



Ring & Spade Terminal Type: Ring Tongue

Wire Size: 754 CMA

Stud Size: M12

All PIDG RING TONGUE TERMINALS (421)

# Features

Product Type Features

Terminal Features	Sheared					
Shape Description	RING-041					
Stud Size	M12					
Sealable	No					
Wire Insulation Support Retention Type	Insulation Restriction					
Configuration Features						
Number of Holes	1					
Terminal Angle	180 °					
Electrical Characteristics						
Voltage (Max)	300 V					
Body Features						
Inspection Slot	No					
Weight per Piece	5.307 g					
Stripe Color	Green					

Ring Terminals & Spade Terminals, Ring Tongue, 22 AWG Wire Size, .38 mm² Wire Size, 754 CMA Wire Size, Stud Size M12, PIDG



# **Contact Features**

Military Part Class	Class I					
Ring & Spade Terminal Type	Ring Tongue					
Barrel Type	Closed					
Terminal Orientation	Straight					
Terminal Plating Material	Tin					
Mechanical Attachment						
Wire Insulation Support	With					
Dimensions						
Wire Size	754 CMA					
Stud Diameter	13.08 mm[.515 in]					
Tongue Thickness	.79 mm[.031 in]					
Overall Product Length	32.84 mm[1.293 in]					
Accepts Wire Insulation Diameter (Max)	2.79 mm[.11 in]					
Accepts Wire Insulation Diameter Range	.97 – 2.79 mm[.038 – .11 in]					
Usage Conditions						

Insulation Option

# Partially Insulated

105 °C[221 °F]

# **Operation/Application**

Compatible With Wire Base Material	Copper								
Compatible With Wire Plating Material	Tin								
Heavy Duty	No								
Industry Standards									
Government Qualified	Yes								
Packaging Features									
Packaging Quantity	1000								
Packaging Method	Loose Piece								
Product Compliance									
For compliance documentation, visit the product page on TE.com>									
EU RoHS Directive 2011/65/EU	Compliant								
	Compliant								
EU ELV Directive 2000/53/EC	Compliant								

Ring Terminals & Spade Terminals, Ring Tongue, 22 AWG Wire Size, .38 mm<sup>2</sup> Wire Size, 754 CMA Wire Size, Stud Size M12, PIDG




No Restricted Materials Above Threshold China RoHS 2 Directive MIIT Order No 32, 2016 EU REACH Regulation (EC) No. 1907/2006 Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JAN 2018 (181) SVHC > Threshold: Not Yet Reviewed Halogen Content BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources. Solder Process Capability Not applicable for solder process capability

### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

# **Compatible Parts**



TE Part # 58423-1 DIE, RBY IS9252

REPRESENTATION ONLY TE Part # 525690 DAHT PG PIDG 20-18 ASSY


TE Part # 2063030-1

SDE DIESET, RBY, UL

TE Part # 47806-2 DIES PIDG 22-16 DIE SET

Ring Terminals & Spade Terminals, Ring Tongue, 22 AWG Wire Size, .38 mm<sup>2</sup> Wire Size, 754 CMA Wire Size, Stud Size M12, PIDG






# Also in the Series | PIDG



Knife Disconnects(11)	PCB Terminals(9)	Quick Disconnects(53)	Ring Terminals & Spade Terminals(861)



# Documents



Ring Terminals & Spade Terminals, Ring Tongue, 22 AWG Wire Size, .38 mm<sup>2</sup> Wire Size, 754 CMA Wire Size, Stud Size M12, PIDG



### ENG\_CVM\_CVM\_2-328975-1\_N.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_2-328975-1\_N.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2-328975-1\_N.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications Application Specification

English

Product Environmental Compliance

**TE Material Declaration** 

English

Agency Approvals CSA Certificate

English