

SOLISTRAND

TE Internal #: 321198

Splices, 26 - 22 AWG Wire Size, .1 - .41 mm² Wire Size, Sight Hole, .

031 in [.79 mm] Barrel Inside Diameter, 202 – 810 CMA Wire Size,


Copper

View on TE.com >



Terminals & Splices > Splices











Wire Size: .1 – .41 mm²

Sealable: No

Splice Features: Sight Hole

Barrel Inside Diameter: .79 mm [.031 in]

Features

Product Type Features

Product Type Features	
Splice Accessory Type	Splice
Sealable	No
Splice Type	Butt Splice
Serrated	Yes
Compatible With Discrete Wire Type	Solid, Stranded
Wire Insulation Support Retention Type	Non-Insulation Support
Configuration Features	
Number of Serrations	5
Compatible With Wire & Cable Type	Discrete Wire
Body Features	
Weight per Piece	.144 g
Plating Material	Tin

Sight Hole

Copper

Splice Features

Primary Product Material



Contact Features

	100 μin
Contact Plating Material	Tin
Barrel Type	Closed
Mechanical Attachment	
Wire Insulation Support	Without

Dimensions

Outside Diameter	2.08 mm[.082 in]
Wire Size	202 – 810 CMA
Barrel Inside Diameter	.79 mm[.031 in]
Terminal Material Thickness	.46 mm[.018 in]
Overall Product Length	9.78 mm[.385 in]

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	170 °C[338 °F]

Operation/Application

Heavy Duty	No
Compatible With Wire Base Material	Copper

Industry Standards

Government Qualified Splice	No	
-----------------------------	----	--

Packaging Features

Packaging Quantity	1000
Packaging Method	Loose Piece

Other

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	



Current ECHA Candidate List: JUNE 2022
(224)
Candidate List Declared Against: JUNE
2022 (224)
Does not contain REACH SVHC

Low Halogen - Br, Cl, F, I < 900 ppm per
homogenous material. Also BFR/CFR/PVC
Free

Solder Process Capability


Halogen Content

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Documents

Product Drawings

SPLICE, SOLIS BUTT 26-22

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_321198_G.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_321198_G.3d_igs.zip



English

Customer View Model

ENG_CVM_CVM_321198_G.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

Datasheets & Catalog Pages

SOLISTRAND - QRG

English

Product Environmental Compliance

SPLICE, SOLIS BUTT 26-22

English

SPLICE, SOLIS BUTT 26-22

English

Agency Approvals

UL Report

English