TE Internal #: 42752-2

Ring Terminals & Spade Terminals, Ring Tongue, 16 – 14 AWG

Wire Size, 1.4 – 2 mm² Wire Size, 2582 – 4106 CMA Wire Size, Stud

Size M8 / 5/16

View on TE.com >



Terminals & Splices > Ring Terminals & Spade Terminals











Ring & Spade Terminal Type: Ring Tongue

Wire Size: **2582 – 4106 CMA**

Stud Size: 5/16, M8

Features

Product Type Features

Shape Description	Circular/Oval
Stud Size	5/16, M8
Sealable	No
Compatible With Discrete Wire Type	Stranded
Wire Insulation Support Retention Type	Insulation Support

Configuration Features

Number of Holes	1
Terminal Angle	180 °

Body Features

Weight per Piece	1.317 g	

Contact Features

Contact Base Material	Brass
Ring & Spade Terminal Type	Ring Tongue
Barrel Type	Open
Terminal Orientation	Straight
Terminal Plating Material	Tin



Contact Underplating Material	Nickel
Mechanical Attachment	
Wire Insulation Support	With
Dimensions	
	.12 in
Wire Size	2582 – 4106 CMA
Stud Diameter	8.2 mm[.323 in]
Tongue Thickness	.76 mm[.03 in]
Overall Product Length	26.67 mm[1.05 in]
Barrel Inside Diameter	1.77 mm, 3.68 mm[.07 in][.145 in]
Accepts Wire Insulation Diameter (Max)	4.57 mm[.18 in]
Accepts Wire Insulation Diameter Range	3.05 – 4.57 mm[.12 – .18 in]
Usage Conditions	
Insulation Option	Uninsulated
Operating Temperature Range	-40 - 110 °C[-40 - 230 °F]
Operation/Application	
Compatible With Wire Base Material	Copper
Heavy Duty	No
Industry Standards	
Government Qualified	No
Packaging Features	
Packaging Quantity	4000
Packaging Method	Strip/Reel
Product Compliance	

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE 2022 (224)



Does not contain REACH SVHC

Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per
	homogenous material. Also BFR/CFR/PVC
	Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 60998-1 SPADE 16-14 AWG .0305 X .955 TPCU



TE Part # 2-2150444-2 OCEAN_2.0_Applicator-E-155F210F




TE Part # 2150444-2 OCEAN_2.0_Applicator-E-155F210F



TE Part # 60998-2
TERM SPADE IS 16-14 0305 TPCU



TE Part # 7-2150444-2
OCEAN_2.0_Applicator-E-155F210F



Documents

Product Drawings
RING CRIMP 16-14 AWG TPBR

English

CAD Files

3D PDF

3D



Customer View Model

ENG_CVM_CVM_42752-2_AD_c-42752-2-ad.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_42752-2_AD_c-42752-2-ad.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_42752-2_AD_c-42752-2-ad.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Application Specification

English

Product Environmental Compliance

MD_42752-2_102720162234_dmtec

English

MD_42752-2_102720162234_dmtec

English