

SHUR-PLUG 180

TE Internal #: 42868-2


Crimp Wire Pins, Tabs & Ferrules, Shur-Plug, Pin Diameter 4.57 mm [.18 in], 14 – 10 AWG Wire Size, 2 – 6 mm² Wire Size, SHUR-PLUG 180

View on TE.com >



Terminals & Splices > Crimp Wire Pins, Tabs & Ferrules











Crimp Wire Pin, Tab & Ferrule Terminal Type: Shur-Plug

Pin Diameter: 4.57 mm [.18 in]

Wire Size: 9600 CMA

Features

Product Type Feetures

Product Type Features	
Compatible With Discrete Wire Type	Solid, Stranded
Configuration Features	
Compatible With Wire & Cable Type	Discrete Wire
Contact Features	
Crimp Wire Pin, Tab & Ferrule Terminal Type	Shur-Plug
Barrel Type	Open
Terminal Plating Material	Tin
Terminal Orientation	Straight
Mechanical Attachment	
Wire Insulation Support	Without
Dimensions	
Pin Diameter	4.57 mm[.18 in]
Wire Size	9600 CMA
Barrel Inside Diameter	1.9 mm[.075 in]

.39 mm[.016 in]

Terminal Material Thickness



Overall Product Length	18.28 mm[.72 in]
Usage Conditions	
Insulation Option	Uninsulated
Operating Temperature Range	-40 - 105 °C[-40 - 221 °F]
Operation/Application	
Heavy Duty	No
Packaging Features	
Packaging Quantity	10000
Packaging Method	Reel

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts







TE Part # 2150740-2 OCEAN_2.0_APPLICATOR-E-130F




TE Part # 1217074-2 SHUR PLUG 180 RECEPTACLE 2-8 AWG TPBR









Also in the Series | SHUR-PLUG 180







Crimp Wire Pins, Tabs & Ferrules(37)



Documents

Product Drawings

SHUR PLUG 180 RECEPTACLE 14-10 AWG TPBR

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_42868-2_AB.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_42868-2_AB.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_42868-2_AB.3d_stp.zip

English

Crimp Wire Pins, Tabs & Ferrules, Shur-Plug, Pin Diameter 4.57 mm [.18 in], 14-10 AWG Wire Size, 2-6 mm² Wire Size, SHUR-PLUG 180



By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Application Specification

English

Product Environmental Compliance

TE Material Declaration

English