


TE Internal #: 487526-5 FFC Connectors, Housing, Wire-to-Board, 6 Position, 2.54 mm [.1 in] Centerline, 1 Row, Socket, Carton, Mating Retention, Wire & Cable, Normal

### View on TE.com >

Connectors > PCB Connectors > Wire-to-Board Connectors > FFC, FPC & Ribbon Connectors > FFC Connectors >

2.54mm FFC Connectors Receptacle Housing



FFC Connector Product Type: Housing

Connector System: Wire-to-Board

Number of Positions: 6

Centerline (Pitch): 2.54 mm [.1 in]

Number of Rows: 1

All 2.54mm FFC Connectors Receptacle Housing (143)



## Features

## **Product Type Features**

Connector & Housing Type	Receptacle
FFC Connector Product Type	Housing
Connector System	Wire-to-Board
Sealable	No
Connector & Contact Terminates To	Wire & Cable
Insertion Force Type	Normal
Configuration Features	
Compatible With Wire & Cable Type	FFC
Number of Positions	6
Number of Rows	1
Electrical Characteristics	
Dielectric Withstanding Voltage (Max)	720 VAC

FFC Connectors, Housing, Wire-to-Board, 6 Position, 2.54 mm [.1 in] Centerline, 1 Row, Socket, Carton, Mating Retention, Wire & Cable, Normal



Insulation Resistance	5000 ΜΩ
Operating Voltage	300 VAC
Contact Features	
Contact Type	Socket
Mechanical Attachment	
Mating Alignment Type	Polarization
Mating Retention Type	Latch
Mating Retention	With
Mating Alignment	With
Panel Mount Feature	Without
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Housing Material	Thermoplastic
Centerline (Pitch)	2.54 mm[.1 in]
FFC Cable Entry	Straight
Housing Color	Black

# Usage Conditions

Operating Temperature Range	-65 – 105 °C[-85 – 221 °F]
Operation/Application	
Circuit Application	Signal
Industry Standards	
UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Quantity	1000
Packaging Method	Carton
<b>Product Compliance</b> For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	

FFC Connectors, Housing, Wire-to-Board, 6 Position, 2.54 mm [.1 in] Centerline, 1 Row, Socket, Carton, Mating Retention, Wire & Cable, Normal



Current ECHA Candidate List: JUNE 2022 (224)Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC

Not Low Halogen - contains Br or Cl > 900 ppm.

Halogen Content

### Solder Process Capability


Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

# **Compatible Parts**









FFC Connectors, Housing, Wire-to-Board, 6 Position, 2.54 mm [.1 in] Centerline, 1 Row, Socket, Carton, Mating Retention, Wire & Cable, Normal





## Documents

Product Drawings 006 HOUSING FFC RCPT 100CL SR

English

## **CAD** Files

Customer View Model ENG\_CVM\_CVM\_487526-5\_AT.2d\_dxf.zip

English

### 3D PDF

3D

Customer View Model ENG\_CVM\_CVM\_487526-5\_AT.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_487526-5\_AT.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

### **Product Specifications**

**C** For support call+1 800 522 6752

FFC Connectors, Housing, Wire-to-Board, 6 Position, 2.54 mm [.1 in] Centerline, 1 Row, Socket, Carton, Mating Retention, Wire & Cable, Normal



**Application Specification** 

English

Product Environmental Compliance TE Material Declaration

English

Instruction Sheets

Instruction Sheet (U.S.)

English

**Extraction Tools** 

English