4-647002-0 <


## MTA 100

TE Internal #: 4-647002-0 Standard Rectangular Connectors, Connector Assembly, Plug, Mating Alignment, Polarization Mating Alignment Type, Mating Retention, MTA 100

#### View on TE.com >



Connectors > Rectangular Connectors > Standard Rectangular Connectors > MTA Plug: Nylon, Tin Plated, 2.54 mm, with Mating Alignment



Connector Product Type: Connector Assembly Connector & Housing Type: Plug

Mating Alignment: With

Mating Alignment Type: Polarization

Mating Retention: With

All MTA Plug: Nylon, Tin Plated, 2.54 mm, with Mating Alignment (81)

# Features

# Product Type Features

Product Style	Assembly			
Shape	Rectangular			
Wire/Cable Type	Stranded			
Connector Type	Connector Assembly			
Connector Product Type	Connector Assembly			
Connector & Housing Type	Plug			
Connector System	Wire-to-Wire			
Insertion Force Type	Normal			
Sealable	No			
Connector & Contact Terminates To	Wire & Cable			
Configuration Features				
Number of Cavities	10			
Number of Positions	10			

**C** For support call+1 800 522 6752

Standard Rectangular Connectors, Connector Assembly, Plug, Mating Alignment, Polarization Mating Alignment Type, Mating Retention, MTA 100



Number of Rows	1	
Electrical Characteristics		
Operating Voltage	250 VAC	
Contact Features		
Contact Type	Tab	
Wire Contact Termination Area Plating Material	Tin	
Contact Underplating Material	Nickel	
Contact Mating Area Plating Material	Tin	
Contact Retention Within Housing	With	
Contact Current Rating (Max)	5 A	
Termination Features		
Termination Method to Wire & Cable	Insulation Displacement (IDC)	
Mechanical Attachment		
Panel Mount	No	
Contact Retention Type Within Housing	Locking Lance	
Panel Mount Feature	Without	
Mating Alignment	With	
Mating Alignment Type	Polarization	
Mating Retention	With	
Mating Retention Type	Latch	
Connector Mounting Type	Cable Mount (Free-Hanging)	
Housing Features		
Housing Color	Blue	
Housing Material	Nylon 6/6	
Centerline (Pitch)	2.54 mm[.1 in]	
Dimensions		
Width	21.4 mm[.843 in]	
Height	12.54 mm[.494 in]	
Length	27.94 mm[1.1 in]	
Wire Size	.12 – .15 mm²	
Usage Conditions		
Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]	
+1 800 522 6752	10/31/2022 (	

**C** For support call+1 800 522 6752

Standard Rectangular Connectors, Connector Assembly, Plug, Mating Alignment, Polarization Mating Alignment Type, Mating Retention, MTA 100



### **Operation/Application**

Shielded	No			
Circuit Application	Signal			
Industry Standards				
CSA Rating	LR 7189			
Agency/Standard	CSA, UL			
UL Rating	Recognized			
CSA File Number	LR 7189			
UL File Number	E28476			
UL File Number UL Flammability Rating	E28476 UL 94V-2			
UL Flammability Rating				

# Product Compliance

For compliance documentation, visit the product page on TE.com>

### EU RoHS Directive 2011/65/EU

#### Compliant

EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Canability	Not applicable for solder process capability

Solder Process Capability

Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on

Standard Rectangular Connectors, Connector Assembly, Plug, Mating Alignment, Polarization Mating Alignment Type, Mating Retention, MTA 100



requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

# **Compatible Parts**



TE Part # 58074-1 MTA 50/100/156 MANUAL TOOL FRAME




MTA 100 CRIMP HEAD PRODUCTION POSTED

TE Part # 58639-1 MTA 100 POSTED MANUAL TOOL ASSEMBLY

# Also in the Series MTA 100









Insertion & Extraction Tools(2)	PCB Connector Covers(107)	PCB Connector Keying(1)	PCB Headers & Receptacles(1181)
		And the second	
Standard Rectangular Connectors (1718)	Wire-to-Board Connector Assemblies & Housings(1)	Wire-to-Board Connector Contacts(18)	

# Documents

# **Product Drawings** 10P MTA100 PSTD CONN ASSY LF

English

Standard Rectangular Connectors, Connector Assembly, Plug, Mating Alignment, Polarization Mating Alignment Type, Mating Retention, MTA 100



# CAD Files

Customer View Model ENG\_CVM\_CVM\_4-647002-0\_D.2d\_dxf.zip

English

3D PDF

3D

Customer View Model ENG\_CVM\_CVM\_4-647002-0\_D.3d\_igs.zip

English

Customer View Model ENG\_CVM\_CVM\_4-647002-0\_D.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Datasheets & Catalog Pages MTA, CST-100 II, SL-156 and AMP Economy Power (EP) Connectors

English

Product Specifications

Application Specification

English

Agency Approvals Agency Approval Document

English