
# 53894-6 - ACTIVE

#### AMP

TE Internal #: 53894-6 Rectangular Power Connectors, Housing, Receptacle / Plug, Wireto-Wire, 1 Position, Wire & Cable, UL 94V-2, Power, Panel Mount View on TE.com >



Connectors > Power Connectors > Rectangular Power > Rectangular Power Connectors



Rectangular Power Connector Type: Housing Connector & Housing Type: Plug, Receptacle Connector System: Wire-to-Wire Number of Positions: 1

Sealable: No

## Features

## Product Type Features

| Rectangular Power Connector Type  | Housing          |
|-----------------------------------|------------------|
| Connector & Housing Type          | Plug, Receptacle |
| Connector System                  | Wire-to-Wire     |
| Sealable                          | No               |
| Connector & Contact Terminates To | Wire & Cable     |
| Configuration Features            |                  |
| Number of Positions               | 1                |
| Number of Power Positions         | 1                |
| Number of Signal Positions        | 0                |
| Number of Rows                    | 1                |
| Electrical Characteristics        |                  |
| Operating Voltage                 | 600 VDC          |
| Contact Features                  |                  |
| Contact Current Rating (Max)      | 31 A             |

### 53894-6

Rectangular Power Connectors, Housing, Receptacle / Plug, Wire-to-Wire, 1 Position, Wire & Cable, UL 94V-2, Power, Panel Mount



| Contact Retention Within Housing   | With              |
|------------------------------------|-------------------|
| Contact Type                       | Blade             |
| Termination Features               |                   |
| Termination Method to Wire & Cable | Crimp & Solder    |
| Wire/Cable Type                    | Discrete Wire     |
| Mechanical Attachment              |                   |
| Connector Mounting Type            | Panel Mount       |
| Housing Features                   |                   |
| Housing Color                      | Blue              |
| Housing Material                   | Polycarbonate     |
| Dimensions                         |                   |
| Wire Size                          | .8 – 3 mm²        |
| Width                              | 8.05 mm[.317 in]  |
| Height                             | 8.05 mm[.317 in]  |
| Length                             | 24.71 mm[.973 in] |
| Usage Conditions                   |                   |
|                                    |                   |

Operating Temperature Range

-40 – 75 °C[-40 – 167 °F]

## **Operation/Application**

| Circuit Application           | Power                |
|-------------------------------|----------------------|
| Industry Standards            |                      |
| CSA Rating                    | Certified            |
| UL Flammability Rating        | UL 94V-2             |
| Agency/Standard Number        | E28476               |
| Agency/Standard               | CSA, UL              |
|                               |                      |
| UL Rating                     | Recognized           |
| UL Rating<br>CSA File Number  | Recognized<br>LR7189 |
|                               |                      |
| CSA File Number               | LR7189               |
| CSA File Number<br>VDE Tested | LR7189               |

# **Product Compliance**

**C** For support call+1 800 522 6752

#### 53894-6

Rectangular Power Connectors, Housing, Receptacle / Plug, Wire-to-Wire, 1 Position, Wire & Cable, UL 94V-2, Power, Panel Mount



#### For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU                  | Compliant  |
|---|--|
| EU ELV Directive 2000/53/EC                   | Compliant  |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold  |
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JUNE 2022<br>(224)<br>Candidate List Declared Against: JAN 2021<br>(211)<br>Does not contain REACH SVHC |
| Halogen Content                               | Not Low Halogen - contains Br or Cl > 900<br>ppm.  |
| Solder Process Capability                     | Not applicable for solder process capability   |

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-



# **Compatible Parts**



## Documents

Product Drawings HSG ASSY,PWR LK,SRS1,1 POS,BLU

English

**CAD** Files

3D PDF

English

### 53894-6

Rectangular Power Connectors, Housing, Receptacle / Plug, Wire-to-Wire, 1 Position, Wire & Cable, UL 94V-2, Power, Panel Mount



Customer View Model

ENG\_CVM\_53894-6\_L.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_53894-6\_L.3d\_stp.zip

English

Customer View Model

ENG\_CVM\_53894-6\_L.2d\_dxf.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications Application Specification

English

**Application Specification** 

Japanese

Power-Lock 75 Series Contacts

Japanese

Product Environmental Compliance

**TE Material Declaration** 

English

Instruction Sheets Instruction Sheet (U.S.)

English

## Agency Approvals Agency Approval Document

English