


PLASTI-GRIP

TE Internal #: 55793-1 Splices, 12 – 10 AWG Wire Size, 3 – 6 mm² Wire Size, Standard, 5180 – 13100 CMA Wire Size, Copper, Butt Splice Splice, Serrated, PLASTI-GRIP

View on TE.com >

Terminals & Splices > Splices



Wire Size: **3–6 mm²**

Sealable: No

Splice Features: Standard

Accepts Wire Insulation Diameter Range: 5.84 mm [.23 in]

Features

Product Type Features



Splice Accessory Type	Splice
Sealable	No
Splice Type	Butt Splice
Serrated	Yes
Compatible With Discrete Wire Type	Solid, Stranded
Wire Insulation Support Retention Type	Insulation Support
Configuration Features	
Compatible With Wire & Cable Type	Discrete Wire
Body Features	
Insulation Sleeve Material	Vinyl
Weight per Piece	.6 g
Plating Material	Tin
Color Features	Yellow Stripes
Splice Features	Standard
Primary Product Material	Copper

C For support call+1 800 522 6752

55793-1

Splices, 12 – 10 AWG Wire Size, 3 – 6 mm² Wire Size, Standard, 5180 – 13100 CMA Wire Size, Copper, Butt Splice Splice, Serrated, PLASTI-GRIP



Contact Features

	100 µin	
Contact Plating Material	Tin	
Barrel Type	Closed	
Mechanical Attachment		
Wire Insulation Support	With	
Dimensions		
Wire Size	5180 – 13100 CMA	
Accepts Wire Insulation Diameter Range	5.84 mm[.23 in]	
Overall Product Length	29.46 mm[1.16 in]	
Usage Conditions		
Insulation Option	Fully Insulated	
Operating Temperature Range	105 °C[221 °F]	
Operation/Application		
Heavy Duty	No	
Compatible With Wire Base Material	Copper	

Industry Standards

Government Qualified Splice	No
Packaging Features	
Packaging Quantity	500
Packaging Method	Loose Piece
Other	
Military Category	No
Military Category	No

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224)

Splices, 12 – 10 AWG Wire Size, 3 – 6 mm² Wire Size, Standard, 5180 – 13100 CMA Wire Size, Copper, Butt Splice Splice, Serrated, PLASTI-GRIP



Candidate List Declared Against: JUL 2021 (219) Does not contain REACH SVHC

Not Low Halogen - contains Br or Cl > 900 ppm.

Not applicable for solder process capability

Halogen Content

Solder Process Capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Also in the Series | PLASTI-GRIP

Compression Connectors(3)	Crimp Wire Pins, Tabs & Ferrules(25)	Ring Terminals & Spade Terminals(537)	Splices(49)

Documents

Product Drawings SPLICE,BUTT,P.G. 12-10

English

55793-1

Splices, 12 – 10 AWG Wire Size, 3 – 6 mm² Wire Size, Standard, 5180 – 13100 CMA Wire Size, Copper, Butt Splice Splice, Serrated, PLASTI-GRIP



CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_55793-1_E.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_55793-1_E.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_55793-1_E.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Application Specification

English

Instruction Sheets Instruction Sheet (U.S.)

English

Agency Approvals UL Report

English