

AMP-IN

TE Internal #: 61137-1

PCB Terminals, Receptacle, PCB Hole Diameter 4.1 mm [.161 in],

Through Hole - Solder, Pre-Tin Plating, Reel, Terminates To Printed

Circuit Board

View on TE.com >




Terminals & Splices > PCB Terminals











PCB Terminal Type: Receptacle

PCB Thickness (Recommended): 1.6 mm [.063 in]

PCB Hole Diameter: 4.1 mm [.161 in]

Mating Pin Diameter: 2.36 mm [.093 in]

Profile Height from PCB: 7.75 mm [.309 in]

Features

Product Type Features

PCB Terminal Mounting Style	Stud Mount
Configuration Features	
Stud Hole	No
Terminal Angle	180 °
Contact Features	
Contact Plating Material	Tin
PCB Terminal Type	Receptacle
Mating Pin Diameter	2.36 mm[.093 in]
Terminal Plating Material	Pre-Tin
Terminal Size	Miniature
Terminal Orientation	Straight
Termination Features	
Termination Method to Printed Circuit Board	Through Hole - Solder
Product Terminates To	Printed Circuit Board



Mechanical Attachment

Wire Insulation Support	Without
Dimensions	
Extension Below Board	2.54 mm[.1 in]
Receptacle Terminal Stock Thickness	.25 mm[.01 in]
PCB Thickness (Recommended)	1.6 mm[.063 in]
PCB Hole Diameter	4.1 mm[.161 in]
Profile Height from PCB	7.75 mm[.309 in]
Usage Conditions	
Insulation Option	Uninsulated
Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
Packaging Features	
Packaging Quantity	9000

Reel

Product Compliance

Packaging Method

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous

PCB Terminals, Receptacle, PCB Hole Diameter 4.1 mm [.161 in], Through Hole - Solder, Pre-Tin Plating, Reel, Terminates To Printed Circuit Board



materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts





Documents

Product Drawings

.093 PCB PIN .0126 PTP PH/BZ

English

CAD Files

Customer View Model

ENG_CVM_61137-1_M.3d_igs.zip

English

Customer View Model

ENG_CVM_61137-1_M.3d_stp.zip

English

Customer View Model

ENG_CVM_61137-1_M.2d_dxf.zip

English

3D PDF

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_61137-1_AD.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_61137-1_AD.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_61137-1_AD.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use



Datasheets & Catalog Pages

PRINTED CIRCUIT BOARD TERMINALS AND DISCONNECTS

English

Product Specifications

Application Specification

English

Product Environmental Compliance

MD_61137-1_113020172325_dmtec

English

MD_61137-1_113020172325_dmtec

English